

63578

# A Theoretical Study of Digital Filters and Its Applications in Some Physical Phenomena

Thesis

Submitted for the degree of

Doctor of Philosophy In Physics

n M

To

The Faculty of Science Ain Shams University 1997

by

Abdel-Moatamad Hanafy Abdel-Aziz

B.Sc., M.sc. (Physics)

Amer Inn



#### Acknowledgement

I would like to thank Prof. M.A. EL Shasrkawy, head of the Physics Department, Faculty of Science, Ain Shams University for his interest and encouragement during this work.

J. I wish to express my sincere thanks and deep gratitude to Prof. Amr J. Goneid, head of Computer Science Department, the American University in Cairo, for suggesting the point of research and providing me with the materials used, and for his continuous supervision, valuable discussions, guidance and support.

I owe my thanks and deep gratitude to Prof. Ismael Amr Ismael Mathematics Department, Faculty of Science, Zagazig University, who has taught me the basics of optimization algorithms and their applications in the present work and also for his scientific support.

I would also like to thank Dr. M.M. Kamel, Physics Department, Faculty of Science, Tanta University, for his motivation and encouragement.

My gratitude is certainly due to Prof. M.A. Mohsen, Physics Department, Faculty of Science, Ain Shams University for her unfailing patience and invaluable assistance.

I am also indebted to my colleagues in the Physics Department, Faculty of Science, Ain Shams University, specially Dr. M. I. Roushdy and Dr. M. GadEl- Hakk.

Finally, I owe my deepest gratitude to my family for their help, patience and encouragement over the years.

Acknowledgement	Page
Contents	
List of Figures	i
List of Tables	iv
SUMMARY	vii
Chapter I	ix
Introduction	
1-1) What is signal processing	I
1-2) Fundamentals of discrete with the	2
1-2) Fundamentals of discrete multidimensional system.	3
1-2-a) Basic Concepts of Continuous 2-D Signals.	3
1-2-b) Two Dimensional Discrete System 1-2-c) Linear Shift Investigation of the Control of the C	4
1-2-c) Linear Shift Invariant (LSI) Discrete systems. 1-3) The Fourier transform	5
1-4) Sampling of 2D Signals	6
1-5) The z-transform	9
1-5-a) z-Transform of 1D Signal.	13
1-5-b) Transfer Function.	13
1-3-c) 2D z-transform	14
1-6) Digital Filters.	16
1-6-a) Types of Digital Filters	17
a) Finite Impulse Response (FIP) Digital CL	18
-/ "g"the impulse Response (IIP) Distant rive	18
- The steam and state of the st	19
1-6-c) Filter's Order	19
1-/) Design techniques for FIR Digital Elle	23
1 - / - 1) Techniques for ID FIP Digital Pil	23
1 / 2/ 1 echniques for 71) FID Digital Fig.	24
- 5 mage Filtering Techniques	27 20
1-8-1) Suprposition and convolution	<i>29</i>
1-8-1-a) Finite Area Superposition and G	<i>29</i>
V / CH CHICHE NIDOPROGUES 1 CT	30 34
y - we his by FF I convolution	34 36
1-0-3) Recursive Filtering	30 37
l-9) Goal of The Thesis.	38
	<i>-</i>

2-1) Introduction	41
2-2) Linear phase Finite Impulse Response (FIR)	
Digital Filters	42
2-2-1) Weighted Chebyshev Approximation	43
2-2-2) Least squares design of FIR digital filters	52
2-3 ) Cyclic descent filter	56
2-3-a) Description of the used cyclic descent method	57
2-3-b) One dimensional search (Gold search)	57
a) Fibonacci search	58
b) Golden section search	59
2-4) Śimulation test for the designed filters	59
2-5) Application of the cyclic descent filter to cosmic ray	
intensities ,Kp indices, and solar wind speed data	65
2-6) Correlating cosmic ray intensity data, Kp indices	
and solar wind speed data  Chapter III	70
and solar wind speed data  Chapter III  Design and Implementation Algorithms of Two	
and solar wind speed data  Chapter III  Design and Implementation Algorithms of Two  (FIR) Digital Filters	
and solar wind speed data  Chapter III  Design and Implementation Algorithms of Two  (FIR) Digital Filters  3-1) Introdiction	Dimension
and solar wind speed data  Chapter III  Design and Implementation Algorithms of Two (FIR) Digital Filters  3-1) Introdiction  3-2) Two Dimensional Discrete System	<b>Dimension</b> 79
and solar wind speed data  Chapter III  Design and Implementation Algorithms of Two (FIR) Digital Filters  3-1) Introdiction  3-2) Two Dimensional Discrete System  3-2-a) System Function of 2D FIR Filter	<b>Dimension</b> 79 80 80
and solar wind speed data  Chapter III  Design and Implementation Algorithms of Two  (FIR) Digital Filters  3-1) Introdiction  3-2) Two Dimensional Discrete System  3-2-a) System Function of 2D FIR Filter  3-2-b) Symmetry Constraints on the Response Function	<b>Dimension</b> 79 80 80
and solar wind speed data  Chapter III  Design and Implementation Algorithms of Two  (FIR) Digital Filters  3-1) Introdiction  3-2) Two Dimensional Discrete System  3-2-a) System Function of 2D FIR Filter  3-2-b) Symmetry Constraints on the Response Function	<b>Dimension</b> 79  80  80  n. 82
and solar wind speed data  Chapter III  Design and Implementation Algorithms of Two  (FIR) Digital Filters  3-1) Introdiction  3-2) Two Dimensional Discrete System  3-2-a) System Function of 2D FIR Filter  3-2-b) Symmetry Constraints on the Response Function  3-3) Design Algorithms of 2D-FIR Filters	79 80 80 80 81 82 86 87
and solar wind speed data  Chapter III  Design and Implementation Algorithms of Two (FIR) Digital Filters  3-1) Introdiction  3-2) Two Dimensional Discrete System  3-2-a) System Function of 2D FIR Filter  3-2-b) Symmetry Constraints on the Response Function  3-3) Design Algorithms of 2D-FIR Filters  3-2-a) Windows technique	79 80 80 80 81 82 86 87
and solar wind speed data  Chapter III  Design and Implementation Algorithms of Two (FIR) Digital Filters  3-1) Introdiction  3-2) Two Dimensional Discrete System     3-2-a) System Function of 2D FIR Filter     3-2-b) Symmetry Constraints on the Response Function  3-3) Design Algorithms of 2D-FIR Filters     3-2-a) Windows technique     3-2-b) Transformation Technique (McClellan Transformation	79 80 80 80 9. 82 86 87 9m) 89
and solar wind speed data  Chapter III  Design and Implementation Algorithms of Two (FIR) Digital Filters  3-1) Introdiction  3-2) Two Dimensional Discrete System  3-2-a) System Function of 2D FIR Filter  3-2-b) Symmetry Constraints on the Response Function  3-3) Design Algorithms of 2D-FIR Filters  3-2-a) Windows technique  3-2-b) Transformation Technique (McClellan Technique (McClellan Transformation Technique (McClellan Technique (	79 80 80 n. 82 86 87 (m) 89 94
and solar wind speed data  Chapter III  Design and Implementation Algorithms of Two (FIR) Digital Filters  3-1) Introdiction  3-2) Two Dimensional Discrete System  3-2-a) System Function of 2D FIR Filter  3-2-b) Symmetry Constraints on the Response Function  3-3) Design Algorithms of 2D-FIR Filters  3-2-a) Windows technique  3-2-b) Transformation Technique (McClellan Technique (McClellan Transformation Technique (McClellan Technique (	79 80 80 80 n. 82 86 87 (m) 89 94 97
Chapter III  Design and Implementation Algorithms of Two  (FIR) Digital Filters  3-1) Introdiction  3-2) Two Dimensional Discrete System  3-2-a) System Function of 2D FIR Filter  3-2-b) Symmetry Constraints on the Response Function  3-3) Design Algorithms of 2D-FIR Filters  3-2-a) Windows technique  3-2-b) Transformation Technique (McClellan Transformation Technique (McClellan Transformation Technique)  3-2-d) Linear programming technique  3-4) Realization of 2D-FIR fFilters	79 80 80 80 91 82 86 87 97 94 97 100

103

4-1) Introduction

4-2) Theory of linear Chebyshev approximation	
4-2-a) The existence theorem	104
4-2-b) Characterization theorem	104
4-2-c) Unicity theorem	105
4-2-d)Characteristics of best approximation	106
4-3) The design of 2D FIR filter by Chebyshev approximation	107
4-3-a) Kamp and Thiran formulation	108
4-3-b) Rules for the Exchange Algorithm	109
4-3-c) Charalambous algorithm	III
4-4) Design Examples	113
4-4-a) Discretization scheme	117
4-4-b) Design of 5x5 and 9x9 FIR Digital filters	118
To Design by 3x3 and 9x9 FIR Digital filters	120
Chapter V	
An Algorithm For Image Filtering Based On	
Penalty Function Approach	
5-1) Introduction	125
5-2) Penalty method (general overview)	126
5-3) Modeling of the Approximation Problem	130
5-3-a) Octagonal symmetric 2D FIR	130
5-3-b) Optimization through penalty function approach	132
5-3-c) Unconstrained minimization by Davidon-	132
Fletcher-Powell Method	135
5-4) Design Examples	136
5-4-a) Design of 5x5 and 9x9 lowpass FIR Filters	137
3-4-b) Technical Point	141
5-5 ) Expermental study	142
5-5- a) General Performance	142
5-5-b) Noise Reduction Tests	143
5-5-c ) Edges and Lines Preserving Test	144
Chapter VI	
Discussion and Conclusions	
	153
References	159
Arabic Summary	160

### List of Figures

	Page
Fig.(1-1): (a) Sampling of a Continous Function at minimum	
Sampling interval Δt.	
(b): Illustration for The Aliasing Phenomenon.	10
Fig.(1-2): A 2D Spectrum of Sampled Image Function.	12
Fig.(1-3): The z-transform.	14
Fig.(1-4): Implementation of Convolution Relation.	20
Fig.(1-5): Implementation of Output by Recursion Formula.	
20	
Fig.(1-6): Calculation of Output Samples by a Recursive Filter.	22
Fig.(1-7): Compensation of Border Effect for Superposition.	32
Fig.(1-8): Sechem Representation for The Use of Extended Matrix.	35
Fig.(2-1): Desired Lowpass Filters Characteristics.	48
Fig.(2-2): Simulated Time Series	
(a) Original Series. (b) Noisy Series (SNR 300%).	61
Fig.(2-3): Response Function for Filter I (Chebyshev Algorithm).	
(a) Response in Absolute Units. (b) Response in dB.	62
Fig.(2-4): Response Function for Filter II (Least Squares Method).	
(a) Response in Absolute Units. (b) Response in dB.	63
Fig.(2-5): Filtered Output Data.	
(a) Output of Filter I	
(b) Output of Filter II	
(c) Output of Cyclic descent Filter.	64
Fig.(2-6): Cosmic Rays Daily Values For Year 1974:	
(a) Before Filtering. (b) After Filtering.	67
Fig.(2-7): Kp- Index Daily Values For Year 1974:	
(a) Before Filtering. (b) After Filtering.	68
Fig.(2-8): Solar Wind Speed Daily Values For Year 1974:	
(a) Before Filtering. (b) After Filtering.	69
Fig.(2-9): Cross-Correlation Function Between the Kp-Index and	
Cosmic Rays Daily Intensity:	
(a) $f_1 = 0.921$ c.p.d. ( $T_1 = 6.8$ days).	
(b) $f_2=0.712$ c.p.d. ( $T_2=8.8$ days).	
(c) $f_3$ =0.921 c.p.d. ( $T_3$ =13.6 days).	
(d) $f_4$ =0.921 c.p.d. ( $T_4$ =30.5 days).	71
Fig.(2-10): Cross-Correlation Function Between the Solar Wind	
Speed and Kp-Index:	
(a) $\hat{f}_1 = 1.12$ c.p.d. ( $T_1 = 5.6$ days).	
(b) $f_2=0.68$ c.p.d. ( $T_2=9.1$ days).	

(c) $f_3 = 0.42$ c.p.d. ( $T_3 = 14.9$ days).	
17). Closs-Correlation Function Date	72
Speed and Cosmic Rays Daily Intensity:	
(**) 1	
$(0)^{-1}2^{-0}./0$ C.D.d. $(1_0=8.07 \text{ down})$	
$(9) \cdot 3 = 9.441 \cdot 0.0 \cdot 0.01 = 1.4 \cdot 0.1 = 1.4 \cdot 0.1$	
5 (= 12), I Owel Specifilm Deneity Event.	73
Speed and Cosmic Ray Daily Intensities.  Fig.(2-13): Power Speatrum P.	
	75
Cosmic Ray Daily Intensities.	
10. 1 Ower Spectrum Density Property	76
GILGHUH DEUMAAN tha C-1 Tyri -	
Speed and Kp-Index.	
1'19.(3-1): Constraints Matrix D. I.	77
Fig.(3-2): Block Diagram for Chebyshev Recursion Formula.	99
Fig.(3-3): Realization of a 2D Filter by Transformation Method.	102
Fig.(4-1): Discretization Scheme for Octagonal Symmetric Case.	102
Fig. (4-2): a) Amplitude Responce of Filter FC5	119
18.(13). a) Amplitude Response of Pile Boo	122
(a) Amplitude Response of Filter Eng	123
Of Committee of the 75 to 5	
16.(5-2). a) Ampittude Response of Eilter Epo	139
9) Comone Plate at Line (# a )	
1 (3-3). Image [	120
Fig.(5-4): ImageII.	142
Fig. (5-5): Image I (Noisy).	142
Fig.(5-6): Image II (Noisy)	142
Fig.(5-7): Image I (a) Filter FC5.	142
(b) Filter ECO	
Fig.(5-8): Image I! (a) Filter FC5.	142
(b) Filter ECO	
Fig.(5-9): Image I (a) Filter FP5.	142
(b) Filter FP9.	
· •	143

Fig.(5-10): Image II (a) Filter FP5,	
(b) Filter FP9.	143
Fig.(5-11): (a) Noisy (SNR 20%),	
(b) Filter FP5, and	
(c) Filter FP9.	143
Fig.(5-12): (a) Noisy (SNR 40%),	
(b) Filter FP5, and	
(c) Filter FP9.	143
Fig.(5-13): Local Mean Value (SNR= 2	
(a) Filter FP5 (b) Filter	*
Fig.(5-14): Local Mean Value (SNR= 4	
(a) Filter FP5 (b) Filter	•
Fig(5-15): Distribution of Image I (SNR	
(a) Filter FC5 (b) Filter	*
Fig(5-16): Distribution of Image II (SNI	
(a) Filter FC5 (b) Filter	er FP5. 149
Fig(5-17): Distribution of Image I (SNR	= 40%)
(a) Filter FC9 (b) FP9	. 150
Fig(5-18): Distribution of Image II (SNI	R= 40%)
(a) Filter FC9 (b) FP9	151

### List of Tables

T 11 (2.1)		Page
Table (2-I)	: Symmetry Condition for $G(e^{j\omega})$ .	44
Table (2-II)	: Relations for The Impulse Response Coefficients.	45
Table (2-III)	: Estimated Frequencies Obtained from Power	73
	Spectrum Density Function.	66
Table (2-IV)	: Frequencies Obtained by The Cyclic Descent	
	Method.	66
Table (2-V)	: Time Lag Estimation.	78
Table (4-I)	: Coefficients of Filters FC5.	121
Table (4-II)	: Coeffecients of Filters FC9.	121
Table (5-I)	: Coefficients of Filters FP5.	
Table (5-II)		138
` '	: Coeffecients of Filters FP9.	138
Table (5-III)	: Reduction Ratio (Image I).	144

## SUMMARY