# TRANSFERRIN AND SPONTANEOUS BACTERIAL PERITONITIS

#### **Thesis**

Submitted for partial fulfillment of the master degree in internal medicine

616.026 S.A. Ву

Sameh Abd El Raouf Farahat
M.B., B.ch.
Faculty of Medicine – Ain Shams University

Supervised by

Prof.Dr. Mohames Abd EL Fattah Taha
Professor of Internal Medicine
Faculty of Medicine – Ain Shams University

Dr. Tarck Mansour Ahmed Lecturer of Internal Medicine Ain Shams University Dr.Mona Mohamed Zaki Lecturer of Clinical Pathology Ain Shams University


Contract of the second of the

Faculty of Medicine
Ain Shams University
1998


Straig Naprils

641









#### <u>Acknowledgement</u>

I am deeply grateful for the support and constructive guidance of many people, whose valuable assistance made this study possible.

First and foremost, I wish to express my thanks and profound gratitude to *Prof. Dr. Mohamed Abd El Fattah Taha*, professor of internal medicine, faculty of medicine, Ain Shams University. He gave me the original suggestion for this subject, to whom I am deeply indebted for encouraging me to develop this subject, and for all the inspiring guidance, valuable supervision and help, he has given me since I started this subject.

Indeed, words do fail me when I come to express my sincere indebtedness to *Dr. Tarek Mansour*, lecturer of internal medicine, faculty of medicine, Ain Shams University, for his extraordinary honest effort, for his kindness, for dedicating so much of his precious time, and for his constant guidance to complete this work.

Special thanks are due to *Dr. Mona Mohamed Zaki*, lecturer of elinical pathology, faculty of medicine, Ain Shams University, for her valuable instructions, kindness, and honest co-operation to complete this work.

Last but not least, I wish to extend my genuine thanks and deep admiration and gratitude to my dear mother and to my lovely wife for their encouragement and support to complete this work.



### **Contents**

I - Introduction	İ
I - Aim of the work	2
III - Review of literature: -	
* Spontaneous bacterial peritonitis (SBP)	3
* Transferrin.	20
IV - Patients and methods	28
V - Results	33
VI - Discussion	55
VII – Summary	61
VIII- Conclusion	63
IX - Recommendation	65
X - References	67
XI - Arabic summary	



#### List of abbreviations

- A.Ph.: Alkaline phosphatase.
- ◆ AF: Ascitic fluid.
- AF trans.: Ascitic fluid transferrin.
- AFTP: Ascitic fluid total proteins.
- ALT: Alanine transaminase.
- AST: Aspartate transaminase.
- BUN: Blood urea nitrogen.
- CNNA: Culture negative neutrocytic ascites.
- MNB: Monomicrobial non-neutrocytic bacterascites.
- PMN: Polymorphonuclear cells.
- PT: Prothrombin time.
- RES: Reticuloendothelial cells.
- S-Alb.: Serum albumin.
- S.trans, Serum transferrin.
- SBP : Spontaneous bacterial peritonitis
- STB: Serum total bilirubin.

## List of figures

Number	Figure	Page
Fig.(1)	Comparison between mean age in both group	
1	I and group II.	40
Fig (2)	Comparison between mean serum total	•
	bilirubin in both group I and group II.	42
Fig. (3)	Comparison between mean serum albumin in	
	both group I and group II.	43
Fig. (4)	Comparison between mean liver enzymes in	
	both group I and group II.	44
Fig. (5)	Comparison between mean prothrombin time	
	in both group I and group II.	45
Fig. (6)	Comparison between mean ascitic fluid total	
Ī	protein in both group I and group II.	46
Fig. (7)	Correlation between serum transferrin and	
	serum total bilirubin in group I.	47
Fig. (8)	Correlation between scrum transferrin and	
ļ	serum albumin in group I.	48
Fig. (9)	Correlation between serum transferrin and	
_	prothrombin time in group I.	49
Fig. (10)	Correlation between ascitic fluid transferrin	
	and ascitic fluid total proteins in group I.	50
Fig. (11)	Correlation between serum transferrin and	
	ascitic fluid transferrin in group I.	51
Fig. (12)	Comparison between mean serum transferrin	
	in both group I and group II.	52
Fig. (13)	Comparison between mean ascitic fluid	
	transferrin in both group I and group II.	53
Fig. (14)	Comparison between serum/ascitic fluid	
	transferrin ratio in both group I and group II.	54

