

**Clinical and Laboratory Studies of
a New Short Acting Non Depolarizing Muscle Relaxant
(B.W.-B1090u) (Mivacurium) in Patients with
Hepatic or Renal Impairments**

**Thesis Submitted for Partial Fulfillment
of M.D. Degree in Anesthesiology**

BY

Ashraf Abdel Kader Ahmed

M.B.B.Ch., M.Sc., Anesthesiology

Supervised BY

Prof. Dr. Ahmed Gamal Eissa

*Professor of Anesthesiology and Intensive Care
Faculty of Medicine - Ain Shams University*

Prof. Dr. Seif El-Eslam Abdel Aziz

*Professor of Anesthesiology and Intensive Care
Faculty of Medicine - Ain Shams University*

Prof. Dr. Yoshikiyo Amaki, M.D.


*Professor and Chairman of Anesthesiology Department
Jikei University School of Medicine, Tokyo, Japan*

Dr. Seham Hussein Mohamed

*Lecturer of Anesthesiology and Intensive Care
Faculty of Medicine - Ain Shams University*

**Faculty of Medicine
Ain Shams University**

***** 1998 *****






بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

قالوا سبحانك لا علم لنا

إلا ما علمتنا إنك أنت

العليم الحكيم

صدق الله العظيم



Acknowledgment

First, thanks are all to **God** for blessing me this work until it reached its end, as a part of his generous help throughout life.

I would like to express my sincere appreciation and deep gratitude to **Prof. Dr. Ahmed Gamal Eissa**, Professor of Anesthesia and Intensive Care, Faculty of Medicine, Ain Shams University, for his kind moral support and continuous encouragement throughout this whole work.

It gives me a great pleasure to express my deep gratitude to **Prof. Dr. Seif El-Eslam Abdel Aziz**, Professor of Anesthesia and Intensive Care, Faculty of Medicine, Ain Shams University, for his great support and encouragement throughout this work.

My deepest appreciation and grateful thanks are due to **Prof. Yoshikiyo Amaki**, Professor and Chairman of Anesthesiology Department, Jikei University School of Medicine, Tokyo, Japan, for his sincere help, valuable supervision and the friendly cooperation without which this work would have reached its end.

I am also deeply indebted to **Dr. Seham Hussein Mohamed**, Lecturer of Anesthesia and Intensive Care, Faculty of Medicine, Ain Shams University, for her help and assistance during the revision of this work.

ASHRAF ABDEL KADER

List of Contents

	PAGE
Introduction	1 – 2
Aim of the Work	3
Review of Literature	4 – 51
Physiology of Neuromuscular Transmission.	4 – 12
Muscle Relaxants in Hepatic or Renal Disease.	13 – 16
Profile of Plasma Cholinesterase.	17 – 26
Monitoring of Neuromuscular Function.	27 – 45
Mivacurium Chloride.	46 – 51
Patients and Methods	52 – 55
Results	56 – 75
Discussion	76 – 84
Summary	85 – 86
References	87 – 109
Arabic Summary	1 – 2

List of Tables

No.	Table	Page
Table (1):	Summary of the more common inherited variants of plasma cholinesterase gene.	24
Table (2):	Child's classification.	52
Table (3a):	Patients characteristics in control, hepatic and renal groups.	56
Table (3b):	Patients characteristics in control and hepatic groups with Child's subgroups shown.	57
Table (3c):	Patients characteristics in control and renal groups with renal subgroups shown.	57
Table (4a):	Preoperative laboratory data in control, hepatic and renal groups.	59
Table (4b):	Preoperative laboratory data in control and hepatic groups with Child's subgroups shown.	60
Table (4c):	Preoperative laboratory data in control and renal groups with renal subgroups shown.	61
Table (5a):	Onset data for the control, hepatic and renal groups.	62
Table (5b):	Onset data for the control and hepatic groups with Child's subgroups shown.	63
Table (5c):	Onset data for the control and renal groups with renal subgroups shown.	63
Table (6a):	Recovery data for the control, hepatic and renal groups.	65
Table (6b):	Recovery data for the control and hepatic groups with Child's subgroups shown.	68
Table (6c):	Recovery data for the control and renal groups with renal subgroups.	71
Table (7):	Recovery index, 95% recovery and cholinesterase activity in spontaneous and neostigmine-enhanced recovery.	74

List of Figures

No.	Figure	Page
Figure (1):	Longitudinal section of neuromuscular junction.	5
Figure (2):	Diagram of postjunctional membrane.	7
Figure (3):	Recovery data for the control, hepatic and renal groups.	66
Figure (4):	Recovery index for the control, hepatic and renal groups.	67
Figure (5):	Recovery data for the control and hepatic groups with Child's subgroups shown.	69
Figure (6):	Recovery index for the control and hepatic groups with Child's subgroups shown.	70
Figure (7):	Recovery data for the control and renal groups with renal subgroups shown.	72
Figure (8):	Recovery index for the control and renal groups with renal subgroups shown.	73

