A SINGLE PHOTON EMISSION COMPUTED TOMOGRAPHY STUDY IN OBSESSIVE COMPULSIVE DISORDER

Thesis
Submitted for partial fulfillment of
M.D. degree in psychiatry

By MONA MEDHAT REDA M.B.B.Ch.-M.Sc.

65817

Supervised by

Prof. MOUSTAFA KAMEL ISMAIL

Prof. of Psychiatry Ain Shams University

Prof. LAILA FARIS

Prof. And Head of Radiotherapy And Nuclear Medicine Dep. Ain Shams University

Prof. MOHAMED GHANEM

Prof. of Psychiatry Ain Shams University

Dr. SAFIA EFFAT

Ass. Prof. of Psychiatry
Ain Shams University.

1999



ACKNOWLEDGMENT

I wish to express my deep thanks and sincere gratitude to *Professor Moustafa Kamel* Professor of Neuropsychiatry, Faculty of Medicine, Ain Shams University, for his valuable guidance, instructive supervision and continuous encouragement throughout the whole work.

I am sincerely indebted to *Professor Laila Faris* Professor of Nuclear Medicine for her continuous support, which without this work would have never been accomplished.

I am sincerely indebted to *Professor Mohamed Ghanem* Professor of Neuropsychiatry, Faculty of Medicine, Ain Shams University, for giving me his great support, valuable experience and supervision.

My deep thanks to *Dr.Safia Effat* Assistant Professor of Neuropsychiatry, Faculty of Medicine, Ain Shams University, for her kind help and great encouragement. Last but by no mean least, I would like to thank all *my colleagues* in psychiatry department, for their cooperation without which this work would not have been possible.

Mona Reda



CONTENT

•	Page
List of tables	i
List of figures	iv
List of abbreviations	V
Introduction	l
Hypothesis & Aim of the work	3
Epidemiology of OCD	4
Unrevealing the pathogenesis of OCD	15
Classification of OCD	39
Yale Brown Obsessive Compulsive Scale	42
Functional brain imaging: SPECT basic and technical considerations	45
Subjects and method	57
Results	64
Discussion	108
Recommendation	124
Summary	126
References	132
Arabic summary	

LIST OF TABLES

No		Page
I	Content of OCD in different countries	10
II	Structural imaging in OCD patients	33
III	Functional imaging: response to challenge	38
1	Comparison of Patient and control groups	
	regarding family history	68
2	Descriptive data of patients group	69
3	Maxi-Mini. Range of cerebral blood perfusion	
	of patients	73
4	Maxi-Mini. Range of cerebral blood perfusion	
	of control	74
5	Maxi-Mini. Range of cerebellar blood perfusion	
	of patients	75
6	Maxi-Mini Range of cerebellar blood perfusion	
	in control	76
7	Comparison between patients group and control	
	group regarding right side cerebral perfusion	77
8	Comparison between patients group and control	
	group regarding left side cerebral perfusion	79
9	Comparison between patients group and control	
	group regarding right side cerebellar perfusion.	81
10	Comparison between patients group and control	
	group regarding left side cerebellar perfusion	82
11	Comparison between right and left side of	
	patients group regarding cerebral perfusion	84
12	Correlation co-efficiency of age and blood	
	perfusion in the regions of interest	86
13	Correlation co-efficiency between duration and	
	blood perfusion in the regions of interest	87
14	Correlation co-efficiency between severity and	
	blood perfusion in the regions of interest	88

15	Correlation co-efficiency between Y-BOCS
	subscale (obsessive) and blood perfusion in the regions of interest
16	Correlation co-efficiency between Y-BOCS
10	subscale (compulsions) and blood perfusion in
	the regions of interest
17	Correlation co-efficiency between Right Parietal
	lobe and blood perfusion in the regions of
	interest.
18	Correlation co-efficiency between Left Parietal
	lobe and blood perfusion in the regions of
	interest.
19	Correlation co-efficiency between Right
	Inferior Frontal lobe and blood perfusion in the
	regions of interest
20	Correlation co-efficiency between Left Inferior
	Frontal lobe and blood perfusion in the regions
	of interest.
21	Correlation co-efficiency between Right
	Temporal lobe and blood perfusion in the
22	regions of interest.
22	Correlation co-efficiency between Left
	Temporal lobe and blood perfusion in the
23	regions of interest. 9
43	Correlation co-efficiency between Right Basal
	Ganglia and blood perfusion in the regions of
24	interest. 9
_ '	Correlation co-efficiency between Left Basal
	Ganglia and blood perfusion in the regions of
25	interest. 9
-	Comparing cerebral perfusion in moderate and severe patients assessed by Y-BOCS
26	severe patients assessed by Y-BOCS
	severe nations assessed by V DOCS
	NEVERE DARRETTS ASSACRAGING M. D. M. D. M. D.

predominant Y-BOCS subscale in cerebral	
blood perfusion	102
Comparing obsessive and compulsive	102
predominant Y-BOCS subscale in cerebellar	
blood perfusion.	103
Comparing compulsive and mixed predominant	105
Y-BOCS subscale in cerebellar blood perfusion	104
Comparing compulsive and mixed predominant	
Y-BOCS subscale in cerebral blood perfusion	105
Comparing obsessive and mixed predominant	100
Y-BOCS subscale in cerebral blood perfusion.	106
Comparing obsessive and mixed predominant	100
Y-BOCS subscale in cerebellar blood perfusion.	107
	predominant Y-BOCS subscale in cerebral blood perfusion.

LIST OF FIGURES

No		Page
1	Mean Age in both patients and control group	65
2	Sex distribution in both patients and control	
	group	66
3	Education, stress and F.H. in the studied cases	67
4	Predominant complaint of the patients	71
5	Severity of Y-BOCS in the studied patients	72
6	Right cerebral blood perfusion in both patients	
	and control group	78
7	Left cerebral blood perfusion in both patients	
	and control group	80
8	Comparison between right and left side in the	
	patients group regarding cerebral perfusion	85
9	Correlation between left basal ganglia and right	
	basal ganglia in studied patients	99

LIST OF FIGURES

No		Page
1	Mean Age in both patients and control group	65
2	Sex distribution in both patients and control	
	group	66
3	Education, stress and F.H. in the studied cases	67
4	Predominant complaint of the patients	71
5	Severity of Y-BOCS in the studied patients	72
6	Right cerebral blood perfusion in both patients	
	and control group	78
7	Left cerebral blood perfusion in both patients	
	and control group	80
8	Comparison between right and left side in the	
	patients group regarding cerebral perfusion	85
9	Correlation between left basal ganglia and right	
	basal ganglia in studied patients	99

MZ monozygotic

OC obsessive compulsive

OCD obsessive compulsive disorder

OCPD obsessive compulsive personality disorder

PET positron emission tompgraphy r-CBF regional cerebral blood flow

Rt.B.G. right basal ganglia
Rt.C. right cerebellum
Rt.I.F right inferior frontal
Rt.O. right occipital

R.O.I. region of interest right parietal

Rt.S.F. right superior frontal

Rt.T. right temporal

r.TMS regional transmagnetic stimulation

SD standard deviation

SPET single photon emission tomography SPECT single photon emission computed

tomography

STS sulfotransferases Tc-99 technitium 99

TRH thyroid releasing hormone

TS tourette syndrom

USA united states of america
VBR ventricular brain ratio

Xe xenon

Y-BOCS. Yale – brown obsessive compulsive scale.