

# THE BLOOD LEAD LEVEL IN CHILDREN WITH CHRONIC RENAL FAILURE

Thesis

Submitted For Partial Fulfillment Of  
Master Degree In Pediatrics

By

***Khaled Osman Hamed***

M.B.B, ch

6/8.92614  
15h . 5



Supervised By

4.68e

***Prof. Dr. Farida Ahmad Farid***

Professor of Pediatrics  
Faculty of Medicine  
Ain Shams University

***Dr. Shereen Medhat Reda***

Lecturer of Pediatrics  
Faculty of Medicine  
Ain Shams University

***Dr. Ahmad Esmat Shouman***

Assistant Prof. of Community Medicine  
Faculty of Medicine  
Ain Shams University

Faculty of Medicine  
Ain Shams University  
1997







# ACKNOWLEDGMENT



---

## ACKNOWLEDGMENT

First of all, thanks to **“Allah”** *the Greatest Merciful and Beneficient.*

I would like to express my deepest appreciation and gratitude to **Prof. Dr. Fadlia Ahmed Farid, Professor of Pediatrics, Faculty of Medicine, Ain Shams University**, for her valuable supervision continuous encouragement and support throughout this work.

I am deeply indebted to **Dr. Shereen Medhat Reda, Lecturer of Pediatrics, Faculty of Medicine, Ain Shams University**, whose generous cooperation, guidance and concern were of utmost help.

I am sincerely grateful to **Prof. Dr. Ahmed Esmat Shouman, Assistant Prof. of Community Medicine, Faculty of Medicine, Ain Shams University**, who offered me all help and whose valuable advises were of utmost importance.

Last but not least, I am very grateful to all my patients and their parents who offered me a great help without which this work would never be accomplished.



////////////////////////////////////

## CONTENTS

	Page
• List of abbreviation	i
• List of tables	ii
• List of figures	iii
• Introduction and Aim of the work	iv
• Review of literature	
Lead.	1
Chronic renal failure.	26
• Subjects and Methods	45
• Results	50
• Discussion	66
• Conclusion & Recommendation	72
• Summary	73
• References	76
• Appendix	
• Arabic Summary	





////////////////////////////////////

## List of abbreviations

ACE	Angiotensin Converting Enzyme.
AD	Anno Domini.
ADH	Anti Diuretic Hormone.
ALA	Amino Levulinic Acid.
ALA-D	Amino Levulinic Acid - Dehydratase.
ATP	Adenosine Tri Phosphate.
BAL	Dimercaptopropanol.
BC	Before Christ.
B.P.	Blood Pressure.
CAPD	Continuos Ambulatory Peritoneal Dialysis.
CCPA	Continuos Cycler- Associated Peritoneal Dialysis.
CRF	Chronic Renal Failure.
DMSA	Meso-2,3-Dimercaptosuccinic Acid.
DNA	Deoxyribonucleic Acid.
EDTA	Calcium Disodium Ethylen Diaminotetraacetic Acid.
ESRD	End Stage Renal Disease.
GABA	$\gamma$ -Aminobutyric Acid.
GH	Growth Hormone.
GFR	Glomerular Filtration Rate.
HD	Hemodialysis
I.Q	Intelligence Quotient.
PTH	Parathyroid Hormone.
Py-5N	Pyrimidine- 5- Nucleotidase.
RNA	Ribonucleic Acid.
U.S.	United States.



## List of tables

Table No	Title	Page
1	The lowest observed effects levels for induced health effects blood lead concentration ug/dl	5
2	Blood lead levels in chronic renal failure patients compared to controls.	50
3	Blood lead levels among children with CRF due to congenital renal anomalies versus those with acquired renal disease.	51
4	Comparison between blood lead level among patients managed a conservative treatment versus those with ESRD and controls.	52
5	Comparison between blood lead level in patients with ESRD before and after hemodialysis versus controls.	53
6	Comparison between blood lead level in patients with ESRD according to their ages.	54
7	Effect of EPO therapy on blood lead level in patients with ESRD.	55
8	Comparison between the blood lead level in patients with ESRD according to their blood pressure.	55
9	Laboratory findings in relation to the blood lead level.	56



## List of figures

Figure No	Title	Page
1	Scheme of heme synthesis showing sites where lead has an effect.	17
2	Shows the insignificant difference in blood lead levels among patients undergoing hemodialysis. Twice weekly versus those having three sessions per week.	57
3	Show the insignificant relationship between blood lead levels and the types of filters used for hemodialysis.	58
4	Shows the insignificant difference in blood lead levels in hypertensive patients versus normotensive patients.	59
5	Shows the insignificant relationship between blood lead levels and some clinical manifestations suggestive of chronic lead toxicity in patients with ESRD	60
6	Show the insignificant correlation between KT/V and blood lead levels (after dialysis)	61
7	Show the insignificant correlation between blood lead levels (before dialysis) and duration of renal disease in children with CRF.	62
8	Shows the insignificant correlation between blood lead levels and serum uric acid.	63
9	Shows the insignificant correlation between blood lead levels (before dialysis) and hemoglobin %.	64
10	Shows the insignificant correlation between blood lead levels (before dialysis) and serum creatinine.	65

