Soliman Nose

MAKE ELAN

THE IMPACT OF CLINICAL HI/TORY, ENDO/COPY AND HI/TOPATHOLOGY ON DIACNO/I/ OF CA/TRODUODENAL LE/ION/ INTERPRETATION

Thesis
Submitted for partial fulfillment of
Master Degree of Internal Medicine

Nanees A. Adel Abdel Megid

M.B., B. Ch.

Faculty of Medicine
Am Shams University

616-33 N. A

Under supervision of

Prof. Dr. ALI MONIS YASSI

Professor of Internal Medicine Faculty of Medicine - Ain Shams University

Prof. Dr. INAS AHMED H. ASFOUR

Professor of Internal Medicine Faculty of Medicine - Ain Shams University

Dr. MAHA A. EL-TONY

Lecturer of Internal Medicine Faculty of Medicine - Ain Shams University

Department of Internal Medicine
Faculty of Medicine - Ain Shams University
Cairo - Egypt
1997



بسم الله الرحمن الرحيم

وَ بِرَحْمَتِهِ فَبِذَلِكَ فَلْيَفْرَحُواْ هُوَ اللَّهِ وَ بِرَحْمَتِهِ فَبِذَلِكَ فَلْيَفْرَحُواْ هُوَ اللَّهِ خَيْرٌ مِّمَّا يَجْمَعُونَ اللَّهُ اللَّا اللَّالِمُ اللَّا اللللَّهُ الللَّاللَّهُ الللللَّا اللَّهُ اللَّا اللَّالَّا اللّل

صدق الله العظيم

((سورة يونس ــ آية رقم ٥٨))



Acknowledgment

I am deeply indebted to *Prof. Dr.* ALI MONIS YASSIN, Professor of Internal Medicine, Faculty of Medicine - Ain Shams University under whose direction this thesis was undertaken, for his cooperative interest, encouragement, assistance throughout the practical part of this work and for his helpful criticism and editorial comments during the preparation of the manuscript.

I also gratefully acknowledge the encouragements, constructive comments and valuable suggestions of *Prof. Dr.* INAS AHMED H. ASFOUR, Professor of Internal Medicine, Faculty of Medicine - Ain Shams University, and extend to her sincere thanks for her assistance, and support.

I am also thankful to *Dr.* MAHA A. EL-TONY, Lecturer of Internal Medicine, Faculty of Medicine - Ain Shams University for her assistance and for kindly reading and criticizing the manuscript.

This work would not have been possible without the loving support of a very special family, husband and all my efforts are dedicated to them.



List of figures

Figure (1):	Shows diagnostic algorithm for dyspepsia.
Figure (2):	Shows schematic representation of the pathophysiology of
	Nausea and vomiting.
Figure (3):	Diagnostic algorithm for chronic nausea and vomiting.
Figure (4):	Commonest causes of pain in the epigastrium.
Figure (5):	Commonest causes of pain in right hypochondrium.
Figure (6):	Commonest causes of pain in left hypochondrium.
Figure (7):	Commonest causes of pain in periumbilical region.
Figure (8):	Commonest causes of pain in the flanks.
Figure (9):	Commonest causes of pain in suprapubic and inguinal
	areas.
Figure (10)	The Sydney system for classifying gastritis.
Figure (11):	Correa's model of gastric carcinogenesis.
Figure (12):	Gross morphologic classification for early gastric cancer
	at endoscopy.
Figure (13):	Comparison between cases under the study regarding prevalence of heart burn
Figure (14):	Comparison between cases under the study regarding prevalence of H.P.
Figure (15):	Comparison between H.P + ve and H.P ve cases regarding pathological results
Figure (16):	Comparison between H.P positive and H.P. negative cases regarding endoscopic results



List of tables

Table (1)	Shows organic causes of dyspepsia
Table (2)	Shows symptom subgroups of functional dyspepsia.
Table (3):	Show causes of acute nausea and vomiting
Table (4):	Show causes of chronic nausea and vomiting
Table (5):	Classification of gastroparesis.
Table (6):	Causes of abdominal pain.
Table (7):	Classification of lymphnodes to be resected in cases of
	gastric cancer.
Table (8):	Comparison between groups III and I as regards age
Table (9):	Comparison between groups III and II as regards age.
Table (10):	Comparison between groups I and II as regards age.
Table (11):	Comparison between groups III and I as regards sex.
Table (12):	Comparison between groups III and II as regards sex.
Table (13):	Comparison between groups I and II as regards sex.
Table (14):	Comparison between H.P. +ve and -ve cases as regarding
	sex.
Table (15):	Comparison between groups III and I regarding upper
	abdominal pain.
Table (16):	Comparison between groups III and II regarding upper
	abdominal pain.
Table (17):	Comparison between groups I and II regarding upper
	abdominal pain.
Table (18):	Comparison between groups III and I regarding dyspepsia
Table (19):	Comparison between groups III and II regarding dyspepsia

- Table (20): Comparison between groups I and II regarding dyspepsia.
- Table (21): Comparison between groups III and I regarding nausea
- Table (22): Comparison between groups III and II regarding nausea.
- Table (23): Comparison between groups I and II regarding nausea
- Table (24) Comparison between groups III and I regarding vomiting
- Table (25): Comparison between groups III and II regarding vomiting.
- Table (26): Comparison between groups I and II regarding vomiting.
- Table (27): Comparison between groups III and I regarding heart burn.
- Table (28): Comparison between groups III and II regarding heart burn
- Table (29): Comparison between groups I and II regarding heart burn.
- Table (30): Comparison between groups III and I regarding prevalence of H P.
- Table (31): Comparison between groups III and II regarding prevalence of H.P.
- Table (32): Comparison between groups I and II regarding prevalence of H.P.
- Table (33): Comparison between H.P +ve and -ve cases regarding nausea.
- Table (34): Comparison between H.P +ve and -ve cases regarding vomiting.
- Table (35): Comparison between H.P +ve and -ve cases regarding heart burn.
- Table (36): Comparison between H.P +ve and -ve cases regarding
 Upper abdominal pain.
- Table (37): Comparison between H.P +ve and -ve cases regarding dyspepsia.

Table (38):	Comparison between H.P +ve and -ve cases regarding
	Pathological results
Table (39):	Comparison between H.P. (ve and -ve cases regarding
	Endoscopic results.
Table (40) .	Correlations of group 1.
Table (41):	Correlations of group II.
Table (42)	Correlations of group III.
Table (43):	Correlations for all patients.



List of Plates

Plates (1):	Endoscopic features of gastritis.
Plates (2):	Endoscopic features of gastritis
Plates (3):	Chronic atrophic gastritis: stomach
Plates (4):	Chronic atrophic gastritis: stomach
Plates (5):	Chronic superficial gastritis
Plates (6):	Chronic hypertrophic gastritis: stomach
Plates (7):	Histological appearance of acute gastric erosion.
Plates (8):	Two examples of Helicobacter pylori endoscopic
	erythematous exudative gastritis
Plates (9):	Antral ulcer and surrounding antral gastritis caused
	by H. pylori.
Plates (10):	Aspirin induced acute mucosa bleeding small
	petechae are noted as well as small bleeding
	erosions.
Plates (11):	View of aspirin induced gastritis in the antrum.
	Hemorrhages appear as linear petecheal streaks.
Plates (12):	NSAID induced gastric ulcer. The ulcer base is
	white.
Plates (13):	Typical benign gastric ulcer at the incisura
	angularis.
Plates (14):	Healing ulcer.
Plates (15):	Healed gastric ulcer on greater curvature showing
	scar ring and retraction with converging folds.
Plates (16):	The fine red scar represents an almost healed
	benign ulcer at the incisura angularis.
Plates (17):	Histological appearance of a benign gastric ulcer:
Plates (18):	Histological appearance of chronic benign gastric
	ulcer.
Plates (19):	Chronic peptic ulcer: stomach
Plates (20):	Chronic peptic ulcer: stomach

