

DIAGNOSIS AND TREATMENT OF INTRAOCULAR FOREIGN BODIES

Essay

Submitted for partial fulfillment of Master degree in ophthalmology
By

Emad Ahmed El Sawy Abdul Salam
MB, Bch

Supervisors

PROF. DR. SHERIF MOHAMED HASAN BADR
Professor Of Ophthalmology
Faculty Of Medicine -Ain Shams University

DR.OSAMA ABDUL MONEIM ABDUL AZIZ RASLAN
Assistant Professor Of Ophthalmology
Faculty Of Medicine-Ain Shams University

DR.HASAN WAFEEK MOHAMED HEFNI
Lecturer Of Ophthalmology
Faculty Of Medicine -Ain Shams University



faculty of medicine
ain shams university
1996



Handwritten signatures and marks, including a stylized 'X' and the word 'Sue's'.



بسم الله الرحمن الرحيم

﴿وقل رب زدني علماً﴾

“صدق الله العظيم”

(سورة طه آية رقم ١٤)

ACKNOWLEDGEMENT

I would like to express my deepest gratitude and sincere thanks to ***Prof. Dr. Sherif Hasan Badr*** for his constant help and encouragement throughout this work.

My deepest thanks to ***Ass.Prof. Dr. Osama Abdul Moneim Raslan*** for his great effort and advice to yield this work.

I am really indebted to ***Lecturer DR. Hassan Wafeek Hefni*** for his valuable and thorough supervision to finish this work.

Emad El Sawy(1996)

CONTENTS

	Page
Introduction	1
Incidence	3
Pathology	8
Complication	11
Prognosis	27
Diagnosis	31
Treatment	51
References	77

LIST OF FIGURES

Figure Number	Figure Title	Page Number
1	A patient with an IOFB in his left eye. Pigmentation has caused the left iris to become dark	15
2	Gross specimen of cataract caused by an intraocular iron foreign body	15
3	A patient with long standing hemorrhage in the eye causing hemosiderosis lentis	16
4	Section in the iris with perl stain that shows blue in the presence of iron that is present diffusely in the iris stroma (IS) Iron also is present in the anterior layer of the iris pigment epithelium (PE). (IN) iris neovascularization	16
5	Iron is deposited in pigmented ciliary epithelium(PCE) shown by Perl stain	17
6	Iron is deposited in lens epithelium (LE) ,indicated by blue colour(Perl stain), not lens capsule (LC) or cortex (C)	17
7	Cells of anterior lens capsule stains blue with Perl stain indicating the presence of iron.	18

8	Changes in pigment epithelium caused by an intraocular iron foreign body.	18
9	Iron is deposited in the neural retina and the retinal pigment epithelium	19
10	Diffuse thickening of the choroid by granulomatous inflammation. The pale areas represent epithelial cells, dark areas consist mainly of lymphocytes.	23
11	Dallen Fuchs nodule of epithelioid cells between retinal pigment epithelium and Bruch's membrane is seen, underlying choriocapillaries is spared and overlying neural retina is free of inflammatory process	23
12	A self sealing corneal perforation with an underlying hole in the iris indicating the presence of an intraocular foreign body	33
13	An intraocular metallic foreign body lying near the retina	35
14	Plain X ray skull of a 14 year old boy with multiple gun-shots.	39
15	Roper Hall electroacoustic metal foreign body locator	41

16	ERG in a case of siderosis showing a normal B wave but abnormally increased A wave , oscillatory potentials are preserved.	45
17	ERG in a case of siderosis showing reduction of B wave but oscillatory potentials are preserved.	46
18	Plain X ray skull of a child 6 years old with history of IOFB showing absence of radio opaque foreign body.	47
19	CT scan of the same patient showing intraocular radioopaque foreign body	47
20	CT scan of the same patient (another cut) showing an intraocular radioopaque foreign body.	48
21	Ultrasonography of the same patient showing an intraocular foreign body near the retina in the lower temporal quadrant with vitreous floater mostly hemorrhage, The retina is acoustically in place.	48
22	Plain X ray skull of another patient , anteroposterior view showing foreign body in the area of the globe (left side)	49
23	Lateral view X ray skull showing foreign body in the area of the globe (left side)	49

24	Ultrasonography of the same patient showing absence of IOFB shallow RD and vitreous organization	50
25	CT scan of the same patient showing IOFB in the left eye.	50
26	Removal of intracorneal foreign bodies	56
27	Removal of partial penetrating corneal foreign bodies	57
28	Double hinged scleral flap for removal of foreign body in the choroid	65
29	:intraocular foreign body magnet (moves inside its shaft)	67
30	Diamond coated foreign body forceps.	71
31	Scleral indentation to assist in grasping IOFB by forceps.	72
32	Removal of medium sized intraocular foreign body through the opposite side of the limbus of an aphakic eye using a foreign body forceps via pars plana approach	73
33	T-shaped incision in pars plana to permit removal of large of large IOFB using forceps	73

INTRODUCTION

1. The first part of the document is a list of references. The references are listed in a standard format, including the author's name, the title of the work, and the publisher. The references are as follows: