

SURVEY AND TOXICOLOGICAL STUDIES
ON CITRUS DIASPINE SCALE INSECTS
AND THEIR PARASITES IN EGYPT

A THESIS

PRESENTED TO
THE FACULTY OF SCIENCE
AIN SHAMS UNIVERSITY

FOR THE AWARD
OF THE (Ph. D.) DEGREE

395.2
N. A




By

NAGWA ALI HASSAN
(B.Sc., M.Sc.)

DEPARTEMENT OF ENTOMOLOGY
FACULTY OF SCIENCE
AIN SHAMS UNIVERSITY

Cairo

1993



49664

APPROVAL SHEET

Name of student : Nagwa Ali Hassan

Title of Thesis : Survey And Toxicological Studies On the Citrus
Diaspine Scale Insects And Their Parasites In
Egypt.

Degree : Doctor of philosophy in " Entomology "

Approved by :

- 1- Prof. D. El-Monem
- 2- Mahsen El guindy
- 3- Naima Abdel Razik

Committee In Charge

Date : 26 / 9 / 1993



The Supervisors

- 1- Professor Dr : Awny M. Guneidy
- 2- Professor Dr : Naima A. Abdel-Razik
- 3- Professor Dr : Ekram I. Helmy
- 4- Dr : Mona El-Agouz

Head of Department

Bahig El Sawy

ACKNOWLEDGEMENT

The authoress wishes to express her sincere thanks and deepest gratitude to the Soul of late Professor Dr. A. M. Guneidy Professor of Entomology and Ex. Dean of the Faculty of Science, Ain Shams University , for his guidance and valuable encouragement and suggestion of the problem. Deep gratitude is also due to Professor Dr. Naima A. Abdel-Razik, professor of Entomology , and Dr. Mona El-Agouz, Assistant professor of Entomology at the same Department, Faculty of Science, Ain Shams University , for their kind cooperation in revising the manuscript and sincere supervision .

My deep appreciation is particularly due to Dr. Ekram I. Helmy, Research Professor and Head of Scale Insects Research Division, Plant Protection Research Institute , Agriculture Research Center for her supervision constructive criticism , valuable advice, continuous encouragement and generous assistance throughout the course of the study . Special thanks are also due to Dr. Salah M. El-Imery and all colleagues at the same Division, for their unfailling assistance and facilities they rendered available for the analysis of data and preparation of the manuscript.

CONTENTS

	Page
1- INTRODUCTION	1
2- REVIEW OF LITERATURE	3
(1) Survey of scale insects in Egypt	3
(2) The seasonal abundance of the purple scale insect <u>Cornuaspis beckii</u> and its parasitoid <u>Aphytis lepidosaphes</u> and the effect of abiotic factors on them	13
(3) Chemical control	19
(4) Aerial spraying technique in pest control	24
3- MATERIAL AND METHODS	27
I- Survey of scale insects in eleven Governorates during three years	27
1) Insect sources :	27
2) Methods for samples collection and examination	29
a) Samples collection	29
b) Laboratory examination	30
II- Seasonal abundance of <u>Cornuaspis beckii</u> and its Parasitoid <u>Aphytis lepidosaphes</u> and the effect of climatic factors on their Population.	31
1) Area of Experiments	31
2) Sampling and Assessment	31
3) The Climatic Factors	33
III- Chemical control by ground spraying technique	34
1) Field work procedure	34
a) Treatments	35
b) Sources of the applied oils	36
c) Phytotoxicity	36
d) Sampling	37
2) Statistical analysis	37
IV- Comparison between aerial and ground applications against <u>C. beckii</u> (Newm) infesting citrus trees	39
a) Treatment by ground application	39
b) Treatment by aerial application	39
4- RESULTS AND DISCUSSION	42
I- Survey of scale insects in eleven Governorates during the years 1987 - 1990	42
1) Plant families	42

	Page
2) Insect Families	43
A- Fam. Coccidae	43
B- Fam. Diaspididae	46
C- Fam. Asterolecaniidae	53
3) Scales distribution of scale insects in different governorates	55
A- Beheira Governorate	55
B- Beni-Sweaf Governorate.	57
C- Cairo Governorate.	58
D- Dakahliya Governorate.	59
E- Faiyum Governorate.	60
F- Gharbiya Governorate.	62
G- Giza Governorate	63
H- Qaluobiya Governorate.	64
I- Menufiya Governorate.	69
J- Sharkiya Governorate.	70
K- Northern Sinai Governorate.	72
II- Seasonal abundance of <u>Cornuaspis beckii</u> and its parasitoid <u>Aphytis lepidosaphes</u> and the effect of climatic factors on their population	90
1) Seasonal abundance of <u>Cornuaspis beckii</u> on Navel orange.	90
A- Seasonal fluctuations in the population density of different stages of <u>Cornuaspis beckii</u> on Navel orange	96
B- Number and duration of <u>Cornuaspis beckii</u> generations on Navel orange	101
2) Effect of climatic factors on the fluctuation of <u>Cornuaspis beckii</u> population on Navel orange	107
A- Effect of temperature	108
a- Effect of minimum temperature . on the population of <u>C. beckii</u> .	108
b- Effect of maximum value of temperature.	108
B- Effect of relative humidity	110
C- Effect of wind velocity	110
3) Seasonal fluctuations in the population density of <u>Aphytis lepidosaphes</u>	116
A- Seasonal fluctuation in the population density of the different stages of <u>Aphytis lepidosaphes</u>	121
B- Number and duration <u>Aphytis lepidosaphes</u> generation on Navel orange	123
4) Effect of climatic factors on the fluctuation of <u>Aphytis lepidosaphes</u> populations on navel orange	126

	Page
A- Effect of temperature	129
a) Effect of the minimum temperature	129
b) Effect of the maximum temperature	129
B- Effect of relative humidity	132
C- Effect of the wind velocity	132
III- Chemical control against <u>C. beckii</u> by ground spraying technique and its effect on the parasitoid <u>Aphytis lepidosaphes</u> on navel orange at Qaluobiya governorate	137
1) Phytotoxic effects on the sprayed trees	137
A- Defoliation	137
B- Fruit dropping	137
2) Effect of four scalcicides on the purple scale insect	138
A- The 1st post-treatment count (one month after treatment)	141
B- The 2nd post-treatment count (two months after treatment)	141
C- The 3rd post-treatment count (three months after treatment)	144
3) Effect of the tested scalcicides on the parasitoid <u>Aphytis lepidosaphes</u> Comp.	146
A- The 1st post-treatment count (one month after treatment)	149
B- The 2nd post-treatment count (two months after treatment)	151
C- The 3rd post-treatment count (three months after treatment)	151
IV-Comparison between aerial and ground applications against <u>C. beckii</u> infesting Citrus trees.	155
1) Phytotoxic effect on the sprayed trees after aerial and ground applications.	155
A- Defoliation	155
B- Fruit dropping	155
2) Bio-efficacy of Kz oil (2) on <u>Cornuaspis beckii</u> after ground application and aerial application with Helicopter	156
A- One month after spraying with Kz oil (2)	156
B- Two months after spraying with Kz oil (2)	159
C- Three months after spraying with Kz oil (2)	162
3) Influence of Kz oil (2) on the parasitoid <u>Aphytis lepidosaphes</u> after ground and aerial application	166

	Page
A- One month after treatment	166
B- Two months after treatment	169
C- Three months after treatment	169
5- SUMMARY .	177
6- LITERATURE CITED.	189
7- ARABIC SUMMARY .	

LIST OF TABLES

Table	Page
1- Survey of scale insects and their parasitoids in Egypt from June 1987 to June 1988. (First year).	78 79 80
2- Survey of scale insects and their parasitoids in Egypt from July 1988 to June 1989. (Second year).	81 82 83 84
3- Survey of scale insects and their parasitoids in Egypt from July 1989 to June 1990. (Third year).	85 86 87 88
4- Half monthly counts of <u>Cornuaspis beckii</u> (alive individuals) on 40 leaves of Navel orange with the corresponding climatic factors at El-Kanater, Qaluobiya, from October 1988 to Sep. 1989.	91
5- Half monthly counts of <u>Cornuaspis beckii</u> (alive individuals on 40 leaves of Navel orange with the corresponding climatic factors at El-Kanater, Qaluobiya, from Oct. 1989 to Sep. 1990.	94
6- Half monthly counts of different stages of <u>C. beckii</u> on Navel orange in Qaluobiya during 1988 - 1989.	98
7- Half monthly counts of different stages of <u>C. beckii</u> on Navel orange at Qaluobiya during 1989 - 1990.	99
8- The annual generations of <u>C. beckii</u> in El-Kanater, Qaluobiya on Navel orange during 1988-1989 according to Jacob, 1977.	102
9- The annual generations of <u>C. beckii</u> in El-Kanater, Qaluobiya on Navel orange during 1989-1990 according to Jacob, 1977.	105
10- Half monthly counts of total number of alive individuals of <u>C. beckii</u> on Navel orange in El-Kanater throughout the years 1988-1989 in relation to four climatic factors.	109

Table	Page
11- Results of statistical analysis for simple correlation and partial regression to investigate the effect of the 4 main climatic factors on the alive individuals of <u>C. beckii</u> on Navel orange throughout the four successive generations in El - Kanater, Qaluobiya during 1988 - 1989.	111
12- Half monthly counts of total number of alive individuals of <u>C. beckii</u> on Navel orange in El-Kanater throughout the years 1988-1990 in relation to four climatic factors.	112
13- Results of statistical analysis for simple correlation and partial regression to investigate the effect of the 4 main climatic factors on the alive individuals of <u>C. beckii</u> on Navel orange throughout the four successive generations in El-Kanater - Qaluobiya during 1989-1990.	113
14- Half monthly counts of the total number (alive individuals) of <u>Aphytis lepidosaphes</u> on Navel orange in El-Kanater throughout the years 1988-1989 in relation to climatic factors.	117
15- Half monthly counts of the total number (alive individuals) of <u>Aphytis lepidosaphes</u> on Navel orange in El-Kanater throughout the years 1989-1990 in relation to climatic factors.	119
16- The annual generations of <u>A. lepidosaphes</u> in El-Kanater Qaluobiya on Navel orange during 1988 - 1989 according to Jacob, 1977.	124
17- The annual generations of <u>A. lepidosaphes</u> in El-Kanater Qaluobiya on Navel orange during 1989 - 1990 according to Jacob, 1977.	127
18- Half monthly counts of the total number of alive individuals of larve of <u>A. lepidosaphes</u> on Navel orange in El-Kanater throughout the year 1988-1989 in relation to climatic factors.	130
19- Results of statistical analysis for simple correlation and partial regression to investigate the effect of the 4 main climatic factors on the alive individuals of <u>A. lepidosaphes</u> on Navel orange throughout six successive generations in El-Kanater- Qaluobiya during 1988-1990.	131

Table	Page
20- Half monthly counts of the total number of alive individuals of larvae of <u>A. lepidosaphes</u> on Navel orange in El-kanater throughout the year 1989-1990 in relation to four climatic factors.	133
21- Results of statistical analysis for simple correlation and partial regression to investigate the effect of the 4 main climatic factors on the alive individuals of <u>A. lepidosaphes</u> on Navel orange throughout Six successive generations in El-Kanater- Qaluobiya during 1989-1990.	134
22- The reduction percentages in different stages of <u>Cornuaspis beckii</u> (Newm.) and its mean (Population density) after Summer spraying in Qaluobiya.	139
23- The reduction percentage in <u>Cornuaspis beckii</u> (Newm.) at different stages one month after Summer spraying.	142
24- The reduction percentage in <u>Cornuaspis beckii</u> (Newm.) at different stages two months after Summer spraying.	143
25- The reduction percentage in <u>Cornuaspis beckii</u> (Newm.) at different stages three months after Summer spraying.	144
26- The side effects of four scalicides on <u>Aphytis lepidosaphes</u> Comp. parasitizing on <u>cornuaspis beckii</u> (Newm.) infesting Navel orange trees at different count after Summer spraying in Qaluobiya 1988.	146
27- The deleterious effect of four tested scalicides on <u>Aphytis lepidosaphes</u> the parasitoid of <u>C. beckii</u> (Newm.) one month after Summer spraying.	149
28- The deleterious effect of four tested Scalicides on <u>Aphytis lepidosaphes</u> the parasitoid of <u>C. beckii</u> (Newm.) two months after Summer spraying.	151
29- The deleterious effect of four tested scalicides on <u>Aphytis lepidosaphes</u> the parasitoid of <u>C. beckii</u> (Newm.) three months after Summer spraying.	153
30- Comparison between ground and aerial application against the Citrus purple scale insect <u>Cornuaspis beckii</u> (Newm.) infesting Navel orange trees one month after spraying.	156
31- Comparison between ground and aerial application against the Citrus purple scale insect <u>Cornuaspis beckii</u> (Newm.) infesting Navel orange trees two months after spraying.	159

Table	Page
32- Comparison between ground and aerial application against the Citrus purple scale insect <u>Cornuaspis beckii</u> (Newm.) infesting Navel orange trees three months after spraying.	163
33- The side effect of Kz oil (2) on <u>Aphytis lepidosaphes</u> Comp. parasitizing <u>C. beckii</u> after one month from ground or aerial application.	166
34- The side effect of Kz oil (2) on <u>Aphytis lepidosaphes</u> Comp. parasitizing <u>C. beckii</u> after two months from ground or aerial application.	169
35- The side effect of Kz oil (2) on <u>Aphytis lepidosaphes</u> Comp. parasitizing <u>C. beckii</u> after three months from ground or aerial application	172
36- Comparison between the costs of Kz oil (2) when applied by ground and aerial application.	175

LIST OF FIGURES

Fig.	Page
1- Seasonal fluctuations of <u>Cornuaspis beckii</u> in relation to climatic factors during 1988 - 1990.	92
2- Seasonal fluctuations of <u>Cornuaspis beckii</u> in relation to climatic factors during 1989 - 1990 .	95
3- The half monthly counts of different stages of <u>C. beckii</u> on Navel orange in El-Kanater, Qaluobiya during 1988-1989.	100
4- The half monthly counts of different stages of <u>C. beckii</u> on Navel orange in El-Kanater, Qaluobiya during 1989-1990.	100
5- Annual generations of <u>C. beckii</u> under field conditions in El-Kanater, Qaluobiya during 1988-1989 (According to Jacob, 1977.	103
6- Annual generations of <u>C. beckii</u> under field conditions in El-Kanater, Qaluobiya during 1989-1990 (According to Jacob, 1977.	106
7- Seasonal fluctuation of <u>A. lepidosaphes</u> in relation to climatic factors during 1988-1989.	118
8- Seasonal fluctuation of <u>A. lepidosaphes</u> in relation to climatic factors during 1989-1990.	120
9- The half monthly counts of different stages of <u>A. lepidosaphes</u> on Navel orange in El-Kanater- Qaluobiya during 1988-1989.	122
10- The half monthly counts of different stages of <u>A. lepidosaphes</u> on Navel orange in El-Kanater- Qaluobiya during 1989-1990.	122
11- Annual generation of <u>A. lepidosaphes</u> under field conditions in El-Kanater during 1988 - 1989 according to Jacob, 1977.	125
12- Annual generation of <u>A. lepidosaphes</u> under field conditions in El-Kanater during 1989 - 1990 according to Jacob, 1977.	128

Fig.	Page
13- Effect of four scalicides on percentage reduction of different stages of the citrus purple scale, <u>cornuaspis beckii</u> (Newm.) infesting Navel orange trees in Qaluobiya 1988.	140
14- The side effects of four scalicides on percentage reduction of different stages of the parasitoid <u>Aphytis lepidosaphes</u> Comp. parasitizing on <u>C. beckii</u> infesting Navel orange trees in Qaluobiya 1988.	147
15- Comparison between ground and aerial application against the citrus purple scale insect <u>Cornuaspis beckii</u> (Newm.) infesting Navel orange trees one month after spraying in Qaluobiya, governorate.	157
16- Comparison between ground and aerial application against the citrus purple scale insect <u>Cornuaspis beckii</u> (Newm.) infesting Navel orange trees two months after spraying in Qaluobiya, governorate.	160
17- Comparison between ground and aerial application against the citrus purple scale insect <u>Cornuaspis beckii</u> (Newm.) infesting Navel orange trees three months after spraying in Qaluobiya, governorate.	164
18- The side effect of Kz oil (2) on <u>Aphytis lepidosaphes</u> Comp. parasitizing <u>Cornuaspis beckii</u> (Newm.) one month after ground or aerial application.	167
19- The side effect of Kz oil (2) on <u>Aphytis lepidosaphes</u> Comp. parasitizing <u>Cornuaspis beckii</u> (Newm.) two months after ground or aerial application.	170
20- The side effect of Kz oil (2) on <u>Aphytis lepidosaphes</u> Comp. parasitizing <u>Cornuaspis beckii</u> (Newm.) three months after ground or aerial application.	173