# PLASMA THROMBOMODULIN; A NEW MARKER OF DIABETIC MICROANGIOPATHY

#### **Thesis**

Submitted for partial fulfillment of M.S Degree in Clinical and Chemical Pathology

Amaal Abdel Hamid Mohammed
(M.B., B.Ch.)

Under the supervision of Prof. Dr. Fadila Hassan Sabry

Professor of Clinical Pathology Faculty of Medicine, Ain Shams University

Dr. Ibrahim Youssef Abdel Messih

Lecturer in Clinical Pathology
Faculty of Medicine, Ain Shams University


Dr. Nahela Ahmed Ibrahim

Lecturer in Clinical Pathology Faculty of Medicine, Ain Shams University

> Faculty of Medicine Ain Shams University 1996

die EIKAKIO SLOT whene





#### **ACKNOWLEDGEMENT**

Words can never express may deepest gratitude and appreciation to Prof. Dr. Fadila Hassan Sabry, Professor of Clinical Pathology, Ain Shams University, for her great supervision, unforgetable valuable generous advice and faithful guidance.

My particular and deepest thanks to Dr. Ihrahim Youssef, Lecturer in clinical pathology, Ain Shams University, who showed extraordinary care and guidance to me all through this study.

I am grateful to **Dr, Nahella A. Shalabi,** Lecturer in Clinical Pathology, Ain Shams University for her great support, great help and unending guidance in preparing and finishing this work.

Last, but not least, no words could ever thank may family, may husband and may daughter who gave me a lot and received nothing.



#### LIST OF ABBREVIATIONS

```
APC
                 =
                       Activated protein c
APTT
                      Activated partial thromboplastin
                        time
AT III
                       Antithrombin III
CAB BP
                       C<sub>4</sub>b binding protein
                 =
C₽A
                       Capillary permeability to albumin
                 =
                      Disseminated intravascular
DIC
                 =
                        coagulopathy
DM
                      Diabetes mellitus
EGF
                       Epidermal growth factor
                 =
FDPs
                       Fibrin degradation products
GLA
                 =
                       Gamma carboxy glutamic acid residue
                      Histidine rich glycoprotein
HRG
                 =
IDDM
                       Insulin dependent diabetes mellitus
INF
                       Interferone
                 =
LDL
                 =
                       Low density lipoprotein
NIDDM
                      Non insulin dependent diabetes
                 =
                       mellitus
PC
                       Protein c
PCI
                 =
                      Protein c inhibitor
PGI<sub>2</sub>
                 =
                      Prostaglandin I2
PT
                 ==
                      Prothrombin time
TFPI
                      Tissue factor pathway inhibitor
                 ==
TM
                      Thrombomodulin
TNF
                      Tumor necrosis factor
                 =
TT
                 =
                      Thrombin time
                      Urinary albumin excretion
                 =
UAE
UPA
                 =
                      Urinary permeability to albumin
                      Urinary thrombomodulins von Willebrand factor
UUTMs
vWF
                 =
```



## LIST OF TABLES

Table (1):       Distribution of thrombomodulin in several human tissues
Table (2):       Other markers of diabetic         microangiopathy
Table (3):  The studied paramters in the control group(89)
Table (4):       Correlation between TM and other         parameters in control group(90)
Table (5): Labordtory data of IDDM group(9)
Table (6):  Labordtory data of NIDDM group(92
Table (7):  Relation of proteinuria to positivity of TM(9)
<pre>rable (8):</pre>

Table (9):	
Comparison of parameters studied between patients with microalbuminuria and patients with clinical nephropathy(94	)
Table (10):  Relation of fundus changes to thrombomodulin  positivity(95	)
Table (11):  Correlation between TM and other  parameters in IDDM group(95	)
Table (12):  Correlation between TM and other  parameters in NIDDM group(96	5)
Table (13):  Correlation between TM and other parameters in complicated patients of both IDDM and NIDDM group(96	5)
Table (14):  Correlation between TM and other parameters in noncomplicated patient of both IDDM and NIDDM groups(97	′)
Table (15):  Comparison between all parameters studied  in all patients and control group(98	;)
Table (16a):  Comparison of all parameters between IDDM  and control group(99	)

Table (16b):	
Comparison of all parameters studied between complicated IDDM group and control group(100	١
compileated inthe group and control group(100	′
Table (17a):  Comparison of all parmeters studied between  NIDDM group and the control group(101	)
Table (17b):  Comparison of parameter studied between complicated NIDDM group and the control group(102	)
Table (18):  Comparison between IDDM and NIDDM regarding all parameters studied(103)	:)
Table (19):  Comparison of the studied parameters between noncomplicated patients with	
complicated patients(104	)



### CONTENTS

INTRODUCTION AND AIM OF THE WORK ( 1)
REVIEW OF LITERATURE
1- Natural anticoagulants:  - Normal Haemostasis
<pre>2- Thrombomodulin:     - Historical background(21</pre>
- Structure(21
- Distribution and forms(26
- Function and interaction with coagulation factors(31
- Regulation of TM expression(36
- Thrombomodulin and disease(39
<pre>3- Diabetic microangiopathy:    - Definition and classification of diabetes(42</pre>
- Haematological changes in diabetes(43
- Classification of complication of diabetes . (50
- Microangiopathy in diabetes

- Theories of pathogenesis
SUBJECT AND METHODS(67)
RESULTS(82)
<b>DISCUSSION</b> (122)
SUMMARY AND CONCLUSION(129)
RECOMMENDATIONS(132)
REFERENCES(133)
ARABIC SUMMARY.