

Current Role of Transesophageal Echocardiography in Anesthesia and I.C.U.

Essay Submitted for Partial Fulfillment of
Master Degree in Anesthesiology

By

Khaled Mostafa Ali Khalaf

M.B.B.Ch., Faculty of Medicine, Ain Shams University

Supervised by

Prof. Dr. Nehal Gamal El-Din Nough

Professor of Anesthesia and Intensive Care

Faculty of Medicine - Ain Shams University

Dr. Gehan Seif En-Nasr Mohammed

Lecturer of Anesthesia and Intensive Care

Faculty of Medicine - Ain Shams University

Faculty of Medicine
Ain Shams University
1999





بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

❁ يُؤْتِي الْحِكْمَةَ مَنْ يَشَاءُ

وَمَنْ يُؤْتَ الْحِكْمَةَ فَقَدْ

أُوتِيَ خَيْرًا كَثِيرًا وَمَا

يَذَّكَّرُ إِلَّا أُولُو الْأَلْبَابِ ❁

صدق الله العظيم

سورة البقرة - الآية ٢٦٩



Acknowledgment

First, thanks are all due to **God** for blessing this work until it has reached its end, as a part of his generous help throughout my life.

I would like to direct special thanks to **Prof. Dr. Nehal Gamal El-Din Nouh**, Professor of Anesthesia and Intensive Care, Faculty of Medicine, Ain Shams University, for the great support and encouragement she gave me throughout the whole work. It is a great honor to work under her guidance and supervision.

I would like to express my sincere gratitude to **Prof. Dr. Mohammed Magdi Ahmed**, Professor of Anesthesia and Intensive Care, Faculty of Medicine, Ain Shams University, for his close supervision, continuous help, and the tremendous effort he has done in the meticulous revision of the whole work.

I am greatly honored to express my utmost thanks to **Dr. Gehan Seif El-Nasr Mohammed**, Lecturer of Anesthesia and Intensive Care, Faculty of Medicine, Ain Shams University, from whom I received faithful supervision, valuable suggestions, and continuous guidance throughout this work.

Khaled Mostafa

List of Contents

	PAGE
Introduction.	1
Chapter 1: Basic Principles and Techniques.	3 - 32
Chapter 2: Indications of TEE.	33 - 57
Chapter 3: Complications of TEE.	58 - 63
Summary	64 - 65
References	66 - 74
Arabic Summary	1 - 2

List of Figures

No.	Figure	Page
Figure (1):	Characteristics of a sound wave.	3
Figure (2):	Schematic of a modern ultrasound scanner.	5
Figure (3):	M-mode display.	6
Figure (4):	Pulse transmission and image recording and display in the cross-sectional format.	6
Figure (5):	(A) Transducer for esophageal echocardiographic imaging. (B) The different sizes of transducers that are commercially available for use. (C) Close-up of a transesophageal echocardiographic biplane endoscope tip with two different transducer elements.	8
Figure (6):	(A) The orientation of the imaging plane in the esophageal four-chamber view. (B) Anatomic section corresponding to the echocardiographic plane. (C) Apical four-chamber recording obtained with the transducer behind the left atrium.	16
Figure (7):	(A) The orientation of the imaging plane in the esophageal long-axis view. (B) Anatomic section corresponding to the echocardiographic plane. (C) Esophageal long axis recording of the aortic valve, left ventricular flow tract and mitral valve.	18
Figure (8):	(A) Oblique recording of the mitral valve. (B) Anatomic section corresponding to the echocardiographic plane.	19
Figure (9):	(A) The orientation of the scan plane in the esophageal short-axis, aortic valve view. (B) Anatomic section corresponding to the echocardiographic plane. (C) Short axis aortic valve recording.	20
Figure (10):	(A) The orientation of the imaging plane in the esophageal short-axis view of the mitral valve. (B) Anatomic section corresponding to the echocardiographic plane. (C) Esophageal short axis recording mitral valve.	22
Figure (11):	(A) The orientation of the imaging plane in the esophageal short-axis view of the left ventricle. (B) Anatomic section corresponding to the echocardiographic plane. (C) Esophageal short axis recording of the LV at the papillary muscle level.	23

No.	Figure	Page
Figure (12):	(A) The orientation of the imaging plane in the esophageal biatrial view. (B) Anatomic section corresponding to the echocardiographic plane. (C) Esophageal biatrial view.	25
Figure (13):	(A) The orientation of the imaging plane in the esophageal short-axis view of the pulmonary artery. (B) Anatomic section corresponding to the echocardiographic plane. (C) Image of the right pulmonary artery, left pulmonary artery, and main pulmonary artery.	26
Figure (14):	(A) The orientation of the imaging plane in the longitudinal section of the right atrium and superior vena cava. (B) Esophageal recording of the superior vena cava.	28
Figure (15):	(A) The orientation of the esophageal longitudinal view of the aortic valve. (B) Esophageal recording of long axis of aortic valve.	29
Figure (16):	(A) The orientation of the esophageal longitudinal view of the pulmonary valve and pulmonary artery. (B) Longitudinal transesophageal recording of the right ventricular outflow tract.	30
Figure (17):	(A) The orientation of the esophageal longitudinal view of the left atrium, mitral valve, and left ventricle. (B) Transesophageal recording of the left atrium, mitral valve, and left ventricle.	31
Figure (18):	Esophageal short axis view of the descending thoracic aorta.	32
Figure (19):	The relationship of stroke volume to total peripheral vascular resistance is demonstrated in normal and failing ventricles.	41
Figure (20):	The force-velocity relationship of the cat papillary muscle.	42
Figure (21):	The effects altering load and/or contractility on the force-velocity relationship are demonstrated.	43
Figure (22):	Risk to patients.	60
Figure (23):	Transesophageal echocardiography lying on the heart after hypopharynx perforation.	61

List of Tables

No.	Table	Page
Table (1):	Situations in which TEE offers substantial advantages over transthoracic echocardiography.	34
Table (2):	Normal adult values of echocardiographic measurements.	37
Table (3):	Classes of segmental ventricular wall motion.	47

