



STUDIES ON PATHOGENIC FUNGI  
ISOLATED FROM SOME SPECIES  
OF SOLANACEAE FAMILY



**THESIS**  
submitted in fulfillment for the  
**Degree of Doctor**  
**in Botany (Microbiology)**

589.2  
A.A

51603

by  
**Amany Ahmed Youssry Ahmed Shaker**  
B.Sc. Science (Botany and Chemistry, 1983)  
M.Sc. Science (Botany - Microbiology 1988)



Womens's College  
Ain Shams University  
Department of Botany

1995

Subject:

**Studies on pathogenic fungi isolated from  
some species of solanaceac family**

**Supervisors**

**1- Assistant Prof. Dr. Zeinab Hassan Kheiralla**

Assistant professor of microbiology

Department of Botany

Women's college, Ain Shams University

*Zeinab Kheiralla*

**2- Assistant Prof. Dr. Mona Ishak Fahd**

Assistant professor of microbiology

Department of Botany

Women's college, Ain Shams University

*Mona Ishak Fahd*



## ACKNOWLEDGMENT

I wish to express my sincere gratitude to Dr. Zeinab Hassan Kheiralla, Assistant professor of Microbiology, Women's college, Ain Shams University for suggesting the problem, her close supervision and help in performing this work.

Thanks are also due to Dr. Mona Ishak Fahd, Assistant professor of Microbiology, Women's college for her help and interest during these investigation.

Wishes to acknowledge the encouragement of all the members of botany Dep. University college for Women, particularly Dr. Amal Shehab, professor of cytology and head of Botany Department for offering facilities.

Special thanks are also for my husband Dr. Salah El-Imery, plant protection Research Institute for his kind help with me.

Finally, I wish to express my sincere gratitude for my family.

## Contents

	Page
1- Introduction .....	1
2- Review of literature .....	4
- Soil - borne fusaria .....	4
- Disease occurrence and symptoms.....	5
- Isolation of causal pathogen and pathogenicity tests..	7
- Histopathological studies.....	7
- Physiological studies.....	10
A- Effect of temperature and pH.....	10
B- Effect of carbon and nitrogen sources.....	12
- Chemical control.....	14
- Mycotoxins.....	19
- Biological activity.....	26
3- Materials and Methods.....	29
I- Culture media.....	29
I.1- Potato dextrose agar, PDA.....	29
I.2- Tryptone yeast glucose agar medium, TYGA.....	29
II- Isolation of the causal pathogens.....	30
III- Inoculum preparation.....	31
III.1- The spore suspension inoculum (SSI).....	31
III.2- Sand - Sorghum medium.....	32
IV- Laboratory experiments.....	32
IV.1. The effect of different temperatures on growth of <u>Fusarium oxysporum</u> , <u>Fusarium solani</u> and <u>Alternaria solani</u> .....	32
IV.2. Effect of different pH on growth of <u>Fusarium</u> <u>oxysporum</u> , <u>Fusarium solani</u> and <u>Alternaria solani</u> ...	33
IV.3. Effect of different carbohydrates on growth of <u>Fusarium oxysporum</u> , <u>Fusarium solani</u> and <u>Alternaria solani</u> .....	33
IV.4. Effect of different nitrogen sources on growth of <u>Fusarium oxysporum</u> , <u>Fusarium solani</u> and <u>Alternaria solani</u> .....	33
V- Effect on length and weight of plants.....	34

	Page
VI- Chemical control.....	34
a- Laboratory studies - effect on linear growth.....	34
b- Pots experiments.....	35
1- Effect of fungicides on early blight.....	35
2- Effect of fungicides on damping - off.....	37
VII- Varietal reaction.....	37
VIII- Histopathological study.....	37
VX- Effect of toxins produced by <u>F. oxysporum</u> , <u>F. solani</u> and <u>A. solani</u> on the germination of tomato and pepper seeds.....	38
1- Production of toxins.....	38
2- Extraction and toxin analysis.....	38
3- Purification of mycotoxins.....	39
4- Standards.....	39
5- Microbiological assay.....	39
6- Estimation of mycotoxins.....	40
6-A- Detection and assay of <u>Fusaria</u> toxins.....	40
6-B- Detection and assay of <u>Alternaria</u> toxins.....	41
4- Experimental Results.....	42
I- Isolation, Purification and identification of the causal pathogens.....	42
II- Physiological studies.....	42
a-Effect of temperature.....	42
a.1- Effect of temperature on growth of <u>Fusarium</u> <u>oxysporum</u> f. sp. <u>lycopersici</u> .....	42
a.2- Effect of temperature on growth of <u>Fusarium</u> <u>solani</u> .....	45
a.3- Effect of temperature on growth of <u>Alternaria</u> <u>solani</u> .....	45
b- Effect of pH.....	57
b.1- Effect of pH on growth of <u>Fusarium</u> <u>oxysporum</u> f. sp. <u>lycopersici</u> .....	57
b.2- Effect of pH on growth of <u>Fusarium</u> <u>solani</u> .....	57
b.3- Effect of pH on growth of <u>Alternaria</u> <u>solani</u> .....	62
c- Effect of different carbon sources.....	72
c.1- Effect of different carbon sources on growth of <u>Fusarium</u> <u>oxysporum</u> f. sp. <u>lycopersici</u> .....	72
c.2- Effect of different carbon sources on growth of <u>Fusarium</u> <u>solani</u> .....	72
c.3- Effect of different carbon sources on growth of <u>Alternaria</u> <u>solani</u> .....	72

	Page
d- Effect of different nitrogen sources.....	76
d.1- Effect of different nitrogen sources on growth of <u>Fusarium oxysporum</u> f. sp. <u>lycopersici</u> .....	76
d.2- Effect of different nitrogen sources on growth of <u>Fusarium solani</u> .....	76
d.3- Effect of different nitrogen sources on growth of <u>Alternaria solani</u> .....	79
III- Effect on length of plant, number of leaves, fresh and dry weight of tomato and pepper plants.....	80
a-Effect of wilt and root rot diseases on length of plant, number of leaves, fresh and dry weight of tomato and pepper plants.....	80
b-Effect of early blight disease on length of plant number of leaves, fresh and dry weight of tomato and pepper plants.....	82
IV- Effect of different inoculum potential on percentage of infection of tomato and pepper plants.....	84
a-Effect of different inoculum potentials of <u>Fusarium</u> <u>oxysporum</u> f. sp. <u>lycopersici</u> and <u>Alternaria solani</u> on percentage of infection of tomato plants.....	84
b-Effect of different inoculum potentials of <u>Fusarium</u> <u>solani</u> and <u>Alternaria solani</u> on percentage of infection of pepper plants.....	89
V- Chemical control.....	95
a- Laboratory experiments.....	95
1- Effect of seed dressing fungicides on growth of <u>Fusarium</u> spp.....	95
2- Effect of foliar spray fungicides on growth of <u>Alternaria solani</u> .....	100
3- Effect of seed dressing fungicides on sporulation.....	100
4- Effect of foliar spray fungicides on sporulation.....	107
b- Pots experiments.....	107
1- Effect of fungicides on early blight caused by <u>Alternaria solani</u> .....	107
2- Control of seedlings damping off caused by <u>Fusarium solani</u> .....	112
3- Effect of fungicides on tomato wilt caused by <u>Fusarium oxysporum</u> f. sp. <u>lycopersici</u> .....	122
4- Varietal reaction to tomato wilt.....	130

	Page
VI- Histopathological study.....	131
- <u>Fusarium wilt</u> .....	131
- <u>Fusarium root rot</u> .....	131
VII- Production of toxins.....	138
VIII-Biological assay of toxins produced by <u>F. oxysporum</u> , <u>F. solani</u> and <u>A. solani</u> on growth of <u>Bacillus</u> <u>megaterium</u> 1057 and <u>Bacillus mycoides</u> 1084.....	142
IX - Qualitative and quantitative estimation of toxins produced by <u>F. oxysporum</u> f. sp. <u>lycopersici</u> , <u>F. solani</u> and <u>A. solani</u> .....	153
- Biological assay and quantitative estimation of toxins of infected tomato fruits.....	163
5- Discussion.....	165
6- Summary.....	177
7- References.....	183
8- Arabic summary	

List of tables

	Page
1- List of systemic and non-systemic fungicides.....	36
2- Effect of temperature on linear growth of <u>Fusarium oxysporum</u> f. sp. <u>lycopersici</u> on PDA medium.....	43
3- Effect of temperature on linear growth of <u>Fusarium solani</u> on PDA medium.....	46
4- Effect of temperature on linear growth of <u>Alternaria solani</u> on PDA medium.....	48
5- Effect of temperature on growth of <u>Fusarium oxysporum</u> f. sp. <u>lycopersici</u> using liquid PD medium, after 7, 14 and 21 days incubation.....	51
6- Effect of temperature on growth of <u>Fusarium solani</u> using liquid PD medium, after 7, 14 and 21 days incubation.....	53
7- Effect of temperature on growth of <u>Alternaria solani</u> using liquid PD medium, after 7, 14 and 21 days incubation.....	55
8- Effect of pH on linear growth of <u>Fusarium oxysporum</u> f. sp. <u>lycopersici</u> on PDA medium.....	58
9- Effect of pH on linear growth of <u>Fusarium solani</u> f. sp. <u>lycopersici</u> on PDA medium.....	60
10- Effect of pH on linear growth of <u>Alternaria solani</u> on PDA medium.....	63
11- Effect of pH on growth of <u>Fusarium oxysporum</u> f. sp. <u>lycopersici</u> using liquid PD medium, after 7, 14 and 21 days incubation.....	65
12- Effect of pH on growth of <u>Fusarium solani</u> using liquid PD medium, after 7, 14 and 21 days incubation.....	67
13- Effect of pH on growth of <u>Alternaria solani</u> using liquid PD medium, after 7, 14 and 21 days incubation.....	69
14- Effect of different carbon sources (2% W/V) on growth of <u>Alternaria solani</u> , <u>Fusarium solani</u> and <u>Fusarium oxysporum</u> using liquid PD medium, after 3 weeks incubation at optimum temperature for each.....	73

15- Effect of different nitrogen sources (1% W/V) on growth of <u>Alternaria solani</u> , <u>Fusarium solani</u> and <u>Fusarium oxysporum</u> using liquid PD medium, after 3 weeks incubation at optimum temperature for each.....	77
16- Length, number of leaves, fresh and dry weight of tomato plants grown in soil infested with <u>F. oxysporum</u> f. sp. <u>Lycopersici</u> .....	81
17- Length, number of leaves, fresh and dry weight of pepper plants grown in soil infested with <u>F. solani</u> .....	81
18- Length, number of leaves, fresh and dry weight of tomato plants inoculated with <u>A. solani</u> .....	83
19- Length, number of leaves, fresh and dry weight of pepper plants inoculated with <u>A. solani</u> .....	83
20- Effect of inoculum potential of <u>Fusarium oxysporum</u> on percentage of infection of tomato plants after different periods from planting.....	85
21- Effect of inoculum potential of <u>Alternaria solani</u> on percentage of infection of tomato plants after different periods from inoculation.....	87
22- Effect of inoculum potential of <u>Fusarium solani</u> on percentage of infection of pepper plants after different periods from planting.....	90
23- Effect of inoculum potential of <u>Alternaria solani</u> on percentage of infection of pepper plants after different periods from inoculation.....	93
24- Effect of different fungicides concentrations on growth of <u>Fusarium oxysporum</u> f. sp. <u>lycopersici</u> at 28 °C.....	96
25- Effect of different fungicides concentrations on growth of <u>Fusarium solani</u> at 28 °C.....	98
26- Effect of different fungicides concentrations on growth of <u>Alternaria solani</u> at 25 °C.....	101
27- Effect of different fungicides concentrations on number of spores/ml. of <u>Fusarium oxysporum</u> f. sp. <u>lycopersici</u> after 7 days growth on PDA medium.....	103
28- Effect of different fungicides concentrations on number of spores/ml. of <u>Fusarium solani</u> after 7 days growth on PDA medium.....	105

29- Effect of different fungicides concentrations on number of spores/ml. of <u>Alternaria solani</u> after 10 days growth on PDA medium.....	108
30- Effect of spraying with different fungicides on the number of spots on leaves of tomato (Castle rock).....	110
31- Effect of spraying with different fungicides on the number of spots on leaves of tomato (cv. strain B).....	113
32- Effect of spraying with different fungicides on the number of spots on leaves of pepper (California Wonder). .	115
33- Effect of spraying with different fungicides on the number of spots on leaves of pepper (Yolo Wonder).....	117
34- Effect of different fungicides on seedling damping off of tomato plants (cv. Ice) grown in soil infested with <u>Fusarium solani</u> .....	119
35- Effect of different fungicides on seedling damping off of tomato plants (cv. Super Queen) grown in soil infested with <u>Fusarium solani</u> .....	119
36- Effect of different fungicides on seedling damping off of pepper plants (California Wonder) grown in soil infested with <u>Fusarium solani</u> .....	123
37- Effect of different fungicides on seedling damping off of pepper plants (Yolo Wonder) grown in soil infested with <u>Fusarium solani</u> .....	123
38- Effect of different fungicides on percentage of infection with tomato wilt disease.....	126
39- Effect of different fungicides on length of root system of tomato plants grown in soil infested with <u>F. oxysporum</u> . .	126
40- Effect of different fungicides on length of shoot system of tomato plants grown in soil infested with <u>F. oxysporum</u> ..	126
41- Effect of toxin produced by <u>Fusarium oxysporum</u> f. sp. <u>lycopersici</u> and <u>Alternaria solani</u> from one week old culture on growth of tomato seedlings.....	139
42- Effect of toxin produced by <u>Fusarium oxysporum</u> f. sp. <u>lycopersici</u> and <u>Alternaria solani</u> from two weeks old culture on growth of tomato seedlings.....	139
43- Effect of toxin produced by <u>Fusarium solani</u> and <u>Alternaria solani</u> from one week old cultures, on growth of pepper seedlings.....	140

44- Effect of toxin produced by <u>Fusarium solani</u> and <u>Alternaria solani</u> from two weeks old cultures, on growth of pepper seedlings.....	140
45- Effect of toxins produced by three fungi at different temperatures on the growth of <u>Bacillus megaterium</u> and <u>Bacillus mycoides</u> , after 21 days.....	144
46- Effect of toxins produced by three fungi at different pH's on the growth of <u>Bacillus megaterium</u> and <u>Bacillus mycoides</u> , after 21 days.....	146
47- Effect of toxins produced by three fungi at different carbon sources on the growth of <u>Bacillus megaterium</u> and <u>Bacillus mycoides</u> , after 21 days.....	149
48- Effect of toxins produced by three fungi at different nitrogen sources on the growth of <u>Bacillus megaterium</u> and <u>Bacillus mycoides</u> , after 21 days.....	151
49- Effect of temperature on concentration of toxins produced by two <u>Fusarium</u> species.....	154
50- Effect of pH on concentration of toxins produced by two <u>Fusarium</u> species.....	154
51- Effect of different carbon sources on concentration of toxins produced by two <u>Fusarium</u> species.....	156
52- Effect of different nitrogen sources on concentration of toxins produced by two <u>Fusarium</u> species.....	158
53- Effect of temperature on concentration of toxin produced by <u>Alternaria solani</u> .....	160
54- Effect of pH on concentration of toxins produced by <u>Alternaria solani</u> .....	160
55- Effect of different carbon sources on concentration of toxins produced by <u>Alternaria solani</u> .....	161
56- Effect of different nitrogen sources on concentration of toxins produced by <u>Alternaria solani</u> .....	162
57- Different <u>Fusaria</u> toxins present in tomato fruit.....	164
58- Different <u>Alternaria</u> toxins present in tomato fruit.....	164

## List of figures

		Page
1-	Effect of temperature on growth of <u>Fusarium oxysporum</u> f. sp. <u>lycopersici</u> on PDA medium.....	44
2-	Effect of temperature on growth of <u>Fusarium solani</u> on PDA medium.....	47
3-	Effect of temperature on growth of <u>Alternaria solani</u> on PDA medium.....	49
4-	Effect of temperature on growth of <u>Fusarium oxysporum</u> f. sp. <u>lycopersici</u> using liquid PD medium, after 7, 14 and 21 days.....	52
5-	Effect of temperature on growth of <u>Fusarium solani</u> using liquid PD medium, after 7, 14 and 21 days.....	54
6-	Effect of temperature on growth of <u>Alternaria solani</u> using liquid PD medium, after 7, 14 and 21 days.....	56
7-	Effect of pH on linear growth of <u>Fusarium oxysporum</u> f. sp. <u>lycopersici</u> on PDA medium.....	59
8-	Effect of pH on linear growth of <u>Fusarium solani</u> on PDA medium.....	61
9-	Effect of pH on linear growth of <u>Alternaria solani</u> on PDA medium.....	64
10-	Effect of pH on growth of <u>Fusarium oxysporum</u> f. sp. <u>lycopersici</u> using PD medium, after 7, 14 and 21 days..	66
11-	Effect of pH on growth of <u>Fusarium solani</u> using liquid PD medium, after 7, 14 and 21 days.....	68
12-	Effect of pH on growth of <u>Alternaria solani</u> using liquid PD medium, after 7, 14 and 21 days.....	70
13-	Effect of different carbon sources (2% W/V) on growth of <u>Alternaria solani</u> , <u>Fusarium solani</u> and <u>Fusarium oxysporum</u> using liquid PD medium, after 3 weeks incubation at optimum temperature for each.....	74
14-	Effect of different nitrogen sources (1% W/V) on growth of <u>Alternaria solani</u> , <u>Fusarium solani</u> and <u>Fusarium oxysporum</u> using liquid PD medium, after 3 weeks incubation at optimum temperature for each.....	78

15-	Effect of inoculum level of <u>F. oxysporum</u> on percentage of wilted tomato plants.....	86
16-	Effect of inoculum level of <u>A. solani</u> on percentage of wilted tomato plants.....	88
17-	Effect of inoculum level of <u>F. solani</u> on percentage of diseased pepper plants.....	91
18-	Effect of inoculum level of <u>A. solani</u> on percentage of infection pepper plants.....	94
19-	Effect of different fungicides concentrations on growth of <u>F. oxysporum</u> f. sp. <u>lycopersici</u> at 28 °C...	97
20-	Effect of different fungicides concentrations on growth of <u>Fusarium solani</u> at 28 °C.....	99
21-	Effect of different fungicides concentrations on growth of <u>Alternaria solani</u> at 25 °C.....	102
22-	Effect of different fungicides concentrations on number of spores/ml of <u>F. oxysporum</u> f. sp. <u>lycopersici</u> after 7 days growth on PDA medium.....	104
23-	Effect of different fungicides concentrations on number of spores/ml of <u>Fusarium solani</u> after 7 days growth on PDA medium.....	106
24-	Effect of different fungicides concentrations on number of spores/ml of <u>Alternaria solani</u> after 10 days growth on PDA medium.....	109
25-	The effect of spraying with different fungicides on the number of spots on tomato leaves cv. Castle rock.	111
26-	The effect of spraying with different fungicides on the number of spots on tomato leaves cv. Strain B....	114
27-	The effect of spraying with different fungicides on the number of spots on pepper leaves cv. California Wonder.....	116
28-	The effect of spraying with different fungicides on the number of spots on pepper leaves cv. Yolo Wonder.....	118

29-	Effect of different fungicides on percentage of damping-off (pre-and post-emergence) and survival of tomato plants cv. Ice.....	120
30-	Effect of different fungicides on percentage of damping-off (pre-and post-emergence) and survival of tomato plants cv. Super-queen.....	121
31-	Effect of different fungicides on percentage of damping-off (pre-and post-emergence) and survival of pepper plants cv. California Wonder.....	124
32-	Effect of different fungicides on percentage of damping-off (pre-and post-emergence) and survival of pepper plants cv. Yolo Wonder.....	125
33-	Effect of different fungicides on percentage of wilt of tomato plants grown in soil infested with <u>F. oxysporum</u> f. sp. <u>lycopersici</u> .....	127
34-	Effect of different fungicides on length of root of tomato plants grown in soil infested with <u>F. oxysporum</u> f. sp. <u>lycopersici</u> .....	128
35-	Effect of different fungicides on length of shoot of tomato plants grown in soil infested with <u>F. oxysporum</u> f. sp. <u>lycopersici</u> .....	129
36-	Transverse section in tomato root cv. Strain B, 2 days after inoculation with <u>F. oxysporum</u> f. sp. <u>lycopersici</u> 100 X.....	132
37-	Transverse section in tomato root cv. Strain B, 2 days after inoculation with <u>F. oxysporum</u> f. sp. <u>lycopersici</u> 400 X.....	132
38-	Transverse section in tomato root cv. Strain B, 2 days after inoculation with <u>F. oxysporum</u> f. sp. <u>lycopersici</u> 400 X.....	133
39-	Transverse section in tomato root cv. Super Queen, 5 days after inoculation with <u>F. oxysporum</u> f. sp. <u>lycopersici</u> , note the discoloration in vascular bundles, 400 X.....	133
40-	Transverse section in tomato root cv. Super Queen, 5 days after inoculation with <u>F. oxysporum</u> f. sp. <u>lycopersici</u> , note the discoloration in vascular bundles and the mycelium inside the cell, 400 .....	134