


Ain Shams University
Faculty of Science
Botany Department



**PHYSIOLOGICAL STUDIES ON
 SWEET POTATO PLANTS**

THESIS

Submitted for Ph. D. Degree



581-1
 M.M

IN
BOTANY
Plant Physiology
 By

Manal Mohamed Emam
 (B. Sc. Hons., M. Sc.)

Supervisors

588-5

Prof. Dr. Hassan Anwar Foda
Prof. of Plant Physiology

Dr. Amira Ahmed Hassanein
Assist. Prof. of Plant Physiology

Faculty of Science Ain Shams University

Hassan Foda
Amira Hassanein

(1994)



This thesis has not been
previously submitted for
a degree at this or at any
other University

Manal Mohamed Emam



ACKNOWLEDGMENT

I wish to express my deepest thanks and gratitude to *Dr. Hassan A. Foda*, professor of plant physiology, *Dr. Amira A. Hassanein*, assistant professor of plant physiology, Ain Shams University, for suggesting the point of this research, supervision, constructive criticism, valuable discussion and sincere help throughout this work.

I express also my thanks and gratitude to *Dr. Raifa A. Hassanien*, professor of plant physiology for her help and advice.

Thanks are also due to professor *Dr. W. El-Saadawy*, the Head of Botany Department, Faculty of Science, Ain Shams University.

Faithful thanks and gratitude are also due to all my colleagues in the physiology unit, Faculty of Science, Ain Shams University for their kind help to me.

CONTENTS

| | |
|--|----------|
| List of Tables | I |
| List of Figures | IV |
| List of Plates | VII |
| GENERAL INTRODUCTION | 1 |
| MATERIALS | 4 |
| METHODS | 5 |
| Extraction, Separation and Bioassay of Growth Regulating Substances | 5 |
| <i>Bioassay of auxins and growth inhibitors</i> | 7 |
| <i>Bioassay of gibberellins and gibberellin-like substances</i> | 8 |
| <i>Bioassay of cytokinin substances</i> | 9 |
| Quantitative Estimation of Pigments | 11 |
| Estimation of Carbohydrates | 12 |
| <i>Estimation of direct reducing value (DRV)</i> | 13 |
| <i>Estimation of reducing value after sucrose hydrolysis (TRV)</i> | 15 |
| <i>Estimation of polysaccharides</i> | 15 |
| Estimation of Nitrogenous Constituents | 15 |
| <i>Estimation of amino-nitrogen</i> | 16 |
| <i>Estimation of total soluble-nitrogen</i> | 18 |
| <i>Estimation of total-nitrogen</i> | 18 |
| Quantitative Estimation of Nucleic Acids | 19 |
| <i>Ribonucleic acid (RNA) content</i> | 21 |
| <i>Deoxyribonucleic acid (DNA) content</i> | 21 |

| | |
|--|-----------|
| Determination of Certain Minerals | 24 |
| <i>Determination of phosphorus</i> | 24 |
| <i>Determination of magnesium</i> | 25 |
| <i>Determination of calcium</i> | 25 |
| <i>Determination of sodium and potassium</i> | 28 |
| <i>Determination of iron</i> | 28 |
| Determination of the Activities of Certain Enzymes | 31 |
| <i>Assay of IAA-oxidase activity</i> | 31 |
| <i>Assay of polyphenol oxidase activity</i> | 32 |
| <i>Assay of peroxidase activity</i> | 32 |
| <i>Assay of catalase activity</i> | 32 |
| <i>Assay of RN-ase activity</i> | 32 |
| EXPERIMENTAL RESULTS | |
| PART I | 34 |
| Analysis of the Sweet Potato Plant | 34 |
| Introduction | 34 |
| Results | 35 |
| <i>Endogenous growth regulators</i> | 35 |
| <i>Carbohydrate contents</i> | 41 |
| <i>Photosynthetic pigments</i> | 41 |
| <i>Nitrogenous constituent contents</i> | 42 |
| <i>Nucleic acid contents</i> | 42 |
| <i>Element contents</i> | 42 |
| <i>Activity of certain enzymes</i> | 45 |
| Discussion | 45 |

PART II :

Changes of Growth Regulators, Metabolites, Mineral Contents and Activities of Certain Enzymes During Development of the Sweet Potato Tuber 51

Introduction 51

Results 52

Changes in growth regulators 53

Changes in auxins and growth inhibitors 53

Changes in gibberellin and gibberellin like-substances 59

Changes in cytokinins 60

Changes in carbohydrate contents 61

Changes in nitrogenous constituents 61

Changes in nucleic acid contents 63

Changes in the activities of certain enzymes 65

Changes in certain mineral contents 66

Discussion 70

PART III :

Certain Physiological Aspects of the Sweet Potato Plant 74

Polarity 74

Introduction 74

Results 75

Discussion 82

Dormancy of Sweet potato tuber 84

Introduction 84

Result and Discussion 87

| | |
|---|-----|
| Adventitious root formation by the different parts of the green tops of the sweet potato | 88 |
| <i>Introduction</i> | 88 |
| <i>Results</i> | 90 |
| <i>Discussion</i> | 93 |
| PART IV : | |
| Growth, yield, Growth Regulators, Metabolism, Mineral Composition and Activities of Certain Enzymes of the Sweet Potato Plant | 95 |
| Introduction | 95 |
| Time course experiment | 96 |
| Results | 98 |
| Growth responses | 98 |
| Changes of the growth regulating substances | 117 |
| <i>Changes in auxins and growth inhibitors</i> | 118 |
| <i>Changes in gibberellin and gibberellin like substances</i> | 137 |
| <i>Changes in cytokinin substances</i> | 155 |
| Changes in metabolites | 174 |
| Changes of photosynthetic pigments | 174 |
| Changes of carbohydrate contents | 177 |
| Changes in nitrogenous constituents | 184 |
| Changes in nucleic acids content | 191 |
| Changes in certain mineral contents | 196 |
| Changes in the activities of certain enzymes | 205 |
| Discussion | 213 |

| | |
|---------------------------|------------|
| GENERAL CONCLUSION | 240 |
| SUMMARY | 244 |
| REFERENCES | 246 |
| ARABIC SUMMARY | |

LIST OF TABLE S

| | | |
|---------------------|--|-----------|
| Table (1) : | Chemical tests for the presence of indoles & growth inhibitors, gibberellins and purine substances which may have cytokinin activity in the fractionated extract of sweet potato plant | 38 |
| Table (2) : | Analysis of the sweet potato green tops. | 43 |
| Table (3) : | Analysis of the sweet potato tubers. | 44 |
| Table (4) : | The main characteristic features of tubers at the different stages | 52 |
| Table (5) : | Chemical tests for the presence of indole compounds having auxin activities and cytokinin of purine nature and gibberellins in the fractionated extracts of the sweet potato tubers at different stages of development. | 58 |
| Table (6) : | Carbohydrate fractions of the sweet potato tubers at their different stages of development. | 62 |
| Table (7) : | Nitrogenous contents of the sweet potato tubers at their different stages of development. | 64 |
| Table (8) : | Nucleic acid contents of the sweet potato tubers at their different stages of development. | 64 |
| Table (9) : | Element contents of sweet potato tuber at different stages of development. | 67 |
| Table (10) : | Enzyme activity of the sweet potato tubers at their different stages of development. | 69 |

| | page |
|---|---------|
| Table (11) : Chemical tests for the presence of indole compounds having auxin activities, and cytokinins of purine nature in the fractionated extracts of the sweet potato tubers in normal, inverted and horizontal positions. | 81 |
| Table (12) : Chemical tests for the presence of indole compounds having auxin activities in the fractionated extracts of different parts of the green tops of sweet potato plants. | 92 |
| Table (13) : Effect of Cycocel, Kinetin, Bicarbonate and 2, 4-D on (a-i) Certain Morphological Characters of the Sweet Potato Plants. | 102-107 |
| Table (14) : Chemical tests for the presence of indole compounds and growth inhibitors in the fractionated extract of the green tops of untreated and treated sweet potato plants during different stages of growth. | 125 |
| Table (15) : Chemical tests for the presence of indole compounds and growth inhibitors in the fractionated extract of the roots of untreated and treated sweet potato plants during different stages of growth. | 136 |
| Table (16) : Chemical test of gibberellin substances of the fractionated extracts of the green tops of the untreated and treated sweet potato plants during different stages of growth and development. | 145 |
| Table (17) : Chemical test of gibberellin substances of the fractionated extracts of the roots of the untreated and treated sweet potato plants during different stages of growth and development. | 154 |

III

| | page |
|--|------|
| Table (18) : Chemical test of purine substances, which may have cytokinin activity of the green tops of the fractionated extracts of the untreated and the treated sweet potato plants at different stages of development. | 164 |
| Table (19) : Chemical test of purine substances, which may have cytokinin activity of the roots of the fractionated extracts of the untreated and the treated sweet potato plants at different stages of development. | 173 |
| Table (20) : Pigment contents of leaves of treated and untreated sweet potato plants. | 175 |
| Table (21) : Carbohydrate contents of the green tops of untreated and treated sweet potato plants. | 180 |
| Table (22) : Carbohydrate contents of the roots of untreated and treated sweet potato plants. | 182 |
| Table (23) : Nitrogenous constituents of green tops of the untreated and treated sweet potato plants. | 187 |
| Table (24) : Nitrogenous constituents of roots of the untreated and treated sweet potato plants. | 189 |
| Table (25) : Nucleic acid contents in the green tops and roots of untreated and treated sweet potato plants. | 193 |
| Table (26) : Changes in the contents of certain elements of green tops of untreated and treated sweet potato plants. | 199 |
| Table (27) : Changes in the contents of certain elements of roots of untreated and treated sweet potato plants. | 203 |
| Table (28) : Activities of certain enzymes in the green tops of untreated and treated sweet potato plants. | 207 |
| Table (29) : Activities of certain enzymes in the roots of untreated and treated sweet potato plants. | 211 |

LIST OF FIGURES

| | | |
|-----------------------|---|---------|
| <i>Fig. (1) :</i> | Standard curve for glucose | 14 |
| <i>Fig. (2) :</i> | Standard curve for glycine | 20 |
| <i>Fig. (3) :</i> | Standard curve for RNA | 22 |
| <i>Fig. (4) :</i> | Standard curve for DNA | 23 |
| <i>Fig. (5) :</i> | Standard curve for phosphorus | 25 |
| <i>Fig. (6) :</i> | Standard curve for iron | 26 |
| <i>Fig. (7) :</i> | Auxins & growth inhibitors, gibberellins and cytokinin contents of sweet potato plants. | 37 |
| <i>Fig. (8) :</i> | Changes in the auxins and growth inhibitors contents of the tubers of sweet potato plants during different stages of development. | 55 |
| <i>Fig. (9) :</i> | Changes in gibberellin levels of the tubers of sweet potato plants during different stages of development. | 56 |
| <i>Fig. (10) :</i> | Changes in cytokinin contents of the tubers of sweet potato plants during different stages of development. | 57 |
| <i>Fig. (11) :</i> | Auxin contents of the morphologically upper and lower ends of the sweet potato tuber in normal, inverted and horizontal positions. | 77 |
| <i>Fig. (12) :</i> | Cytokinin contents of the morphologically upper and lower ends of the sweet potato tubers normal, inverted and horizontal position. | 78 |
| <i>Fig. (13) :</i> | Auxin and growth inhibitors contents of sweet potato green tops. | 85 |
| <i>Fig. (14) :</i> | Auxin and growth inhibitors contents of different parts of the green tops of sweet potato plants. | 89 |
| <i>Fig. (15-22) :</i> | Effect of cycocel, kinetin, bicarbonate and 2, 4-D on certain morphological characters of the sweet potato plants. | 108-115 |

| | Page |
|--|---------|
| <i>Fig.</i> (23-27) : Auxin and growth inhibitors contents of green tops of untreated and treated sweet potato plants at stage (A-E). | 120-124 |
| <i>Fig.</i> (28-32) : Auxin and growth inhibitors contents of roots of untreated and treated sweet potato plants at stage (A-E). | 131-135 |
| <i>Fig.</i> (33-37) : Gibberellin contents of green tops of untreated and treated sweet potato plants at stage (A-E). | 140-144 |
| <i>Fig.</i> (38-42) : Gibberellin contents of roots of untreated and treated sweet potato plants at stage (A-E). | 149-153 |
| <i>Fig.</i> (43-47) : Cytokinin contents of green tops of untreated and treated sweet potato plants at stage (A-E). | 159-163 |
| <i>Fig.</i> (48-52) : Cytokinin contents of roots of untreated and treated sweet potato plants at stage (A-E). | 168-172 |
| <i>Fig. (53) :</i> Pigment contents of leaves of treated and untreated sweet potato plant during different stages of growth. | 176 |
| <i>Fig. (54) :</i> Carbohydrate contents of the green tops of untreated and treated sweet potato plant during different stages of growth. | 181 |
| <i>Fig. (55) :</i> Carbohydrate contents of the roots of untreated and treated sweet potato plant during different stages of growth. | 183 |
| <i>Fig. (56) :</i> Nitrogenous constituents of green tops of the untreated and treated sweet potato plant during different stages of growth. | 188 |
| <i>Fig. (57) :</i> Nitrogenous constituents of roots of the untreated and treated sweet potato plant during different stages of growth. | 190 |
| <i>Fig. (58) :</i> Nucleic acid contents in the green tops of untreated and treated sweet potato plant during different stages of growth. | 194 |
| <i>Fig. (59) :</i> Nucleic acid contents in the roots of untreated and treated sweet potato plant during different stages of growth. | 195 |

VI

- Fig. (60)* : Changes in the contents of certain elements of green tops of untreated and treated sweet potato plant during different stages of growth. 200
- Fig. (61)* : Changes in the contents of certain elements of roots of untreated and treated sweet potato plant during different stages of growth. 204
- Fig. (62)* : Activities of certain enzymes in the green tops of untreated and treated sweet potato plant during different stages of growth. 208
- Fig. (63)* : Activities of certain enzymes in the roots of untreated and treated sweet potato plant during different stages of growth. 212