Ain_Shams University Faculty of Medicine Department of Obstetrics and Gynaecology

Comparison Between Ultrasonography and Vaginal Cytology in Predicting The Fate of First Trimester Threatened Abortion

AThesis in Partial Fulfillment for The Degree of M D in Surgery of Obstetrics & Gynaecology

Presented by

Raouf Saeed Ahmed Mowafy M.B., B. ch. D.G.O.

20853

Supervisors

Prof. Mohamed F. Fikri Prof. Ibrahim M. Samaha Prof. of Obst & Gyn. Prof. of Obst & Gyn.

1982

ACKNOWLEDGEMENT

I am greatly indebted to Prof. Dr., MOHAMED FAROUR FIRRY, for his great help and continuous encouragement. I would like to express my deepest gratitude to Prof. Dr., IBRAHIM AL METWALLY SAMAHA, for his valuable remarks and scientific criticism during the course of this study. His continuous support pushed me forward in ULTRASOUND FIELD.

I will never forget the encouragement, help, guidance, and advice of Prof. Dr. MOHAMED BAYOUMY SAMMOUR, who taught me the proper techniques in cytological research.

I would like to extend my thanks to Dr. Sa'eed Al Tohamy , who co-operated friendly , and without whom , this work would have been impossible .

To colleagues in the Cytological Department of Obstetrics and Gynaecology at Ein Shams University, I would like to express may great thanks for their help and co-operation.



CONTENTS

	Fage ====
IMTRO DUCTION	1
REVIEW OF LITERATURE	2
(1) ABORTION	2
* Historical Review	2
* Clinical Types and Classifications Of Abortion	5
a. Spontaneous Abortion	5
b. Induced Abortion	5
* Aetiological Classification Of Abortion	5
* Other Causes Of Abortion	8
(II)ULTRASONOGRAPHY	11
* History	11
* Ultrasonic Wave Therapy	12
* Ultrasonic Diagnosis	13
* Embryological Foundation Of Foetal - Placental	
Ul trasonography	16
* Foetal Anatomy	28
* Early Foetal Growth - Location and Development	30
* Diagnostic Application	3 3

	19649 4440
9. Testational sac longitudinal area in man	154
10. Jestational sac Trans. area / Long. area ratio	100
11. Foetal life	168
12. Foetal - Crown Rump Length (CRL)	168
13. Foetal - head biparietal diameter (RPD)	175
14. Placental location	182
15. Diameters of the placenta	187
(E) VAGINAL CYTOLOGY:	1 95
1. Hormonal pattern	195
a. karyopyknotic index (kPI)	195
b. Type of cells	203
2. Staining Reaction	208
3. Cytolysis	212
4. Background of the smear	216
5. Decidual cells	22.2
DISCUSSION:	224
SUMMARY:	240
REFERENCES:	243
ARABIC SUMMARY:	272

LICAT		ÈA-3≤ ====
11.	The frequency distribution of the gestational	131
	sac in threatened abortion cases that continued	
	and those which aborted .	
12.	The frequency distribution of gestational sac	136
	shape in both groups.	
13.	The frequency distribution of the gestational sac	138
	shape in threatened abortion cases that continued	
	and those which aborted .	
14.	The frequency distribution of the gestational sac	144
	border in both groups .	
15.	The frequency distribution of the gestational sac	146
	border in threatened abortion cases that continued	
	and those which aborted .	
16.	The irequency distribution of the number of the	146
	gestational sacs in both groups .	
17.	The frequency distribution of the foetal number	151
	in both groups .	
18.	The arithmatic mean , Standard Leviation , Calculated	. 151
	and Tabulated T. in both groups as regards to the	
	gestational sac mean diameter.	
19.	The frequency distribution of the gestational sac	156
	mean diameter in mm. in both groups .	
20.	The arithmatic mean , Standard Deviation , Calculated	157
	and Tabulated T. in both groups as regards to the	
	matational and wolume	

TABLE =====	PAJS ####
21. The :requency distribution of the gestational sac	1 %3
volume in cubic millimeters between both groups .	
22. The Arithmatic Mean , Standard Deviation , Calculated	•59
and Tabulated T. in both groups, as regards to the	
gestational sac transverse area .	
23. The frequency distribution of the transverse area	162
of the gestational sac in millimeters in both groups.	
24. The Arithmatic Mean , Standard Deviation, Calculated	164
And Tabulated T. in both groups, as regards to the	
Gestational Sac Longitudinal area.	
25. The frequency distribution of the longitudinal area	166
in millimeters of the gestational sac in both groups.	
26. The frequency distribution of the verification of foetal	168
life in both groups .	
27. The Arithmatic Mean , Standard Deviation , Calculated	168
And Tabulated T. of the Foetal Crown - Rump Length ,	
in both groups .	
28. The frequency distribution of the Foetal Crown-Rump	171
Length in millimeters in both groups.	
29. The Arithmatic Mean , Standard Deviation , Calculated	176
And Tabulated T. of the foetal head biparietal diameter	
in both groups.	
30. The frequency distribution of the foetal head biparietal	177
diameter in millimeters . in both groups .	

LASI.		in d eass
51.	The frequency distribution of the differnt placental	180
	site in both groups.	
32.	The frequency distribution of the different placental	184
	site in relation to the fate of pregnancy, in the	
	group of threatened abortion .	
33.	The Arithmatic Mean , Standard Deviation , Calculated	187
	And Tabulated T. of the placental diameter in both	
	groups.	
34•	The frequency distribution of the placental diameter	187
	in millimeters in both groups .	
35.	The Arithmatic Mean , Standard Deviation, Calculated	195
	And Tabulated T. of the karyopyknotic Index in both	
	groups.	
36.	The frequency distribution of (KPI) in both groups.	197
37.	The frequency distribution of (KPI) in threatened	201
	abortion cases that continued , and those which	
	aborted.	
38.	The frequency distribution of the type of cells in	203
	the vaginal smear, in both groups.	
39•	The frequency distribution of the type of cells in	205
	the vaginal smear in cases of threatened abortion	
	that continued, and those which aborted.	
40.	The frequency distribution of the staining reaction	208
	of the vaginal smear in both groups .	

TABLE TABLE	FARE
41. The frequency distribution of the staining reaction	210
of vaginal smear in cases of threatened abortion	
cases that continued, and those which aborted.	
42. The frequency distribution of cytolysis in the vaginal smear in both groups .	212
43. The frequency distribution of cytolysis in the vaginal smear of threatened abortion cases that continued, and those which aborted.	214
44. The frequency distribution of the background of the vaginal smear in both groups .	216
45. The frequency distribution of the late of threatened abortion cases, in relation to the background of the vaginal smear.	220

11 7 0 31 1

Fi⊴u ====		rass. thamber
1.	Diagram illustrating section in the foetus and placenta.	*
2.	A normal non pregnant uterus with full bladder technique.	. 116
3.	A pregnant uterus with full bladder technique.	110
4.	Longitudinal and transversal scans of the uterus and	117
	gestational sac, illustrating their diameter.	
5.	Foetal crown - rump length suitable for measuring.	119
6.	Foetal crown - rump length suitable for measuring.	119
7.	Foetal head with well defined mid-line echo.	12 0
8.	Foetal head in proper position for measuring its BPD.	120
9.	anterior placenta at 12 weeks gestation.	122
10.	Anterior placenta at 14 weeks gestation.	122
11.	Haematoxyline Shorr " sa " stain.	124
12.	Histogram showing percentage distribution of the fate	127
	of pregnancy in both groups .	
13.	Histogram showing percentage distribution of gestational	130
	sac sites in both groups.	
14.	Histogram showing the percentage distribution of the	132
	gestational sac site in threatened abortion cases	
	that continued and those which aborted.	
15.	longitudinal and transverse scans of funal gestational	133
	sac .	
16.	Gestational sac at 12 weeks gestation, fills the entire	133
	uterine cavity.	
17.	Low lying gestational sac with sharp well defined border	. 134
18.	Mid - cavity gestational sac with foetal CRL = 11 mm.	134
19.	Cervical deformed gestational sac.	135

Figure =====		: ಪ್ರೀ ವರ್ಷಣ
20.	Left side intact extrauterine pregnancy.	135
21.	Histogram showing percentage distribution of the	177
	gestational sac shape in both groups.	
22.	Histogram showing the percentage distribution of the	139
	gestational sac shape in threatened abortion cases that	139
	continued, and those which aborted.	
23.	Rounded gestational sac .	140
24.	Oval gestational sac .	140
25.	Compressed gestational sac.	141
26.	Oblong gestational sac .	141
27.	Gestational sac with clumping sign (looks double).	142
28.	Gestational sac elongating pointing to the cervical	142
	internal " OS " .	
29.	Gestational sac at the stage of defusion.	143
3C.	Histogram showing the percentage distribution of the	145
	gestational sac border in both groups .	
31.	Histogram showing the percentage distribution of the	147
	gestational sac border in threatened abortion cases	
	that continued, and those which aborted.	
32.	Gestational sac with a sharp well defined border .	148
33•	Gestational sac with faint ill-defined border.	148
34.	Gestational sac with broken border (case of missed	149
	abortion) .	
35.	Intact normal pregnancy at the stage of deffusion .	149

#15U ====		r - jt
36.	Histogram showing percentage distribution of gestational	150
	sac number in both groups .	
37,	Histogram showing the percentage distribution of th.	152
	foetal number in both groups .	
58.	Case of twins with two intact gestational sacs with	153
	two foetuses .	
39•	Two intact gestational sacs with one foetus only .	153
40•	Histogram showing the arithmatic means between both	154
	groups as regards to the gestational sac mead diameter.	
41.	Histogram showing the difference in the incidence of	156
	gestational sac mean diameters in millimeters between	
	both groups .	
42.	Histogram showing the arithmatic mean of the gestational	158
	sac volume in cubic millimeters in both groups .	
43.	Histogram showing the percentage distribution of the	160
	gestational sac volume in cubic millimeters betwee the	
	two groups .	
44.	Histogram showing the difference between the arithmatic	161
	means of the gestational sac transverse area in both groups.	
45.	Histogram showing the percentage distribution of the	163
	transverse area of the gestational sac in millimeters	
	in both groups.	
46.	Histogram showing the difference between the arithmatic	165
	means of the gestational sac longitudinal area of both	
	eroins.	

Figure	12.e =====
47. Histogram showing the percentage distribution on the	167
longitudinal area of the gestational sac in millimete	rs
in both groups.	
48. Histogram showing the percentage distribution of the	1 69
verification of the foetal life in both groups .	
49. Histogram showing the difference between the arithmat	ic 170
mean of the foetal crown-rump length of both groups .	1
50. Histogram showing the percentage distribution of the	1 7 2
foetal crown - rump length (CRI), in millimeters in	
both groups .	
51. Earliest foetal crown - rump length (CRL) .	173
52. Foetal crown - rump length (CRL), measuring 20 mm.	173
53. Example of two foetuses in twins pregnancy suitable	174
for measuring crown - rump length.	
54. Histogram showing the difference between the arithmat	tic 176
means of the foetal head biparietal diameter (BPD),	in
both groups.	
55. Histogram showing the percentage distribution of the	178
foetal head biparietal diameter (BPD), in millimeters	3
of both groups .	
56. Earliest foetal head biparietal diameter (BPD) .	179
57. Foetal head biparietal diameter (BPD) = 10 mm.	179
58. Foetal head biparietal diameter (BPD) = 11 mm.	180
59. Foetal head biparietal diameter (BPD) = 12 mm.	180
60. Foetal hiparietal diameter (RPD) = 13 mm.	181

isu ====	re ==	Factorial control of the control of
61.	Foetal head biparietal diameter(BPD) = 16 mm.	191
62.	Histogram showing recentage distribution of the	183
	different placental site, in both groups.	
63.	Histogram showing percentage distribution of the	185
	different placental sites in relation to the fate of	
	pregnancy in the group of threatened abortion.	
64.	Anterior low lying placenta .	1 86
65.	Posterior low lying placenta.	1 86
66.	Histogram showing the difference between the arithmatic	188
	means of the placental diameters in both groups .	
6 7 •	His togram showing the percentage distribution of the	189
	placental diameters in millimeters in both groups .	
68.	Future posterior placenta at 7 weeks pregnancy.	1 90
69.	Future posterior placenta at 8 weeks pregnancy.	190
70.	Deformed foetal - head (case of missed abortion) .	193
71.	Abnormal gestational sac : Position , Shape and border.	1 93
	(case of inevitable abortion) .	
7 2.	Case of blighted ovum .	194
73 •	Histogram showing the difference between the arithmatic	1 96
	means of KPI, in both groups.	
74.	Histogram showing the percentage distribution of KPI	198
	in both groups.	
75.	Threatened abortion case progressed to inevitable abortion,	19 9
	very high kPI.	

ાં ક્ય ====		Fage ====
76.	Vaginal Umear for a case of normal pregnancy at	199
	10 weeks gestation . KPI 10 % and moderate navicular	
	cells.	
77.	Vaginal Smear for a case of threatened abortion at	200
	10 weeks gestation. KPI 14 % and moderate navicular	
	cells.	
78.	Visinal Smear for a case of threatened abortion at	20 0
	9 weeks gestation . kHI 30 % and poor navicular cells.	
79 °	Histogram showing comparison between KPI in threatened	202
	abortion cases that continued, and those which aborted.	
80.	Histogram showing the percentage distribution of the type	204
	of cells in the vaginal smear of both groups.	
81.	Histogram showing a comparison between the type of cells	206
	in the vaginal smear of cases of threatened abortion that	
	continued, and aborted.	
82.	Threatened abortion with groups of navicular cells and	207
	low pyknosis .	
8 3.	His togram showing the percentage distribution of the	209
	Staining reaction of the vaginal smear in both groups.	
84.	Histogram showing a comparison between the staining	211
	reaction of vaginal smears in cases of threatened	
	abortion that continued and that aborted .	
85.	Histogram showing percentage distribution of cytolysis	213
	in the vaginal smear in both groups .	