of a Disk

COMPARISON BETWEEN INTERPRETATION METHODS IN FACIAL ELECTRONEURONOGRAPHY IN BELL'S PALSY

Thesis

Submitted in Partial Fulfillment of the Requirments for the Master Degree in Physical Medicine & Rehabilitation

By

Enas Abdallah Mohammed El-Attar

M.B., B.Ch.,

Ain Shams University

17 FR8

Supervised By

Prof. Dr. Naglaa Aly Gadalla

Professor of Physical Medicine and Rehabilitation Faculty of Medicine, Ain Shams University

Dr. Nadia Salah Kamel

Assistant Professor of Physical Medicine and Rehabilitation Faculty of Medicine, Ain Shams University

Dr. Hanaa Fathy Saad

Lecturer of Physical Medicine and Rehabilitation

Faculty of Medicine, Ain Shams University

Faculty of Medicine Ain Shams University 1999



بسم الله الرحمن الرحيم
"وقل رب زدنى علماً"
صدق الله العظيم
(طه: ١١٤)





ACKNOWLEDGMENT

It is a great pleasure to express my deepest appreciation and gratitude to Prof. Dr. Naglaa Aly Gadalla, Professor of Physical Medicine and Rehabilitation, Faculty of Medicine, Ain Shams University, for her generous advice, continuous encouragement, faithful guidance and keen supervision which made completion of this work possible.

I would like to express my sincere appreciation to **Prof. Dr. Nadia Salah Kamel,** Assisstant Professor of Physical Medicine and Rehabilitation, Faculty of Medicine, Ain Shams University, for her valuable assistance, continuous advise and meticulous supervision.

Special thanks and appreciation for Dr. Hanaa Fathy Saad, Lecturer of Physical Medicine and Rehabilitation, Faculty of Medicine, Ain Shams University, for her kind advice, great support and valuable suggestions, she offered me a lot of her time and effort throughout the whole work.

Cast, but not least, I would like to thank every patient accepted to be part of this work.

ENAS ABDALLAH MOHAMMED EL-ATTAR



CONTENTS

Subjects Page	ρ.,
* Introduction And Aim Of The Work 1	A20
* Review of Literature	
• Anatomy of the facial nerve 3	
• Physiology of the facial nerve 10	
• Histopathology 18	
• Bell's palsy	
• Clinical picture of Bell's palsy	
• Testing facial nerve function	
• General management of Bell's palsy	
* Patient and Methods 71	
* Results 85	
* Discussion	
* Summary145	
* Conclusion and Recommendation	
* References	
* Arabic Summary.	



LIST OF TABLES

	Page
Prisid principal principal Selection	e in Patients and Methods:
1	Facial nerve grading system
Table	es in Results:
1	Descriptive data of patients group 86
2	Comparison between the patient group and the
	control group as regard (age) 86
3	Associated clinical symptoms with Bell's
	palsy88
4	Descriptive data of the control group as
	regards the range and mean amplitude of
	CMAP of Rt. and Lt. (OC, NA and OR) muscles89
5	Comparison between the males and females of
	the control group as regards the mean
	amplitude of CMAP of right and left sides of
	(OC, NA and OR) muscles91
6	Correlation between age of the control group
	and the amplitude of right and left sides (OC,
	NA and OR) muscles92
7	Comparison between the right and left sides of
	the control group as regards, the mean
	amplitude of CMAP of (OC, NA and OR)
	muscles93

LIST OF TABLES(Cont.)

Table No	Title: Page
8	The range and mean amplitude of CMAP of
Ū	(OC, NA and OR) muscles of the control
	group94
9	Mean amplitude of CMAP of (OC, NA and
	OR) muscles of the healthy side of patients95
10	Comparison between healthy side of the
	patient group and the control group as regards
	the mean amplitude of CMAP of (OC, NA
	and OR) muscles96
11	Comparison between the co-effecient of
	variation (c.v) in the control group and the
	healthy side of the patietns97
12	Range and mean amplitude of CMAP of the
	paralysed (OC) muscle at presentation and
	follow-up days99
13	Range and mean amplitude of CMAP of the
	paralysed (NA) muscle at presentation and
	follow-up days100
14	-
	paralysed (OR) muscle at presentation and
	follow-up days101
15	Comparison between the mean of ENoG for
	the 3 examined muscles (D/N of patient) and
	(D/N of normal)102

LIST OF TABLES(Cont.)

Table Particles Pa	ge
16 Comparison between the co-efficient of variation	10 A 18 10 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
of ENoG calculated in reference to the normal	
side of the patietn and that calculated in	
reference to the valve obtained from the normal	
volunteers	103
17 ENoG mean and range of the (OC) muscle at	
presentation and follow-up days	104
18 ENoG mean and range of the (NA) muscle at	
presentation and follow-up days	105
19 ENoG mean and range of the (OR) muscle at	
presentation and follow-up days	106
20(a,b & c): Association between the ENoG of (OC	
& NA), (OC&OR) and (NA & OR) at presentation	113
21(a,b & c): Association between the ENoG of (OC	
& NA), (OC&OR) and (NA & OR) after 2 weeks.	114
22(a,b & c): Association between the ENoG of (OC	
& NA), (OC&OR) and (NA & OR) at the end of	
the study	115

LIST OF TABLES(Cont.)

Table No.	Title) sol	Page _{*1}
23	Association of ENoG of OC, NA and OR	
	muscles at presentation and the clinical	
	grading of the patient	119
24	Association of ENoG OC, NA and OR	
	muscles after 2 weeks with the clinical	
	grading of the patient	120
25	Association of ENoG of OC, NA and OR	
	muscles after 3 weeks with the clinical	
	grading of the patient	121
26	Association of ENoG of OC, NA and OR	
	muscles at the 4th week with the clinical	
	grading of the patient	122
27	Association of ENoG of OC, NA and OR	
	muscles at the 5th weeks with the clinical	
	grading of the patient	123
28	Association fo ENoG of OC, NA and OR	
	muscles at the 6th week with the clinical	
	grading of the patient	124
29	Association of ENoG of OC, NA and OR	
	muscles with clinical grading of the patient at	
	the end of the study (12th week)	125
30	correlation between ENoG at presentation	
	and the period of recovery in (weeks) for the	
	OC, NA and OR muscles	126