

PETROLOGY, GEOCHEMISTRY AND
GEOCHRONOLOGY OF THE OLD GRANITE
BATHOLITH BETWEEN SAFAGA AND
HURGADA, EASTERN DESERT, EGYPT

BY

SALAH AMIN ALI EL-DEBEIKY

B.Sc.

TO

DEPARTMENT OF GEOLOGY, FACULTY OF
SCIENCE, AIN SHAMS UNIVERSITY

FOR

PARTIAL FULFILLMENT OF THE
REQUIREMENT FOR THE DEGREE
OF MASTER OF SCIENCE
(GEOLOGY)

1995

NOTE


The Present thesis is submitted to Geology Department, Faculty of Science, Ain Shams University in partial fulfillment of the requirements of the degree of Master of Science in Geology.

Beside the research work materialized in the thesis, the candidate, Salah Amin Ali El-Debeiky has attended nine post-graduate courses for one year in the following topics:

1. Mineralogy.
2. Geochemistry.
3. Igneous Petrology.
4. Metamorphic Petrology.
5. Sedimentary Petrology.
6. Sedimentation.
7. Field geology and Mapping.
8. Geostatistics and introduction to BASIC programming.
9. Advanced course in English Language.

He has successfully passed the final exam. in the above mentioned courses.

Prof. Dr. W. M. Abdelmalik



Head of Geology Dept.,

Faculty of Science,

Ain Shams University



ACKNOWLEDGEMENTS

The writer wishes to express his deep gratitude to Prof. Dr. A.I. Ragab, Faculty of Science, Ain Shams University, Prof. Dr. M.Y. Attawiya, Head Vice of Research Division, Nuclear Materials Authority (NMA) and Dr. L. M. Nossair (NMA) for their supervision of the present work.

This study has been carried out under the continuous and intimate direction of Prof. Dr. A.A. Abdel Monem, Head of Research Division (NMA), whose valuable guidance and sympathetic planning are greatly appreciated.

Particular thanks are due to Prof. Dr. Nabil T. El Hazek, President of Nuclear Materials Authority for authorizing all the facilities needed during this work.

Special thanks are due to Prof. Dr. I. Taducchi and Prof. Dr.V. Ferrini, Institute of Geochemistry, Rome University, Italy.

Thanks are extended to my colleague and workers in the Geology of Nuclear Minerals Dept. and also to Lab of Petrography (NMA) for their continuous help.

Special thanks are due to my colleague S. S. Talab and Mr. M. Ata for their helps in different ways.

My deep gratitude is to my wife, for her sincere help and faithful encouragement.

CONTENTS

	Page
NOTE	
ACKNOWLEDGEMENTS.....	
LIST OF FIGURES.....	
LIST OF TABLES.....	
ABSTRACT	
CHAPTER I: INTRODUCTION	
I.1. GENERAL STATEMENTS.....	1
I.2. REVIEW OF THE PREVIOUS WORK	4
I.3. AIM AND SCOPE OF WORK.....	9
CHAPTER II. GEOLOGIC AND STRUCTURAL SETTING	
II.1. FRAMEWORK OF THE EASTERN DESERT BASEMENT.....	12
II.2. REGIONAL GEOLOGY OF THE OLDER GRANITE BATHOLITH.....	15
II.2.1. GNEISSES AND MIGMATITES.....	15
II.2.2. METASEDIMENTS.....	17
II.2.3. METAVOLCANICS.....	18
II.2.4. SERPENTINITES.....	19
II.2.5. METAGABBRO-DIORITE.....	19
II.2.6. OLDER GRANITES.....	20
II.2.7. DOKHAN VOLCANICS.....	21
II.2.8. HAMMAMAT FORMATION.....	21
II.2.9. YOUNGER GABBRO.....	22
II.2.10. YOUNGER GRANITES.....	22

II.3. GEOLOGY OF THE OLDER GRANITE BATHOLITH	23
II.3.1. GEOLOGICAL SETTING OF THE OLDER GRANITES OF QENA-SAFAGA ROAD.....	24
II.3.2. GEOLOGICAL SETTING OF W. UM NAFEI OLDER GRANITES...	28
 CHAPTER III. PETROGRAPHY OF THE OLD GRANITES	
III.1. GENERAL STATEMENT.....	30
III.2. PETROGRAPHIC STUDIES.....	31
III.2.1. PETROGRAPHY OF THE TONALITE ROCKS.....	31
III.2.2. PETROGRAPHY OF THE GRANODIORITE ROCKS.....	48
III.2.3. PETROGRAPHY OF THE MONZOGANITE ROCKS.....	54
III.2.4. PETROGRAPHY OF THE SYENOGANITE	63
III.3. MODAL ANALYSES OF THE STUDIED OLDER GRANITES.....	72
III.3.1. MODAL COMPOSITION OF QENA-SAFAGA OLDER GRANITIDS.....	72
III.3.2. MODAL COMPOSITION OF W. UM NAFEI OLDER GRANITES...	76
III.3.3. THE MODAL Q-A-P RELATIONSHIP OF THE STUDIED GRANITIDS.....	77
III.4. CRYSTALLIZATION HISTORY AND MAGMA TYPE OF THE STUDIED GRANITIDS.....	79
III.5. TECTONIC SETTING OF THE STUDIED GRANITIDS.....	82
 CHAPTER IV. GEOCHEMISTRY OF MAJOR OXIDES	
IV.1. GENERAL STATEMENT.....	84
IV.2. ANALYTICAL TECHNIQUES.....	84

IV.3. GEOCHEMICAL CHARACTERISTICS.....	85
IV.3.1. VARIATION WITH D.I.....	94
IV.4. CHEMICAL CLASSIFICATION AND PETROGENESIS.....	97
IV.4.1. Na ₂ O-K ₂ O VARIATION DIAGRAM.....	98
IV.4.2. THE An-Ab-Or NORMATIVE RELATIONSHIP.....	98
IV.4.3. THE Qz-Ab-Or DIAGRAM.....	101
IV.5. MAGMA TYPE.....	103
IV.5.1. TOTAL ALKALIES VERSUS SiO ₂ DIAGRAM.....	103
IV.5.2. SiO ₂ VERSUS FeO ^(t) /MgO DIAGRAM.....	105
IV.5.3. THE AFM DIAGRAM.....	105
IV.5.4. SiO ₂ VERSUS K ₂ O DIAGRAM.....	108
IV.5.5. Al ₂ O ₃ -ALKALIES-CaO TERNARY RELATIONSHIP.....	108
IV.6. TECTONIC SETTING.....	110
IV.6.1. K ₂ O-SiO ₂ DIAGRAM.....	110
IV.6.2. Al ₂ O ₃ -SiO ₂ RELATIONSHIP.....	112
IV.6.3. FeO ^(t) /FeO ^(t) +MgO VERSUS SiO ₂ RELATIONSHIP.....	114
IV.6.4. THE AFM TERNARY DIAGRAM.....	114
IV.6.5. R1-R2 VARIATION DIAGRAM.....	116
 CHAPTER V. TRACE-ELEMENTS GEOCHEMISTRY	
V.1. GENERAL STATEMENT.....	119
V.2. TRACE-ELEMENT VARIATION WITH D.I.....	121
V.3. INTER-ELEMENT RELATIONSHIP.....	127

V.3.1. THE K-Rb DIAGRAM.....	127
V.3.2. THE Ba-Rb VARIATION DIAGRAM.....	129
V.3.3. THE Rb-Sr VARIATION DIAGRAM.....	129
V.3.4. THE Ba-Sr-Rb DIAGRAM.....	132
V.4. MAGMA TYPE.....	134
V.4.1. THE SiO ₂ -Cr DIAGRAM.....	134
V.4.2. THE Ti-Zr DIAGRAM.....	134
V.5. TECTONIC SETTING.....	136
V.5.1. THE TiO ₂ -Zr DISCRIMINATION DIAGRAM.....	136
V.5.2. THE SiO ₂ -TRACE ELEMENT DISCRIMINATION DIAGRAMS.....	136
V.5.3. THE Nb, Y AND Rb DISCRIMINATION DIAGRAMS.....	139
V.6. URANIUM AND THORIUM GEOCHEMISTRY.....	141
V.6.1. GENERAL STATEMENT.....	141
V.6.2. DISTRIBUTION AND VARIATION OF U AND Th IN THE STUDIED GRANITIDS.....	142
V.6.2.1. Th-U VARIATION.....	145
V.6.2.2. Rb-U RATIO.....	145
V.6.2.3. La/Ce-U VARIATION.....	145
V.6.2.4. K/Rb-U VARIATION.....	145
V.6.2.5. Th-Nb VARIATION.....	149
 CHAPTER VI. Rb-Sr GEOCHRONOLOGICAL STUDIES	
VI.1. INTRODUCTION.....	152
VI.2. ANALYTICAL METHODS.....	154

VI.2.1. SAMPLING AND SAMPLE PREPARATION.....	154
VI.2.2. XRF TECHNIQUE.....	155
VI.2.3. Sr-ISOTOPIC ANALYSIS.....	156
VI.3. RESULTS AND DISCUSSION.....	157
VI.3.1. TONALITE-GRANODIORITE-MONZOGRANITE SUITE.....	157
VI.3.2. THE SYENOGANITE ROCKS.....	161
VI.4. GEOLOGIC EVOLUTION.....	164
VI.5. IMPLICATION OF INITIAL $^{87}\text{Sr}/^{86}\text{Sr}$ RATIOS.....	166
CHAPTER VII. SUMMARY AND CONCLUSIONS.....	169
REFERENCES.....	184
ARABIC SUMMARY	

LIST OF FIGURES

- Fig. (1): Geological map of the basement complex,
Eastern Desert, Egypt.....13
- Fig. (2): Geological map of the area between Safaga and Hurgada,
Eastern Desert, Egypt.....16
- Fig. (3): An arbitrary distribution of tonalites (T), granodiorites
(Gd) and adamellites (Mz) across Qena-Safaga Road. Numbers from
1 to 12 refers to the sample stations.....27
- Fig. (4): Geological map of Um Nafei area. Numbers from 13 to 17
refer to the sample stations.....29
- Fig. (5): Rock slab of tonalite showing preferred orientation of the
mafic minerals.....33
- Fig. (6): Plagioclase crystals showing complex-twinning.
Tonalite. [C.N., X75].....35
- Fig. (7): Alteration in the more calcic-core of plagioclase crystal
to fine mica-aggregates and zoisite. Tonalite [C.N., X75].....35
- Fig. (8): Quartz displays corrosive boundaries against flaky green
biotite. Tonalite [C.N., X=48].....36

- Fig. (9): Zircon prism rimmed with pleochroic halo, enclosed in biotite. Tonalite [C.N, X375].....39
- Fig. (10): Hornblende shows association with biotite flakes. Tonalite (C.N., X=75).....39
- Fig. (11): Hornblende corroded by biotite. Tonalite (C.N., X=48).....40
- Fig. (12): A plagioclase crystal enclosing crosshatched microcline microperthite and albite crystals. Tonalite. [C.N, X47].....41
- Fig. (13): Crosshatched microcline-microperthite showing tartan twinning. Tonalite. [C.N., X48].....41
- Fig. (14): Sphene crystals forming wedge, rod or anhedral shapes. Tonalite. [C.N., X187].....43
- Fig. (15): Rod-shape sphene crystal partially altered to ilmenite opaque. Tonalite. [C.N., 187].....43
- Fig. (16): Aggregates of ilmenite (dark grains), forming skeletal crystals with greyish-white alteration product leucoxene. Tonalite. [C.N., X 187].....47
- Fig. (17): Complex-twinned plagioclase crystal encloses vermicular quartz and muscovite (yellow), Tonalite. [C.N, X=47].....47

- Fig. (18): Vermicular quartz invading the marginal zone of a plagioclase crystal. Granodiorite. [C.N., X48].....50
- Fig. (19): Corrosive boundaries of quartz against hornblende and partially altered biotite crystals. Granodiorite. [C.N., X47]...52
- Fig. (20): An intergrowth between plagioclase and vermicular quartz, showing myrmekitic texture. Monzogranite. [C.N., X43]....56
- Fig. (21): Alteration of zoned-plagioclase to fine mica aggregates. Monzogranite [C.N., X48].....56
- Fig. (22): Cross-hatched microcline microperthite, showing its tartan-twinning. Also, pink muscovite is enclosed in high altered feldspars. Monzogranite. [C.N., X47].....58
- Fig. (23): Flame-perthitic orthoclase, enclosed altered primary plagioclase. Monzogranite. (C.N., X47).....58
- Fig. (24): Orthoclase crystal enclosing vermicular quartz as mesh-texture. Monzogranite. [C.N., X47].....59
- Fig. (25): Microcline-Perthite phenocryst enclosed quartz. Porphyritic Monzogranite. [C.N., X47].....59
- Fig. (26): Chlorite after biotite. Monzogranite (C.N., X48).....62

- Fig. (27): A stained rock slab shows the dominance of the alkali-feldspars (yellow) over the plagioclases (white). Syenogranite...64
- Fig. (28): Simple-twinned orthoclase-string perthite crystal enclose subrounded quartz grains. Syenogranite, [C.N., X47].....66
- Fig. (29): Patchy microcline perthite enclosing plagioclase and quartz crystals. Syenogranite (C.N., X47).....66
- Fig. (30): Partly saussuritized zoned plagioclase crystal encloses fine quartz. Syenogranite, (C.N., X=47).....68
- Fig. (31): Myrmikitic intergrowth between plagioclase and vermicular quartz, Syenogranite, [C.N., X115].....68
- Fig. (32): Muscovite plate enclosed in quartz, Syenogranite, (C.N.,X187).....70
- Fig. (33): Zircon enclosed in biotite, some rimmed with pleochroic haloes, syenogranite (C.N., X375].....70
- Fig. (34): The modal Q-A-P classification of the studied tonalite (), granodiorite (x), monzogranite (), and syenogranite (o) samples. The fields: 1, tonalite; 2, granodiorite; 3, monzogranite; 4, syenogranite and 5, alkali-granite are after Streckeisen (1976).

Arrows show the magmatic differentiation trends of Lameyre and Bowden (1982): a, tholeiitic; b, calc-alkaline-tonalitic (low K); c, calc-alkaline-granodioritic (medium K); d, calc-alkaline-monzonitic (high K) and e, alkaline.....78

- Fig. (35): Modal Q-A-P ternary plot of Streckeisen (1976). The tectonic environments: IAG = island arc granitoids, CAG = continental arc granitoids, CCG = continental collision granitoids, POG = post orogenic granitoids, RRG = rift-related granitoids, CEUG = continental epirogenic uplift granitoids, and OP = oceanic plagiogranite, are after Maniar and Piccoli (1989). Symbols as in Figure(27).....83
- Fig. (36): Major oxides; SiO_2 , Al_2O_3 , CaO , Na_2O and K_2O vs differentiation index (D.I.) (Thornton and Tuttle, 1960) of the studied granitoids. Symbols as in Fig. (34).....95
- Fig. (37): Major oxides; MgO , $\text{FeO}(t)$ and TiO_2 vs D.I. of the studied granitoids. Symbols as in (Fig. 34).....96
- Fig. (38): $\text{Na}_2\text{O}-\text{K}_2\text{O}$ diagram of the studied granitoids. Fields; I, tonalite-trondhjemite; II, granodiorite, and 3, granite, are after Condie and Hunter (1967).....99

- Fig. (39): An-Ab-Or ternary diagram of the studied granitoids.
Fields; 1, tonalite; 2, trondhjemite; 3, granodiorite, and 4, granite, are after O'Conner (1965) and Barker (1979). Symbols as in (Fig. 34).....100
- Fig. (40): Qz-Ab-Or ternary diagram showing cotectic curve at 0.6, 3.0 and 5. kb (Tuttle and Bowen, 1958) of the studied granitoids. Symbols as in (Fig. 34).....102
- Fig. (41): Total alkalis-SiO₂ of diagram of the studied granitoids. The alkaline and calc-alkaline fields are after MacDonald and Katsura (1964), whereas the three subfields; 1, alkalic; 2, high alumina and 3, tholeiitic are after Kuno (1968). Symbols as in (Fig.34).....104
- Fig. (42): SiO₂-FeO(t)/MgO diagram of the studied granitoids. Tholeiitic and calc-alkaline fields are after Miyashiro (1974). Symbols as in (Fig.34).....106
- Fig. (43): AFM ternary diagram of the studied granitoids. Th=tholeiitic and CA=calc-alkaline trend are after Irvine and Baragar (1971). The dashed line refer to the compressional trend of Petro et al., (1979).....107