


STUDIES ON NUCLEOSIDE CATABOLISM BY SOME FILAMENTOUS FUNGI

BY
LATIFA ABDEL-MONEM MOHAMED
B.Sc. (Microbiology)
Ain-Shams University (1988)

M. Abu Shady

F. ElBeih



Thesis

Submitted in Partial Fulfilment of the Requirements
for the Degree of Master of Science

In
(Microbiology)



589.2

L. A

Under Supervision

Prof. Dr. Mohamed Abu-Shady
Prof. of Microbiology
Faculty of Science
Ain-Shams University

Prof. Dr. Ali Mohamed Elshafei
Prof. of Microbial Chemistry
National Research Centre

Dr. Fawkia Mohamed El-Beih
Assistant Prof. of Microbiology
Faculty of Science
Ain-Shams University

50591

Faculty of Science
Ain-Shams University



1993

APPROVAL SHEET

NAME : LATIFA ABD EL-MONEM MOHAMED
TITLE : Studies of Nucleoside Catabolism by some Filamentous
Fungi
Scientific Degree : M.Sc.

This thesis has been approved by supervisors :

Dr. Mohamed Abu-Shady
Prof. of Microbiology
Faculty of Science,
Ain-Shams University

Dr. Ali Mohamed El-Shafei
Prof. of Microbiology
Department Microbial Chemistry,
National Research Centre

Dr. Fawkia Mohamed El-Beih
Assistant Prof. of Microbiology
Faculty of Science,
Ain-Shams University

Date of Research : 27/3/1991



ACKNOWLEDGMENT

The author would like to express her thanks and gratitude to **Dr. MOHAMED ABU-SHADY**, Professor of Microbiology, Botany Department, Faculty of Science, Ain-Shams University for his kindly supervision, encouragement and support and continuous advice.

The author sincerely presents her gratefulness and deepest feelings to **DR. ALI MOHAMED ELSHAFEI**, Professor of Microbiology, Department of Microbial Chemistry, National Research Centre, Cairo, Egypt for suggesting the point and for his instructive discussions, supervision, continuous encouragement, valuable advice and sincere guidance throughout this work.

The author is also grateful to **DR. FAWKIA MOHAMED ABD-ELAZIZ**, Associate Professor, Botany Department, Faculty of Science, Ain shams University for her kindly supervision encouragement and continuous advice.

The author wishes to express her sincere thanks to **DR. TAHANY AHMED ELZAINY**, Professor of Microbiology, Department of Microbial Chemistry, National Research Centre for her keen support and encouragement.

The Co-operation and help of my colleagues and all members of Microbial Chemistry Department are gratefully acknowledged.

The thanks are due to the National Research Centre for the facilities that enabled the author to accomplish this work.

ABBREVIATIONS

<u>A. terricola</u>	:	<u>Aspergillus terricola</u>
<u>A. niger</u>	:	<u>Aspergillus niger</u>
<u>A. terreus</u>	:	<u>Aspergillus terreus</u>
<u>A. vinelandii</u>	:	<u>Aspergillus vinelandii</u>
<u>C. utilis</u>	:	<u>Candida utilis</u>
<u>E. coli</u>	:	<u>Escherichia coli</u>
<u>P. citrinum</u>	:	<u>Penicillium citrinum</u>
<u>Ps. cepacia</u>	:	<u>Pseudomonas cepacia</u>
<u>P. oxalicum</u>	:	<u>Penicillium oxalicum</u>
AMP	:	Adenosine monophosphate
NAD	:	Nicotinamide adenine dinucleotide (oxidized)
NADH	:	Nicotinamide adenine dinucleotide (Reduced)
NADP	:	Nicotinamide adenine dinucleotide phosphate (oxidized)
NADPH	:	Nicotinamide adenine dinucleotide phosphate (reduced)
CMP	:	Cytidine 5'monophosphate ; 5'phosphoribosyl cytosine.
PRPP	:	Ribose 5 phosphate-1-pyrophosphate
GMP	:	Guanosine 5' monophosphate.
Rib. 1-P	:	Ribose 1-phosphate
ATP	:	adenosine triphosphate
pp	:	inorganic pyrophosphate
Tris.	:	Tri (hydroxymethyl) methyl amine.
Pi	:	inorganic phosphate.

CONTENTS

	<u>Page</u>
Introduction	1
Aim of the Work	25
Materials and Methods	26
 I. Materials	
1. Microorganisms	26
2. Chemicals	26
3. Media	26
4. Cultivation of the organisms	27
5. Preparation of cell-free extracts	27
6. Preparation of cell homogenates	27
7. Dialysis of the extracts	27
 II. Methods	
- Colorimetric determinations	27
1. Determination of ribose	27
2. Determination of ammonia	29
3. Determination of protein	29
- Chromatographic identifications.....	30
1. Identification of purine bases and their nucleosides.	30
2. Identification of pyrimidine bases and their nucleosides.	30
3. Chromatographic identification of ribose	31
4. Spectra of products	31
- Enzyme activity determinations	31
1. Nucleoside hydrolase	31
2. Nucleoside phosphorylase	31
3. Aminohydrolase	32

	Page
III. Experimental results	
Part I : Nature of enzymatic activities that catalyze the degradation of nucleosides by extracts of <u>Aspergillus terricola</u>	
1. Occurrence of hydrolytic and deaminating activities of nucleosides in different filamentous fungi.	33
2. Identification of the degradative products of purine ribonucleosides by extracts of <u>Aspergillus terricola</u>	37
a. Identification of ribose	37
b. Identification of purine bases	38
c. Spectra of the products	39
3. Identification of the degradative products of pyrimidine nucleosides by extracts of <u>Aspergillus terricola</u>	43
a. Inability to detect ribose or deoxyribose	43
b. Identification of pyrimidine bases	43
c. Spectra of the products	44
4. Determination of nucleoside hydrolase and nucleoside deaminase activities at different pH values.....	46
5. Comparative rates of ribose formation from purine ribonucleosides by extracts of <u>Aspergillus terricola</u>	49
6. Comparative rates of ammonia formation from adenosine and guanosine by extracts of <u>Aspergillus terricola</u>	51

	Page
7. Substrate specificities of ribonucleosides and their bases towards aminohydrolase activity.	53
Part II : Mode and Extent of Degradation of nucleosides by Extracts of <u>Aspergillus terricola</u>	
1. The mode of degradation of Adenosine and inability to detect adenine deaminase	55
2. The mode of degradation of guanosine, by extracts of <u>Aspergillus terricola</u>	58
3. Evidence for the presence of guanine deaminase in extracts of <u>A. terricola</u>	61
4. Nature of the enzymes that catalyze the formation of Ribose from purine ribonucleosides by extracts of <u>A. terricola</u>	63
5. Absence of purine ribonucleoside phosphorylase activity in extracts of <u>A. terricola</u>	55
6. Inability to detect a membrane associated adenosine hydrolyzing enzyme in <u>A. terricola</u>	67
Part III : Some properties of the hydrolytic activities of the enzymes that catalyze the degradation of purine ribonucleosides.	
1. Hydrolysis of adenosine, guanosine and inosine by <u>Aspergillus terricola</u> extracts as a function of the pH value of the reaction mixture.	69
2. Activities of purine ribonucleoside hydrolases in different buffer systems	71

	Page
3. Temperature dependence of the hydrolytic activities on purine ribonucleosides	73
4. Heat inactivation kinetics of the hydrolytic activities on purine ribonucleosides	75
5. Absence of evidence for the involvement of an SH group in the catalytic site of purine ribonucleoside hydrolase	77
6. Effect of some activators and inhibitors on purine ribonucleoside hydrolase	79
7. Determination of apparant K_m values of hyrolase activities of purine ribonucleoside	81
Part IV: Properties of the deaminating activity of the enzyme that catalyzes the degradation of adenosine	
1. Deamination of acenosine by <u>A. terricola</u> extracts as a function of the pH value of the reaction mixtures	89
2. Effect of the nature of the buffer on adenosine aminohydrolase activity	91
3. Temperature dependence of adenosine deaminase activity	93
4. Heat inactivation kinetics of adenosine amino- hydrolase	95
5. Effect of different concentrations of adenosine aminohydrolase on the rate of deamination of adenosine	97
6. Activity of adenosine aminohydrolase as a function of the time of the reaction	99
7. Evidence for the involvement of SH group in the catalytic site of adenosine aminohydrolase	101

	Page
8. Effect of freezing and thawing on the activity of adenosine deaminase	104
9. Effect of addition of ethylene diamine tetraacetate (EDTA) on adenosine aminohydrolase	106
10. Effect of the addition of some activator or inhibitors dialyzed extracts on adenosine deaminase activity.	108
11. pH stability of <u>A. terricola</u> adenosine deaminase.	110
12. Determination of apparant K_m value of adenosine aminohydrolase activity	112
Part V : Properties of cytidine deaminase from extracts of <u>A. terricola</u>	
1. Deamination of cytidine by <u>A. terricola</u> extracts as a function of the pH value of the reaction mixtures	115
2. Effect of the nature of the buffer on cytidine aminohydrolase activity	117
3. Temperature dependance of cytidine deaminase activity	119
4. Heat inactivation kinetics of cytidine aminohydrolase.	121
5. Activity of cytidine aminohydrolase as a function of the time of the reaction	123
6. Effect of sulfhydryl compounds on cytidine aminohydrolase activity	125
7. Effect of frequent freezing and thawing on the activity of cytidine deaminase	128
8. Effect of ethylenediamine-tetraacetate (EDTA) on cytidine deaminase activity	130

	Page
9. Effect of the addition of some activator or inhibitor to dialyzed extracts on cytidine deaminase activity.	132
10. pH stability of <u>A. terricola</u> cytidine deaminase.	134
11. Inability to detect inhibition of cytidine deaminase activity by ammonia or uridine	136
12. Determination of apparant K_m value of cytidine aminohydrolase activity	138
Discussion	141
Summary	153
References	159
Arabic Summary	

LIST OF TABLES

	Page
Table 1 : Occurrence of nucleoside hydrolase activities in different filamentous fungi	34
Table 2 : Occurrence of nucleoside deaminase activities in different filamentous fungi	36
Table 3 : Formation of ribose from purine and pyrimidine nucleosides by extracts of <u>A. terricola</u>	48
Table 4 : Formation of ammonia from purine and pyrimidine ribonucleosides by extracts of <u>A. terricola</u>	48
Table 5 : Substrate specificities of ribonucleosides and their bases towards aminohydrolase activity	54
Table 6 : Formation of ammonia from guanosine and guanine by extracts of <u>A. terricola</u>	62
Table 7 : Formation of ribose from purine ribonucleosides by dialyzed and non-dialyzed extracts	64
Table 8 : Effect of the presence or absence of arsenate on ribose formation by extracts of <u>A. terricola</u>	66
Table 9 : Ratio of ribose formation with cell-free extracts and cell homogenates of <u>A. terricola</u>	68
Table 10 : Activities of purine ribonucleoside hydrolase in different buffer systems	72
Table 11 : Heat sensitivity of the hydrolases	76
Table 12 : Absence of evidence for the involvement of SH group in hydrolase activity	78
Table 13 : Effect of some activators and inhibitors on purine ribonucleoside hydrolase	80

	Page
Table 14 : Activity of adenosine deaminase in different buffer systems	92
Table 15 : Evidence for the involvement of sulfhydryl group(s) on adenosine aminohydrolase activity	103
Table 16 : Effect of frequent freezing and thawing on adenosine deaminase activity	105
Table 17 : Effect of EDTA on adenosine aminohydrolase activity.....	107
Table 18 : Effect of the addition of some activators or inhibitors to dialyzed extracts on adenosine deaminase activity.....	109
Table 19 : pH stability of <u>A. terricola</u> adenosine deaminase	111
Table 20 : Activity of cytidine deaminase in different buffer systems	118
Table 21 : Evidence for the involvement of sulfhydryl group(s) on cytidine aminohydrolase activity	127
Table 22 : Effect of frequent freezing and thawing on cytidine deaminase activity	129
Table 23 : Effect of ethylenediamine-tetraacetate (EDTA) on cytidine deaminase activity	131
Table 24 : Effect of the addition of some metal salts to dialyzed extracts of <u>A. terricola</u> on cytidine aminohydrolase activity	133
Table 25 : pH stability of <u>A. terricola</u> cytidine deaminase	135
Table 26 : Activity of cytidine deaminase in presence and absence of ammonium ions or uridine	

LIST OF FIGURES

	Page
Fig. 1 : Absorption spectra of the eluted spots of identified hypoxanthine from adenosine or inosine and authentic samples	41
Fig. 2 : Absorption spectra of the eluted spots of identified xanthine from guanosine or guanine base and authentic xanthine	42
Fig. 3 : Absorption spectra of the eluted spots of identified uridine from cytidine and authentic sample	45
Fig. 4 : Comparative rates of ribose formation from purine ribonucleosides	50
Fig. 5 : Comparative rates of ammonia formation from adenosine and guanosine	52
Fig. 6 : The mode of degradation of adenosine by extracts of <u>A. terricola</u>	57
Fig. 7 : The mode of degradation of guanosine by extracts of <u>A. terricola</u>	59
Fig. 8 : Hydrolysis of adenosine, guanosine and inosine by <u>A. terricola</u> as a function of the pH value of the reaction mixture	70
Fig. 9 : Temperature dependence of the hydrolytic activities of purine ribonucleosides	74
Fig. 10 : Hydrolysis of inosine as a function of substrate concentration	82
Fig. 11 : Hydrolysis of guanosine as a function of substrate concentration	83

	Page
Fig. 12 : Hydrolysis of adenosine as a function of substrate concentration	84
Fig. 13 : Lineweaver-Burk plot of the reciprocals of the initial velocities and inosine concentrations	85
Fig. 14 : Lineweaver-Burk plot of the reciprocal on initial velocities and guanosine concentrations	86
Fig. 15 : Lineweaver-Burk plot of the reciprocal of initial velocities and adenosine concentrations	87
Fig. 16 : Deamination of adenosine by <u>A. terricola</u> extracts as a function of the pH value of the reaction mixture	90
Fig. 17 : Temperature dependence of adenosine deaminase activity...	94
Fig. 18 : Heat inactivation kinetics of adenosine aminohydrolase activity	96
Fig. 19 : Effect of different concentration of adenosine aminohydrolase on the rate of deamination of adenosine	
Fig. 20 : Activity of adenosine aminohydrolase as a function of time of the reaction	100
Fig. 21 : Determination of apparant K_m value of adenosine aminohydrolase activity	113
Fig. 22 : Lineweaver-Burk plot of the reciprocal of initial velocities and adenosine concentrations	114
Fig. 23 : Deamination of cytidine by <u>A. terricola</u> extracts as a function of the pH value of the reaction mixtures	116
Fig. 24 : Temperature dependence of cytidine deaminase activity	120