MANAGEMENT OF CANCER BLADDER

Essay Submitted for the Partial Fulfillment of Master Degree in Radiotherapy and Nuclear Medicine

By

Dina Ahmed Salem

M.B., B.Ch.

9,807

Supervised by Prof. Dr. Atef Youssef Riad

Professor of Radiation Oncology and Nuclear Medicine
Ain Shams University

Prof. Dr. Abd El-Hamid Abd El-Kader Youssef

Professor of Urosurgery
Ain Shams University

Faculty of Medicine
Ain Shams University

1998



بسد الله الرحمن الرحيد

قالوا سبحانكلا علم لنا إلا ما علمتنا، إنكأنت العليم الحكيم

صدق الله العظيم

سورة البقرة-الآية:٣٢

Acknowledgment

First of all, thanks to God, without his help this work could not be accomplished.

I would like to express my sincere gratitude and appreciation to Prof. Dr. Atef Youssef Riad, Professor of Radiation Oncology and Nuclear Medicine, Ain Shams University, for his valuable knowledge, great help, meticulous supervision and kind encouragement during this work. Words of thanks are little to express my gratefulness for him.

I would like also to thank Prof. Dr. Abd El-Hamid Abd El-Kader Youssef, Professor of Urosurgery, Ain Shams University, for his sincere help, continuous support and his worthy knowledge which have been of paramount importance to complete this work.

Dina Ahmed





To my beloved father who is always behind any of my successes



List of Figures

		Page
•	Fig. (1): Median section of a male pelvis showing the	4
	anatomical relations of the urinary bladder	
•	Fig. (2): Median section of a female pelvic showing	4
	the anatomical relations of the urinary bladder	
•	Fig. (3): Arterial supply of the bladder	9
•	Fig. (4): Lymph drainage of the bladder	10
•	Fig. (5): Nerve supply of the bladder	11
•	Fig. (6): Relative frequency of cancer bladder in the	14
	national cancer institute (NCI) in Cairo	
•	Fig. (7): Relative frequency of cancer bladder in Ain	14
	Shams University Hospitals	
•	Fig. (8): Overview of arylamine-induced bladder	21
	cancer pathology	
•	Fig. (9): Papillary transitional cell carcinoma	26
	(macroscopic appearance)	
•	Fig. (10): Papillary transitional cell carcinoma	27
	(microscopic appearance)	
•	Fig. (11): Carcinoma in situ (gross appearance)	29
•	Fig. (12): Carcinoma in situ (microscopic	30
	appearance)	
•	Fig. (13): Infiltrative transitional cell carcinoma of	31
	the bladder (microscopic appearance)	•
•	Fig. (14): Squamous cell carcinoma of the bladder	32
	(gross appearance)	
•	Fig. (15): Adenocarcinoma of the bladder	35
	(microscopic appearance)	
•	Fig. (16): Etiologic pathway of bladder	44
	carcinogenesis	

•	Fig. (17): Picture of normal cells and high grade	48
	carcinoma in papanicolaou cytology	
•	Fig. (18): Hochest 33258-stained cell from a high	50
	grade transitional cell carcinoma	
•	Fig. (19): Fluorescence and feulgen cytology	52
•	Fig. (20): Cystoscopy for a case of papillary	53
	transitional cell carcinoma	
•	Fig. (21): Intravenous pyelogram (IVP) of bladder	56
	cancer	
•	Fig. (22, 23, 24): CT & MRI of bladder cancer	59, 61, 61
•	Fig. (25): Staging of bladder cancer	65
•	Fig. (26):Isodose curves for anteroposteroir (AP)	81
	and two lateral portals with wedges, using 18-MV	
	photons to deliver 6000 cGy to the bladder and	
	reduced AP portal for a 500-cGy boost to the	
•	Fig. (27): Radiation treatment portals for bladder	84
	cancer	

List of tables

		Page
•	Table (1): Relative frequency of bladder cancer	15
	in Ain Shams University Hospitals	
•	Table (2): Classification of primary carcinomas	24
	of the urinary bladder	
•	Table (3): Comparison of tumor staging systems	67
	for bladder tumors	
•	Table (4): Methods of urinary diversion	74
•	Table (5): Acturial 5-year survival in two series	93
	of patients with different histopathological types	
	of cancer bladder receiving same treatment	
	(Cystectomy + postoperative radiotherapy)	
•	Table (6): Single agents chemotherapy for	124
	urothelial tract tumors	
•	Table (7): New agents tested in previously	125
	treated patients	
•	Fig. (8): New agents tested in previously	125
	untreated patients	
•	Table (9): Combination chemotherapy regimens	135
•	Table (10): Randomized trials of neoadjuvant	140
	chemotherapy for invasive bladder cancer	
•	Table (11): Main side effects of commonly used	144
	chemotherapy in treatment of bladder cancer	
•	Table (12): Treatment options for muscle	150
	infiltrating disease	



list of abbreviations

CR Complete response

CI Confidence interval

G- CSF Granulocyte colony stimulating factor

MMC Mitomycin

PR Partial response

RT Radiation therapy

RR Response rate

TCC Transitional cell carcinoma

