

Hysterosalpingo-radionuclide scintigraphic imaging versus radiographic hystero- salpingography

Thesis

Submitted for partial fulfillment of

M.D. Degree in Radiodiagnosis

By

Maha Fathy Fathy Azmy

M.B., B.Ch., M.Sc.

816.0757

Supervised By

59708

M. F.

Prof.Dr .Ahmed Talaat Khairy

Prof. of Radiodiagnosis

Faculty of Medicine

Ain Shams University



Prof .Dr.Aly Elyan Khalaf-Allah

Prof. of Gynaecology and Obstetrics

Faculty of Medicine

Ain Shams University

Dr . Mervat Mohamed Ebrahim Elgohary

Assist. Prof. of Radiodiagnosis

Faculty of Medicine

Ain Shams University

Faculty of Medicine

Ain Shams University

1996

[Signature]

[Signature]

[Signature]



بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

قالوا سبحانك لا علم لنا الا ما علمتنا

إنك انت العليم الحكيم

صدق الله العظيم

البقره (٣٢)

Acknowledgment

ACKNOWLEDGMENT

First I would like to express My deepest appreciation and gratitude to my Professor **Dr.Ahmad Talaat Khairy**, Professor of Radiodiagnosis, Faculty of Medicine, Ain Shams University, who planned and supervised this work for the enormous effort he did, precious advice and deep scientific knowledge . He has been dedicating part of his valuable time guiding me to put this work in its final form .

I am also deeply indebted to Professor **Dr.Aly Elyan Khalaf-Allah**, Professor of Gynaecology and Obstetrics, Faculty of Medicine ,Ain Shams University, for his generous help, precious advice and continuous support .

Special thanks and gratitude go to **Dr . Mervat Mohamed Ebrahim Elgohary**, Assistant Professor of Radiodiagnosis, Faculty of Medicine ,Ain Shams University ,for her honest assistance , sincere help , faithfully devoted time and effort in supervising this thesis step by step .

Last , but not least , I thank all the staff and members in Radiodiagnosis Department , Faculty of Medicine , Ain Shams University, for their valuable help all time . .

LIST OF CONTENTS

	Page
1 Introduction and aim of the work	1
2 Anatomical and physiological considerations	3
3 Pathology	34
4 Technique of hysterosalpingoscintigraphy	61
5 Contrast hysterosalpingography	71
6 Material& Methods	79
7 Results	86
8 Illustrative cases	98
9 Discussion	130
10 Summary & conclusion	144
11 References	148
12 Arabic summary	

LIST OF FIGURES

Fig No.	Title	Page
1	Female pelvis, median section.	4
2	Parts of the uterus.	7
3	Uterine and ovarian ligaments.	9
4	Parts of the oviduct showing the structure of the mucosal layer.	11
5	The female pelvic organs viewed from behind.	13
6	Blood supply of the vagina, uterus, fallopian tubes, and ovaries.	15
7	The development of the ovum and its passage through the fallopian tube into the uterine cavity.	18
8	High power EM show the ovum.	20
9	Transverse section of the uterine tube at the ampullary region.	22
10	Electron microscopic view of the endosalpinx in late proliferative phase.	25
11	Electron microscopic view of the endosalpinx during the mid-luteal phase.	27
12	Diagram of ovum pick up.	28
13	Ovum and embryo transport through the fallopian tube.	32
14	Acute salpingitis macroscopic appearance.	37

15	Acute salpingitis microscopic appearance	39
16	Pyosalpinx, macroscopic appearance.	41
17	Hydrosalpinx showing the characteristic retort shaped appearance of the tube.	41
18	A cross section of the fallopian tube isthmus that demonstrate diverticular nature of SIN.	45
19	Tuberculosis of fallopian tube.	48
20	Xanthomatous salpingitis, macroscopic appearance.	51
21	Tubal endometriosis microscopic appearance.	53
22	Small tubal leiomyomas.	55
23	Well differentiated adenocarcinoma of the tube, macroscopic appearance.	58
24	Normal radionuclide hysterosalpingography recorded at 30 min.	66
25	Bilateral patency of the fallopian tubes at 15, 30 & 45 min.	67
26	Technical pitfall in delayed image.	69
27	Bilateral occlusion of fallopian tubes at 15 & 45 min.	70
28	Cornu cutoff sign.	70
29	A&B Normal hysterosalpingogram	76
30	Finding of radionuclide hysterosalpingography in 1ry & 2ry infertility.	88
31	Finding of contrast hysterosalpingography in 1ry & 2ry infertility.	90
32	Case I bilateral normal functioning	99

fallopian tubes with normal contrast
H.S.G.

- 33** Case II normal functioning Lt.tube with 102
102 excised Rt. one.
- 34** Case III bilateral obstruction of fallopian 104
tubes with fimbrial end hydrosalpinx in
contrast H.S.G.
- 35** Case IV bilateral functional obstruction o 108
fallopian tubes.
- 36** Case V normal function of Rt. fallopian 112
tube with functional obstruction of the Lt.
one.
- 37** Case VI normal functioning Rt. fallopian 116
tube with functional obstruction of the Lt.
tube.
- 38** Case VII normal functioning Lt. fallopian 120
tube with functional obstruction of the Rt
tube.
- 39** Case VIII bilateral functional obstruction 124
of both fallopian tubes with intrauterine
synchiae & Rt. sided hydrosalpinx in
contrast H.S.G.
- 40** Bilateral functional obstruction of 128
fallopian tubes with normal left patent
tube & obstructed Rt. tube in contrast
H.S.G.

LIST OF TABLES

Tab. No.	Title	Page
1	Comparison of oily and water soluble contrast media.	74
2	Number of patients examined by other investigations rather than radionuclide & contrast hysterosalpingography.	80
3	Prevalence of infertility types in all 70 patients.	86
4	Overall findings of R N H .S.G. in 1ry & 2ry infertility in all patients.	87
5	Overall findings of contrast H.S.G. in 1ry & 2ry infertility in all patients.	89
6	Contrast H.S.G. versus RN H.S.G. in 70 infertile patients.	91
7	Contrast H.S.G. versus RNH.S.G. in 41 patient with 1ry infertility.	92
8	Contrast H.S.G. versus RNH.S.G. in 29 patient with 2ry infertility.	93
9	Laparoscopic findings versus RN H.S.G. in 15 infertile patients.	94
10	Hormonal levels (FSH-estrogen) versus RN H.S.G. in 14 infertile patients.	95
11	Ultrasound versus RNH.S.G. in 23 patients (46 tubes).	96
12	Different investigations used in evaluation of infertility in this study.	97

