




## **ROLE OF TRANSVAGINAL SONOGRAPHY**

#### IN ABNORMAL UTERINE BLEEDING

### IN PERIMENOPAUSAL AND POSTMENOPAUSAL PATIENTS

Thesis



Submitted for Partial Fulfillment of
Master Degree of Obstetrics and Gynaecology

b S Mem

Ву

Sally Ahmed Refaat Abd-El-Latif

~ 33°°`

M.B., B.Ch

Member of the Special Care Centre of the Fetus
Faculty of Medicine
Ain Shams University

Supervised by

Prof. Dr. Ibrahim Yassin Abou Scnna Professor of Obstetrics and Gynaecology Faculty of Medicine Ain Shams University

Dr. Alaa El-Din Abd-El-Aziz El-Gindy
Lecturer in Obstetrics and Gynaecology

Faculty of Medicine Ain Shams University

Faculty of Medicine Ain Shams University

1996





Central Library - Ain Shams University

### **ACKNOWLEDGEMENT**

I would like to express my deepest gratitude, thanks and appreciation to Prof. Dr. Ibrahim Yassin Abou Senna, Professor of Obstetrics and Gynecology, Ain Shams University for his fatherly advice and sincere support all through supervision of this work.

Also, I would like to express my deepest gratitude and appreciation to Lecturer Dr. Alaa El-Din Abd-El-Aziz El-Gindy, lecturer of Obstetrics and Gynecology, Ain Shams University for his guidance, precious observations and effort to release this work in its present form.

Lastly but not the least, I would like to express my thanks, respect and appreciation to whole staff, members and colleagues in the Special Care Center for the Fetus and Ultrasound Unit, Ain Shams University for their help, support and it is due to their fruitful directions that this work has been brought to light.



# List of Figures

	Page
Fig. (1):	Diagram explaining different parts of the vaginal probe39
Fig. (2):	Basic scanning directions, planes and depths achieved by moving the probe41
Fig. (3):	Diagrammatic representation of transvaginalsonography44
Fig. (4):	Approach in transvaginal scanning46
Fig. (5):	Uterus, endometrium and cervix52
Fig. (6):	Scanning planes used for transvaginal sonography of the endometrium with representative sonograms in the secretoryphase53
Fig. (7):	Sonographic depiction of the uterus56
Fig. (8):	Long. axis image of cervix58
Fig. (9):	Endometrialhyperplasia60
Fig. (10):	Transvaginal sonography of endometrial carcinoma with accompanying gross specimen
Fig. (11):	Transverse scan of the uterus with a hydatidiformmole68
Fig. (12):	Intrauterine device bulging into the adnexa70
Fig. (13):	Isoechoic intramural leiomyoma74
Fig. (14):	Submucous myoma, transvaginal scan show as small hypoechoic myoma74
Fig. (15):	Longitudinal scan of the uterus76

		Page
Fig.	(16):	Right ovarian follicular cyst with thinwall82
Fig.	(17):	Six of the many faces of the corpus luteum84
Fig.	(18):	Polycysticovary85
Fig.	(19):	Complex ovarian cyst: Transvaginal sonographic image showing layering of echogenic material within complex cyst89
Fig.	(20):	Two images of 63-year old patient diagnosed with stage III ovarian carcinoma90
Fig.	(21):	Mean age in cases with post and perimenopausalbleeding
Fig.	(22):	Frequency distribution of studied cases according to complaint110
Fig.	(23):	Mean endometrial thickness in cases with post and perimenopausal bleeding111
Fig.	(24):	Endometrial pattern in studied cases112
Fig.	(25):	Sensitivity and specificity as regards different pathological sites113

# List of Tables

		Page
Table	(1):	Age of all studied group98
Table	(2):	Endometrial thickness98
Table	(3):	Frequency distribution of the complaint99
Table	(4):	Uterine dimensions99
Table	(5):	Endometrial pattern100
Table	(6):	Myometrial thickness100
Table	(7):	Myometrial pattern101
Table	(8):	Focal lesions101
Table	(9):	Cervical abnormalities102
Table	(10):	Right ovarian size102
Table	(11):	Right ovarian texture102
Table	(12):	Left ovarian size103
Table	(13):	Left ovarian texture103
Table	(14):	Positive and negative cases according to operative findings104
Table	(15):	Sensitivity and specificity106
		Chi square test to detect association between transvaginal sonographic findings, operative and histopathologic findings as regards different abnormalities in the studied sample:  Table I : Thick endometrium
Table	(16):	Comparison between transvaginal sonography and operative findings in diagnosis of abnormal uterine bleeding108



## List of Plates

		Page
Plate	(1):	Long. scan of RVF uterus with well-placedIUCD114
Plate	(2):	Long. scan of AVF uterus showing IUCD with both anterior wall and fundal intramuralmyoma114
Plate	(3):	Endometrial hyperplasia in both longitudinal and transverse scan of theuterus115
Plate	(4):	Long. scan of the uterus showing endometrialpolyp115
Plate	(5):	Long. section of RVF uterus with posterior intramural myoma116
Plate	(6):	Degenerated anterior wall intramural myoma in transverse scan of the uterus116
Plate	(7):	Anterior and posterior intramural myoma117
Plate	(8):	Submucousmyoma117
Plate	(9):	Subserousmyoma118
Plate	(10):	Subserous myoma with hypoechoic areas inside suggestive of degenerative changes.118
Plate	(11):	Anterior intramural to submucous myoma119
Plate	(12):	Long. scan of the uterus showing cervicalpolyp119
Plate	(13):	Right sided unilocular ovarian cyst, with thin wall and clear texture, cervical polyp is seen in association120
Plate	(14):	Right sided unilocular ovarian cyst, with two daughter cysts are seen inside120
Plate	(15):	Normal long. scan of AVF uterus, with multilocular ovarian cyst showing septations and turbidity



## **CONTENTS**

	Page
	Introduction
*	Aim of the Work
*	Review of Literature
	- Abnormal uterine bleeding5
	- Organic causes of abnormal uterine bleeding14
	- Transvaginal sonography32
	- Transvaginal sonography of the uterus45
	- Uterine causes of vaginal bleeding as depicted by
	transvaginal sonography59
	- Transvaginal sonography of the ovaries78
	- Ovarian causes of vaginal bleeding as depicted by
	transvaginal sonography81
	- Transvaginal sonography of the fallopian tubes91
*	Patients and Methods
*	Results98
*	Discussion122
*	Summary and Conclusion128
*	References132
*	Arabic Summary