
# SERUM LEVEL OF L-NORGESTREL AND COPPER IN WOMEN WEARING PRO-COPPER (AZZAM'S) IUCD

Thesis



Submitted for Partial Fulfillment of Master Degree In Obstetrics and Gynaecology

By Mona Mahmoud Abd El-Hamid M.B..B.Ch.

Faculty Of Medicine, Ain Shams University

Supervised by

Prof. Dr. Mohamed Ezz El-Din Aly Azzam

Prof. of Obstetrics and Gynaecology Faculty of Nedicine Ain Shams University

Dr. Magd El-Din Magd El-Din Mohamed


Lecturer of Obstetrics and Gynaecology

Saculty of Medicine

Ain Thams University

Faculty of Medicine Ain Shams University 1997







# TO... My Family

Mona

## Acknowledgement

I would like to express my Sincere gratitude and appreciatition to Professor Dr. Mohamed Ezz El-Din Aly Azzam Prof. of Obstetrics and Gynaecology, Faculty of Medicine, Ain Shams University, for supervising this work, valuable advice, kind assistance and kind guidance during the progress of this work.

I'm very grateful and appreciating to Dr. Magd El-Din Magd El-Din Mohamed, Lecturer of Obstetrics and Gynaecology, Faculty fo Medicine, Ain Shams University, for his supervision, Valuable efforts, kind assistance and valuable guidance.

! wish to express my deep appreciation and gratitude to Dr. Samia Mohamed Abd El-Halim Omar, Lecturer of Pharmaccutical Technology, Technology Dept. Faculty of Pharmancy, Helwan University for her generous assistance, encouragment and kind guidance during the progress of this thesis.

I'm very grateful and appreciating to Professor. Dr. Hosam E.D. Higazy, Spectroscopy dept. National Research Center, for his kind assistance valuable help and for providing all possible facilities.

I'm very grateful and appreciating to Associate Professor Dr. Assem Anwar Kotb, Associate Professor of Food contaminats National Research Center, for his kind assistance, valuable help and for providing all possible facilites.

I'm very grateful to Professor Dr. Hamed M. Shatla, S.C. Chairman of Medical Research Center and Bilharzial Research, Ain Shams University, Faculty of Medicine for providing all possible facilites.

I'm very grateful and appreciating to Professor Dr. Adel El-Missiry Director of Medical Research Center and Bilharzial Research, Ain Shams University, Faculty of Medicine for providing all possible facilities.

I would like to thank all the staff and members of the faculty of Medicine, Ain Shams University for valuable help.

Finally, I would like to acknowledge a special debt of gratitude to my family for their loving.

#### Content

	Page
Introduction	1
Aim of the work	6
Review Of The Literature:	
History of I.U.Ds.	7
Mechanism of action of I.U.Ds.	17
Terminology	
Morphological changes	
• Intrauterine biochemical reactions to inert and medicated I.U.	
• Inert I.U.Ds.	
• Effect of inert and medicated I.U.Ds. on cytokines	
Release of Copper in Copper medicated I.U.D	
Releaseof hormones from steroid medicated I.U.D	
Role of prostaglandins	34
Possible role of mast cells in the mechanism of action of I.U.D.	
Embryo specific substances	
Embryo pregnancy factor	
Human chorionic gonadotrophins	
Migration of gametes in the female genital tract	
Sperm migration	
Ovum transport	
Microscopic examination of ova	
Progestational agents	
The Levonorgestrel- Releasing I.U.D.	73
Intrauterine reactions to inert and medicated I.U.D.s. and its r	
irregular bleeding	
Mechanism behind the reduction of bleeding in levonorgstrel-	
I.U.D.:	/8 1-4: 4-
pelvic inflammatory diseases	
Subjects and methods	/9 0 <b>7</b>
Results	
Discussion	
Summary	128
Conclusion	136
References	
Arabic summary	

### **List of Tables**

Tab. No.	Title	Page
1	Enzyme activities in endometrial biopsy specimens before and after six months in different types of IUD	31
2	Studies estimating the occurrence of early embryonic loss based on hCG detection in non IUD users	49
3	Sperm migration in IUD users	55
4	Distribution of women according to the interval between LH peak and Egg recovery in different types of IUDs	61
5	Rate of recovery of ova from the fallopian tubes between 48 and 120 hours after LH peak in control and IUD wearing women	61
6	Condition of ova recovered from the fallopian tubes following intercourse within-79 and + 11 hours from the LH peak in the presence or absence of an IUD	63
7	Evaluation and statistical analysis of the daily in vitro released levonorgestrel from both procopper IUD and medicate	104

## Central Library - Ain Shams University

	procopper IUD without copper part	
8	Evaluation and statistical analysis of the daily in vitro released copper from both procopper IUD and plain procopper	105
9	Clinical data of the enrolled women in the study	106
10	Clinical performance of procopper group and copper T380 group included in this study	107
11	Evaluation and statistical analysis of the release of levonorgestrel in uterine fluids in women using procopper IUD	108
12	Evaluation and statistical analysis of the serum copper level in women using procopper IUD and copper T380	109