

**CLINICAL EVALUATION OF DIFFERENT METHODS
FOR PREVENTION OF INTRAOPERATIVE
HEMODYNAMIC CHANGES AND INCIDENCE OF
HEADACHE AFTER SPINAL ANESTHESIA**

**Thesis Submitted for Partial Fulfillment of the M.D. Degree in
Anesthesia**

BY:

Mahmoud Ibrahim Moustafa

M.B.B.Ch., M.Sc., Anesthesia, Ain Shams University

Supervised By:

Prof. Dr. Mohamed Hamed Shaker

Professor of Anesthesia and Intensive Care
Faculty of Medicine - Ain Shams University

Prof. Dr. Ahmed Gamal Eissa

Professor of Anesthesia and Intensive Care
Faculty of Medicine - Ain Shams University

Prof. Dr. Ahmed Abd El-Aala El-Shawarby

Assistant Professor of Anesthesia and Intensive Care
Faculty of Medicine - Ain Shams University

Dr. Seham Hussein Mohamed

Lecturer of Anesthesia and Intensive Care
Faculty of Medicine - Ain Shams University

**Faculty of Medicine
Ain Shams University
**** 1997 ******






بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

قالوا سبحانك لا علم
لنا إلا ما علمتنا إنك
أنت العظيم الحكيم

صدق الله العظيم

سورة البقرة - الآية ٣٢



Acknowledgment

First and foremost I thank **Allah** the most merciful and most beneficent.

I would like to express my sincere appreciation and deep gratitude to **Prof. Dr. Mohamed Hamed Shaker**, Professor of Anesthesia and Intensive Care, Faculty of Medicine, Ain Shams University, for his helpful supervision and valuable instructions through revision of this work.

I owe gratefulness and much regards to **Prof. Dr. Ahmed Gamal Eissa**, Professor of Anesthesia and Intensive Care, Faculty of Medicine, Ain Shams University, for his guidance, valuable supervision, precious instructions and encouragement throughout this work.

It gives me a great pleasure to express my deep gratitude to **Dr. Ahmed Abd El-Aala El-Shawarby**, Assistant Professor of Anesthesia and intensive Care, Faculty of Medicine, Ain Shams University, for his kind advise, valuable instructions and his great effort during this work.

Mahmoud Ibrahim

List of Contents

| | PAGE |
|----------------------------------|---------|
| Introduction and Aim of the Work | 1 - 2 |
| Review of Literature | 3 44 |
| Anatomic Considerations | 3 - 11 |
| Pharmacology of Bupivacaine | 12 21 |
| Effects of Spinal Anesthesia | 22 - 33 |
| Crystalloids and Colloids | 34 44 |
| Patients and Methods | 45 50 |
| Results | 51 - 97 |
| Discussion | 98 106 |
| Conclusion | 107 |
| Summary | 108 111 |
| References | 112 120 |
| Arabic Summary | |

List of Tables

| No. | Table | Page |
|--------------|---|------|
| Table (1) : | Measurements taken by MRI at L ₂₋₃ level. | 10 |
| Table (2) : | Physico-chemical properties of local anesthetics. | 17 |
| Table (3) : | Physical characteristics of bupivacaine solution at 37°C. | 17 |
| Table (4) : | Factors documented to be related to the height of a spinal anesthetic block. | 18 |
| Table (5) : | Factors probably unrelated to the height of spinal anesthetic block. | 19 |
| Table (6) : | The relationship among variables and postdural puncture headache. | 31 |
| Table (7) : | Osmolar substances in extracellular and intracellular fluids. | 36 |
| Table (8) : | Frequency of anaphylactoid reactions of colloids. | 44 |
| Table (9) : | The different groups in the study. | 46 |
| Table (10) : | Comparison between preoperative, intraoperative, and postoperative heart rate in each of the seven groups. | 53 |
| Table (11) : | Comparison between preoperative heart rate in different groups. | 54 |
| Table (12) : | Comparison between intraoperative heart rate in different groups. | 55 |
| Table (13) : | Comparison between postoperative heart rate in different groups. | 56 |
| Table (14) : | Comparison between preoperative, intraoperative, and postoperative systolic blood pressure in each of the seven groups. | 62 |
| Table (15) : | Comparison between preoperative systolic blood pressure in different groups. | 63 |
| Table (16) : | Comparison between intraoperative systolic blood pressure in different groups. | 64 |
| Table (17) : | Comparison between postoperative systolic blood pressure in different groups. | 65 |
| Table (18) : | Number of cases with clinically significant hypotension in the study groups. | 71 |

| No. | Table | Page |
|--------------|---|------|
| Table (19) : | Comparison between preoperative, intraoperative, and postoperative diastolic blood pressure in each of the seven groups. | 73 |
| Table (20) : | Comparison between preoperative diastolic blood pressure in different groups. | 74 |
| Table (21) : | Comparison between intraoperative diastolic blood pressure in different groups. | 75 |
| Table (22) : | Comparison between postoperative diastolic blood pressure in different groups. | 76 |
| Table (23) : | Comparison between preoperative, intraoperative, and postoperative central venous pressure in each of the seven groups. | 83 |
| Table (24) : | Comparison between preoperative central venous pressure in different groups. | 84 |
| Table (25) : | Comparison between intraoperative central venous pressure in different groups. | 85 |
| Table (26) : | Comparison between postoperative central venous pressure in different groups. | 86 |
| Table (27) : | Comparison between preoperative, intraoperative, and postoperative serum osmolality pressure in each of the seven groups. | 92 |
| Table (28) : | Comparison between preoperative serum osmolality in different groups. | 93 |
| Table (29) : | Comparison between intraoperative serum osmolality in different groups. | 94 |
| Table (30) : | Comparison between postoperative serum osmolality in different groups. | 95 |

List of Figures

| No. | Figure | Page |
|---------------|--|------|
| Figure (1) : | Vertebral column. | 4 |
| Figure (2) : | Vertebral anatomy. | 5 |
| Figure (3) : | Distal centroneuroaxis anatomy. | 7 |
| Figure (4) : | Terminal spinal cord and cauda equina. | 9 |
| Figure (5) : | Formula of bupivacaine. | 12 |
| Figure (6) : | Diffusion across membranes. | 14 |
| Figure (7) : | Spinal needles. | 32 |
| Figure (8) : | The effect of hypertonic saline resuscitation. | 41 |
| Figure (9) : | Mean preoperative heart rate in the studied groups. | 57 |
| Figure (10) : | Mean intraoperative heart rate in the studied groups. | 58 |
| Figure (11) : | Mean postoperative heart rate in the studied groups. | 59 |
| Figure (12) : | Mean preoperative, intraoperative, and postoperative heart rate in the studied groups. | 60 |
| Figure (13) : | Mean preoperative systolic blood pressure in the studied groups. | 66 |
| Figure (14) : | Mean intraoperative systolic blood pressure in the studied groups. | 67 |
| Figure (15) : | Mean postoperative systolic blood pressure in the studied groups. | 68 |
| Figure (16) : | Mean preoperative, intraoperative, and postoperative systolic blood pressure in the studied groups. | 69 |
| Figure (17) : | Number of cases with clinically significant hypotension in the seven groups. | 72 |
| Figure (18) : | Mean preoperative diastolic blood pressure in the studied groups. | 77 |
| Figure (19) : | Mean intraoperative diastolic blood pressure in the studied groups. | 78 |
| Figure (20) : | Mean postoperative diastolic blood pressure in the studied groups. | 79 |
| Figure (21) : | Mean preoperative, intraoperative, and postoperative diastolic blood pressure in the studied groups. | 80 |
| Figure (22) : | Mean preoperative central venous pressure in the studied groups. | 87 |
| Figure (23) : | Mean intraoperative central venous pressure in the studied groups. | 88 |
| Figure (24) : | Mean postoperative central venous pressure in the studied groups. | 89 |
| Figure (25) : | Mean preoperative, intraoperative, and postoperative central venous pressure in the studied groups. | 90 |
| Figure (26) : | Mean preoperative, intraoperative, and postoperative serum osmolality venous pressure in the studied groups. | 96 |

