

**LOUDNESS SCALING AS A NEW METHOD
FOR HEARING AID FITTING**

Thesis

Submitted in Partial Fulfilment for The Master Degree in Audiology

By

TAREK ABD-ALLA ZAKI HASSEN

(M.B., B.Ch.)

61.7.89
T. A

Under Supervision of

Prof. Dr. Nadia H. Kamal

Professor and Head of Audiology Unit,
E.N.T Department
Ain Shams University

53743

Dr. Adel Ibrahim Abdel Maksoud

Lecturer of Audiology,
E.N.T Department
Ain Shams University

Handwritten signature

Handwritten signature

Faculty of Medicine

Ain Shams University

1997

Handwritten signature





***LOUDNESS SCALING AS A NEW METHOD
FOR HEARING AID FITTING***

Thesis

Submitted in Partial Fulfilment for The Master Degree in Audiology

By

TAREK ABD-ALLA ZAKI HASSEN

(M.B., B.Ch.)

Under Supervision of

Prof. Dr. Hadia M. Kamal

Professor and Head of Audiology Unit,
E.N.T Department
Ain Shams University

Dr. Adel Ibrahim Abdel Maksoud

Lecturer of Audiology,
E.N.T Department
Ain Shams University

Faculty of Medicine

Ain Shams University

1997

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

يُؤْتِي الْحِكْمَةَ مَنْ يَشَاءُ وَمَنْ يُؤْتَ
الْحِكْمَةَ فَقَدْ أُوتِيَ خَيْرًا كَثِيرًا وَمَا
يَذَّكَّرُ إِلَّا أُولُو الْأَلْبَابِ

صَلَّى اللَّهُ الْعَظِيمِ

الآية ٢٦٩ من سورة البقرة

ACKNOWLEDGMENT

I wish to express my deep gratitude to ***Prof. Dr. Nadia Kamal***, Professor of Audiology and the Head of the Audiology Unit, E.N.T Department, Ain Shams University, for her continuous supervision, valuable guidance and great encouragement.

I offer my warmest thanks to ***Dr. Adel Abdel Maksoud***, Lecturer of Audiology, E.N.T Department, Ain Shams University, for the great effort he put in this work.

Finally, I would like to thank all my colleagues for their help and co-operation, special thanks are due to ***Prof. Dr. Abd El-Zaher Tantawy***, Dean of the Faculty of Medicine and Head of the Audiology Unit, Zagazig University and ***Prof. Dr. Nader Abd El-Hamid***, Head of E.N.T Department, Zagazig University for giving me the chance to work in this field.


Farek Laki Hassan

CONTENTS

	<i>Page</i>
INTRODUCTION AND RATIONALE	1
AIMS OF THE WORK	3
REVIEW OF LITERATURE	4
❧ <i>Hearing aid prescription</i>	4
❧ <i>Hearing aid evaluation</i>	16
• Real-ear measurements	16
• Self-assessment measurements	23
• Speech audiometry	30
• Acoustic reflex threshold measurements	32
• ABR measurements	32
• Articulation index measurements	33
❧ <i>Loudness and loudness scaling</i>	36
• Factors affecting loudness perception	36
• Loudness for electrical stimuli	39
• Loudness recruitment and H.A. fitting	40
• H.A. prescription based on loudness measures	41
• Loudness scaling	46
• Clinical uses of loudness scaling	50
MATERIALS AND METHOD	59
RESULTS	63
DISCUSSION	102
SUMMARY	110
CONCLUSIONS	112
RECOMMENDATIONS	113
REFERENCES	114
APPENDIX	135
ARABIC SUMMARY	



LIST OF TABLES

<i>Table No.</i>	<i>Page</i>
1 : Age and sex distribution	63
2 : Etiological classification of patients with CHL	64
3 : Etiological classification of patients with SNHL	66
4 : Tinnitus distribution in both groups	68
5 : $\bar{X}$, S.D. and range of pure tone thresholds (A.C) in patients with CHL	69
6 : $\bar{X}$, S.D. and range of pure tone thresholds (B.C) in patients with CHL	69
7 : $\bar{X}$, S.D. and range of A-B gap in patients with CHL	70
8 : $\bar{X}$, S.D. and range of pure tone thresholds in patients with SNHL	72
9 : $\bar{X}$, S.D. and range of WDS	74
10 : $\bar{X}$, S.D. and range of I.G in patients with CHL	74
11 : $\bar{X}$, S.D. and range of I.G in patients with SNHL	75
12 : NAL target and actual I.G in patients with CHL	76
13 : NAL target and actual I.G in patients with SNHL	79
14 : NAL actual I.G versus I.G by loudness scaling in patients with SNHL	82
15 : NAL actual I.G versus I.G by loudness scaling in patients with CHL	85
16 : I.G values in patients with and without tinnitus in patients with CHL	88
17 : I.G values in patients with and without tinnitus in patients with SNHL	91
18 : Self-assessment scores in both groups	94



Table No.		Page
19	Effect of WDS on self-assessment scores in patients with SNHL.....	96
20	Effect of age on self-assessment scores	96
21	Effect of gender on self-assessment scores	97
22	Effect of tinnitus on self-assessment scores	99
23	Effect of the type of H.L on self-assessment scores	101

LIST OF FIGURES

<i>Figure No.</i>	<i>Page</i>
1 : The concept of the insertion gain	20
2 : The relationship between loudness and stimulus bandwidth	37
3 : The relationship between loudness and stimulus duration	38
4 : WHF touch pad for the patient	49
5 : Aided loudness scaling after H.A adjustment by loudness scaling method	53
6 : loudness scaling pattern in recruiting patient	55
7 : Etiological classification of patients with CHL	65
8 : Etiological classification of patients with SNHL	67
9 : $\bar{X}$, S.D. and range of pure tone thresholds in patients with CHL	71
10 : $\bar{X}$, S.D. and range of pure tone thresholds in patients with SNHL	73
11 : NAL target and actual I.G in patients with CHL	77
12 : NAL target and actual I.G in patients with CHL	78
13 : NAL target and actual I.G in patients with SNHL	81
14 : NAL target and actual I.G in patients with SNHL	81
15 : NAL acutal I.G versus I.G by loudness scaling in patients with SNHL	83
16 : NAL acutal I.G versus I.G by loudness scaling in patients with SNHL	84
17 : NAL acutal I.G versus I.G by loudness scaling in patients with CHL	86

Figure No.		Page
18	: NAL acutal I.G versus I.G by loudness scaling in patients with CHL	87
19	: NAL target I.G versus I.G by loudness scaling in CHL patients with tinnitus	89
20	: NAL target I.G versus I.G by loudness scaling in CHL patients without tinnitus	90
21	: NAL target I.G versus I.G by loudness scaling in SNHL patients with tinnitus	92
22	: NAL target I.G versus I.G by loudness scaling in SNHL patients without tinnitus	93
23	: Self-assessment scores in both groups	95
24	: Effect of gender on self-assessment scores	98
25	: Effect of tinnitus on self-assessment scores	100

