# Transcranial Color Doppler Sonography in Infantile Hydrocephalus

#### Thesis

Submitted for Partial Fulfillment of M.D. Degree In

## Radiodiagnosis

Ву

#### Hanan Abd El-Aziz Amr

(M.B., B. Ch. - M.Sc in Radiodiagnosis)

Supervised By

### Prof. Dr. Salwa Taha Ahmed Esmail

Professor of Radiodiagnosis
Faculty of Medicine
Ain Shams University

### Assist. Prof. Dr. Alia Abdallah El-Jiky

Assistant Professor of Radiodiagnosis Faculty of Medicine Ain Shams University

#### Dr. Eman Soliman Metwali

Lecturer of Radiodiagnosis
Faculty of Medicine
Ain Shams University

Faculty of Medicine Ain Shams University 1998 And the second of the second o







### Acknowledgment

Impressed with the encouragement of **Prof. Dr. Salwah Taha Ahmed Esmail,** Professor of Radio-diagnosis, Jaculty of Medicine, Ain Shams University 9 wish to thank her all sincerely for her time, interest and commitment. 9 am also grateful to her for her insightful supervision and valuable comments which helped me most to choose, initiate and complete this work in its present form.

Special thanks are also due to **Dr. Alia Abdallah El-Jiky** Assistant Professor of Radiodiagnosis, Jaculty of Medicine, Ain Shams University, who gave generously of her time and provided detailed criticisms to which I tried to respond and which helped me most to clarify many hazy areas.

I would like to thank **Dr. Eman Soliman Metwali**, Lecturer in Radiodiagnosis, Jaculty of Medicine, Ain Shams University, she devoted a lot of her precious time for supervision, valuable guidance and continuous encouragement in completing this work.

I wish to express my thank to all **Staff members** of **Radiodiagnosis Department**, Faculty of Medicine. Ain Shams University, my Professors and my colleagues for their valuable assistance, cooperation and advice during the study.

Jinally no words can express the warmth of my feelings to my family for their understanding and patience.



### Contents

•	Introduction and Aim of the Work	i
•	Anatomical Consideration	3
	* Gross anatomy	3
	* Sonographic anatomy	13
•	Pathology of hydrocephalus	29
•	Review of Literature	
	* Basic principles of Doppler study	36
	* Technical considerations	52
	* Manifestations of duplex Doppler sonography	
	in infantile hydrocephalus	60
•	Material and Methods	80
•	Results	85
•	Illustrative Cases	95
•	Discussion	166
•	Summary and Conclusion	179
•	References	184
•	Arabic Summary	



### List of Tables

Table No.	Details	Page No.
1	Classification of hydrocephalus	30
2	Ultrasound modalities	43
3	Correlation of CT, B-mode and Doppler	85
	findings of Group I (Control group).	
4	Correlation of CT, B-mode and Doppler	86
	findings of Group II (Progressive	<u> </u>
	hydrocephalus).	
5	Comparison of Doppler data between Group	87
	I (control group) and Group II (Progressive	
	hydrocephalus).	<u> </u>
6	Doppler data versus intracranial pressure	88
	(ICP) in Group II (progressive	
	hydrocephalus).	
7	Comparison of Doppler data pre and post	89
	operative in Group II (progressive	
	hydrocephalus).	<u> </u>
8	Follow-up cases after surgery for	90
	myelomeningocele.	<u> </u>
9	Correlation of CT, B-mode and Doppler	91
	findings in 10 patients of Group II presented	
	with symptoms suggestive shunt	İ
	malfunctioning.	<u> </u>
10	Correlation of CT, B-mode and Doppler	92
	findings in 3 cases of Group II developed	
	subdural collection following surgery.	

11	Correlation of CT, B-mode Doppler findings	93
	in Group III (arrested hydrocephalus).	
12	Comparison of Doppler data between Group	94
	I (control group) and Group III (arrested	
	group).	i

# List of Figures

Figure No.	Details	Page No.
1	The ventricles of the brain illustrating their relative position	3
2	Ventricular system. A. from the rostral (and ventral) brain surface. B. from the lateral brain surface.	6
3	Diagram of a coronal section through the lateral and third ventricles. The pia matter or the tela choroidae is shown in red and the ependyma in blue	7
4	Sagittal view of the brain and spinal cord to illustrate the circulation of the cerebrospinal fluid. The direction of the CSF flow is indicated by arrows	10
5	Diagram of the arteries at the base of the brain, showing the constitution of the arterial circle.	11
6	A. Coronal views of the neonatal head are made through the anterior fontanelle. c. The transducer is angled from the anterior skull to the posterior skull to record various parts of the neonatal brain anatomy. Axial plane of view. A, reid's baseline, R.B. Sagittal views of the neonatal head	13
7	Coronal scan slightly behind the level of the foramen of Monro.	14
8	Scan through the heads of the caudate nuclei and the frontal horns.	16
9	Coronal scan through the region of the quadrigeminal cistern.	17

l()	Scan through the region of the trigone of the	18
	lateral ventricle.	
11	Midsagittal scan. A. Diagrammatic	20
	representation of this level.	
12	Parasagittal scan through the body of the	22
	lateral ventricle.	
13	Parasagittal scan through the sylvian fissure.	23
14	A. Graphic representation of a wave as a	38
	periodic fluctuation in the amplitude of a	
	quantity, such as pressure, as a function of	
	time, f (t). B. To store of manipulate these	;
	data, each point along the wave can be	
	assigned a numeric value, which is then	ļ
	recorded and operated on individually, as is	
	done using digital computers	
15	Schematic diagram of the Doppler effect in	39
	vascular ultrasonography.	
16	Doppler indices	41
17	The principle of continuous wave Doppler	44
	sonography	
18	Sampling the Doppler signal at discrete times	49
- de 10 % Al 5 % Al	in pulsed Doppler.	
19	ACA (From the anterior fontanel)	53
20	MCA (From the anterior fontanel)	54
21	Available temporal ultrasonic windows and	54
	probe placement.	
22	MCA (Transtemporal approach)	56
23	Ventricular index.	61
24	Aqueductal stenosis.	62
25	Unilateral obstruction of the foramen of	63
	Monro.	
26	Extraventricular obstructive hydrocephalus.	63

27	Chiari II malformation.	64
28	Chiari II malformation.	64
29	Chiari II malformation with aqueductal	65
	stenosis.	
30	Dandy-Walker syndrome.	66
31	Serial Doppler studies of intracranial vessels	69
}	(internal carotid artery) in a premature	
	neonate with intraventricular and	
 	intracerebral hemorrhage.	
32	Ventricular and intraparenchymal pressure	77
	monitoring systems.	
33	Case No. (1)	96
34	Case No. (2)	98
35	Case No. (3)	101
36	Case No. (3)	102
37	Case No. (4)	105
38	Case No. (4)	107
39	Case No. (4)	109
40	Case No. (5)	110
41	Case No. (5)	111
42	Case No. (5)	112
43	Case No. (6)	114
44	Case No. (6)	114
45	Case No. (6)	116
46	Case No. (7)	118
47	Case No. (7)	120
48	Case No. (8)	122
49	Case No. (8)	123
50	Case No. (9)	127
51	Case No. (9)	128
52	Case No. (10)	131
53	Case No. (10)	133

54	Case No. (11)	135
55	Case No. (11)	137
56	Case No. (12)	139
57	Case No. (13)	141
58	Case No. (13)	143
59	Case No. (14)	146
60	Case No. (14)	146
61	Case No. (14)	147
62	Case No. (15)	149
63	Case No. (15)	149
64	Case No. (15)	150
65	Case No. (16)	152
66	Case No. (16)	154
67	Case No. (17)	157
68	Case No. (17)	158
69	Case No. (18)	159
70	Case No. (18)	160
71	Case No. (19)	162
72	Case No. (19)	163
73	Case No. (20)	165
7.4	Case No. (20)	165