

Ain Shams University
Institute of Postgraduate
Childhood Studies
Medical Department

بسم الله الرحمن الرحيم

**PSYCHOLOGICAL AND DEVELOPMENTAL
SEQUALAE OF OESOPHAGEAL INJURIES
DUE TO CORROSIVES IN CHILDREN,
COMPARATIVE STUDY IN URBAN
AND RURAL AREAS**

بسم الله الرحمن الرحيم

Thesis

Submitted for Fulfilment of
Ph.D. Degree In Childhood Studies
Post Graduate Institute of Childhood Studies,
Medical Department

مقاله

By

Nagwa Mohamed El-Magharwry Nassar

155.9

Supervisors

N. M

Prof. Dr. Hamed Shatla

بسم الله الرحمن الرحيم

Professor of Paediatrics
Ain Shams University



بسم الله الرحمن الرحيم

بسم الله الرحمن الرحيم


Ain Shams University

1996





*To My
Family*



ACKNOWLEDGEMENT

Words can not express how proud I am with the great honour that this thesis has been supervised by one of the greatest professor in the Faculty of Medicine, Ein Shams University. Prof. Dr. Hamed Shatla professor of Paediatrics and Dean of the Faculty.

To my great supervisor professor , I would like to express my deepest gratitude for his guidance, great help and valuable advices. He sacrificed plenty of his precious time without which, this work never have seen light.

I would like also to express may deepest appreciation to my professor Dr. Zenab Beshry professor of Neurology and Psychiatry, without here encouragement and advices, this work would have been rather a difficult task, and remarkable attention up to the most minute details.

Before and after all all thanks to God.

CONTENTS

	Page
INTRODUCTION	1
AIM OF THE WORK	5
REVIEW OF LITERATURE	7
Growth and development	8
Psychological development	38
Assessments of growth	56
Psychological Assessments	85
Childrens reactions to illness hospitalization and surgery	109
Caustic injuries to the oesophagus in children	142
MATERIALS AND METHODS	167
RESULTS	171
I. Epidemiological studies of the caustic oesophageal injuries	172
II. Pathological study of corrosive oesophageal stricture	185
III. Study the effect of cortisone and endoscopic dilatation on the oesophageal injuries in recent cases	189
IV. Anthropometric study of growth and development of the affected children	190

V. Study and follow up the educational level of the affected children	208
VI. Study the intelligence of the post corrosive oesophageal stricture children	209
VII. Study the psychological disturbance of the affected children due to caustic oesophageal stricture	210
VIII. Study the operative procedures in the managements of the injured children	212
IX. Study of the behavior and psychological changes of the Families of the corrosive oesophageal injured children	216
DISCUSSION	218
SUMMARY	243
REFERENCES	251
ARABIC SUMMARY	

LIST OF TABLES

Table No.	Page
Table (1) : Development chartes	14
Table (2) : Normal speech and langa age development	31
Table (3) : Emerging patterns of behavior from 1 to 5 years of age ..	39
Table (4) : High lights of child and family development ..	40
Table (5) : Age at onset of ossification	59
Table (6) : Chronology of human dentition	62
Table (7) : Percentile for weight and length birth - 5 years	67
Table (8) : Percentile for weight and length 5 - 15 years	70
Table (9) : Percentile for selected measumerts birth - 5 years	78
Table (10) : Percentile for selected measumerts 5 - 18 years	80
Table (11) : Table (11) : Incidence of caustic aesophageal lesion according to sex and residence	172
Table (12) : Table (12) : Incidence of caustic oesophageal injury in relation to age in rural	173
Table (13) : Incidence of caustic oesophageal stricture in relation to age in urban	173
Table (14) : Incidence of caustic aesophageal stricture in relation to the type of caustic agent	174
Table (15) : Incidence of caustic oesophageal stricture in relation to presence of special place far away from children for keeping caustic	175
Table (16) : Incidence of caustic oesophageal stricture in relation to the frequent use of caustic detergent	176
Table (17) : Incidence of caustic oesophageal stricture in relation to the baekground knowldge of the parents about similar condetions	177
Table (18) : Incidence of oesophageal stricture occurance in relation to father's level of education	178
Table (19) : Incidence of caustic oesophageal stricture	

occurance in relation to the mother's profession	179
Table (20) : Incidence of caustic oesophageal stricture occurance to the Economic level of the family in Egyptian pounds (EP)	180
Table (21) : Incidence of caustic oesophageal stricture occurance in relation to the numbers of the children in the family	181
Table (22) : Incidence of caustic oesophageal stricture occurance in relation to the siborder of the injured child	182
Table (23 A) : Incidence of caustic aesophageal stricture occurance in relation to the social state of the family	183
Table (23 B) : Incidence of caustic aesophageal stricture occurance in relation to the social state of the family	184
Table (24) : Incidence of the degree of oesophageal injury in recent injuries according to endoscopic finding	185
Table (25) : Incidence of the degree of oesophageal stricture in old injuies according to endoscopic findis	186
Table (26) : Incidence of caustic aesophageal stricture in relation to the degrec of Dysphagea after establishing the stricture in the 100 patient.	187
Table (27) : Incidence and cause of death in caustic oesophageal	188
Table (28) : Effect of cortisone and endoscopic dilatation on the oesophageal injuries in recent cases.	189
Table (29) : Follow up the child weight in the rural locality patients in kilogramms	190
Table (30) : Follow up the child weight in the urban locality patients in kilogramms	191
Table (31) : Follow up the nutritional state of post corrosive aesophageal stricture in relation to surface urea M2 in rural patients	192
Table (32) : Follow up the nutirtional state of post corrosine aesophazeal stricture in relation to surface area M2 in urban patients	193

Table (33) : Follow up the child length in the rural locality patients in centemeters	194
Table (34) : Follow up the child length in the urban locality patients in centemeters	195
Table (35) : Follow up the head circumference in the rural locality patients	196
Table (36) : Follow up the head circumference in the Urban locality patients	197
Table (37) : Follow up the abdomen circumference in the rural locality patients	198
Table (38) : Follow up the abdomen circumference in the Urban locality patients	199
Table (39) : Follow up the chest circumference in the rural locality patients	200
Table (40) : Follow up the chest circumference in the urban locality patients	201
Table (41) : Follow the size of the calf muscle in the rural locality patients	202
Table (42) : Follow the size of the calf muscle in the urban locality patients	203
Table (43) : Follow up the appearance of ossification in the rural locality patient	204
Table (44) : Follow up the appearance of ossification in the urban locality patient	205
Table (45) : Follow up the calcification and eruption of the primary and permanant teeth in the rural locality patient	206
Table (46) : Follow up the calcification and eruption of the primary and permanant teeth in the urban locality patient	207
Table (47) : The effect of ocophageal stricture on the level of education	208
Table (48) : Intelligence (i.Q.) and its frequence in patients with post corrosive oesophageat stricture patients in relation to sex residance and degree of injury at the end of 4 years follow up	209

Table (49) : Study the different psychological disturbance and its frequency in patients with post corrosive oesophageal stricture in relation to residence, sex and degree of injury	210
Table (50) : The operative procedures and its mortality in patients with corrosive oesophageal stricture	212
Table (51) : The reflection of the post corrosive oesophageal stricture of the children on their families	216

LIST OF FIGURES

Figures No.	Page
Fig. (1) : Relative proportions of head trunk and extremities at different ages	23
Fig. (2) : Centers of ossification in extremities	58
Fig. (3) : Growth expect ancy at bone age indicated	58
Fig. (4) : Main types of post natal growth	74
Fig. (5) : Growth rate from birth - 3 years	74
Fig. (6) : Growth rate from 3 - 20 years	74
Fig. (7) : Breadths of soft tissue in calf	75
Fig. (8) : Yearly gain in weight	75
Fig. (9) : Head cirenference of girls	83
Fig. (10) : Head cirenference of boys	83
Fig. (11) : Incidene of caustic oesophageal lesion in relation to sex and residance	172
Fig. (12) : Incidence of caustic oesophageal stricture in relation to age in both rural and urban areas ..	173
Fig. (13) : Incidence of caustic oesophageal stricture in relation to the type of caustic agent	174
Fig. (14) : Incidence of caustic oesophageal stricture in relation to presence of special place far away from children for keeping caustic	175
Fig. (15) : Incidence of caustic oesophageal stricture in relation to the frequent use of caustic detergent	176
Fig. (16) : Incidence of caustic oesophageal stricture in relation to the background knowldge of the parents about similar condetions	177
Fig. (17) : Incidence of oesophageal stricture occurance in relation to father's level of education	178
Fig. (18) : Incidence of caustic oesophageal stricture occurance in relation to the mother's profession	179

Figures No.	Page
Fig. (19) : Incidence of caustic oesophageal stricture occurrence to the Economic level of the family in Egyptian pounds (EP)	180
Fig. (20) : Incidence of caustic oesophageal stricture occurrence in relation to the numbers of the children in the family	181
Fig. (21) : Incidence of caustic oesophageal stricture occurrence in relation to the siborder of the injured child	182
Fig. (22A) : Incidence of caustic oesophageal stricture occurrence in relation to the social state of the family	183
Fig. (22B) : Incidence of caustic oesophageal stricture occurrence in relation to the social state of the family	184
Fig. (23) : Incidence of the degree of oesophageal stricture in recent injuries according to endoscopic finding	184
Fig. (24) : Incidence of the degree of oesophageal stricture in old injuics according to endoscopic finding	185
Fig. (25) : Incidence of caustic oesophogeal strictue in relation to the degree of Dysphagea after establishing the stricture in the 100 patient	187
Fig. (26) : Incidence and cause of death in caustic oesophageal injuics	188
Fig. (27) : Effect of cortisone and endoscopic dilatation on the oesophageal injuries in recent cases ...	189
Fig. (28) : The effect of acophageal stricture on the level of education	208
Fig. (29) : I.Q. and its frequance in post corrosive oesophageal stricture patients in relation to sex and residence at the end of 4 years follow up	209
Fig. (30) : I.Q. and its frequance in post corrosive oesophageal stricture patients in relation to the degree of stricture at the end of 4 years follow up	209