


INVESTIGATION OF THE POLYMERIZATION AND  
COPOLYMERIZATION OF VINYLIMIDAZOLE

THESIS

Submitted for the Degree of Doctor of Philosophy  
In  
" Physical Chemistry "



By

SAKINA MOHAMED MOHAMED ABDEL\_AZIZ  
( B.Sc. 1982 , M.Sc. 1987 )

51 393

S.A.

Presented to  
Chemistry Department  
University College for Girls  
Ain Shams University



AIN SHAMS UNIVERSITY  
1995

**INVESTIGATION OF THE POLYMERIZATION  
AND COPOLYMERIZATION OF VINYLIMIDAZOLE**

THESIS ADVISORS

APPROVED

Prof. Dr. Essam Mohamed Ezzo.

E.M. Ezzo

Prof. Dr. Maher Zaki ElSabee

*Maher*

Head Of Chemistry Department

*Marguerite A. Wassef*



## ACKNOWLEDGEMENT

*The author is deeply thankful to Prof. Dr. Essam Mohamed Ezzo Professor of Physical Chemistry, University College for Girls, Ain Shams University, and also Prof. Dr. Maher Zaki Elsabee, Professor of Physical Chemistry, Faculty of Science, Cairo University, not only for suggesting and directing the research project but also for their continuous guidance, advice, help, valuable criticism and for discussing the results.*

*The author thanks Prof. Dr. Saleh Awad, Professor of Physical Chemistry, University College for Girls, Ain Shams University for the offering of his laboratory and measure the conductivity and for the discussing and the revising of this part.*

*The author also appreciates the full co-operation and kindness of her husband and her sister during the preparation of the thesis.*

*The author will remember with gratitude the co-operation of the head of the chemistry Department and all the members of the chemistry Department .*

## **ABSTRACT**

The kinetics were studied of polymerization and copolymerization of vinylimidazole, acrylamide, N-phenylmaleimide and acrylonitrile. The rate of polymerization was determined in different solvents. The intrinsic viscosity and UV studied were carried out to solutions of polymer and copolymer. The corrosion capability of vinylimidazole, acrylamide and acrylonitrile and their copolymers were studied for aluminium in alkaline medium.

## CONTENTS

	Page
AIM OF THE WORK.....	1
CHAPTER I	
INTRODUCTION.....	2
I-A. POLYMERIZATION BEHAVIOUR.....	2
I-B. ELECTROCHEMICAL BEHAVIOUR.....	18
CHAPTER II	
EXPERIMENTAL.....	26
II-A. MATERIALS.....	26
II-B. POLYMERIZATION PROCESS .....	33
II-C. COPOLYMERIZATION PROCESS .....	34
II-C-a. The Dilatometric method for the Determination of the copolymerization rate.....	34
II-C-b. Characterization of the copolymers.....	35
II-C-b-i Viscosity measurements.....	35
II-C-b-ii Copolymer Analysis.....	35
II-C-c. Methods of calculation of reactivity ratios.....	39
II-C-c-i Fineman - Ross (F-R) method.....	39
II-C-c.ii Kelen-Tudös (K-T) method.....	40
II-C-d. UV Spectroscope.....	43
II-D. ELECTROCHEMICAL MEASUREMENTS.....	43
II-D-a. Potential Measurement.....	43
II-D-b. Electrode Vessel.....	43
II-D-c. Corrosion Rate Measurements.....	44
II-D-d. Calculation of corrosion ( $V_{corr}$ ).....	44
II-D-e. Calculation of potential ( $E_p$ ).....	45

	Page
CHAPTER III	
RESULTS AND DISCUSSION.....	50
III-A. POLYMERIZATION BEHAVIOUR.....	50
III-A-a. Polymerization behaviour of the monomer.....	50
III-A-a-i. Determination of the rate of free-radical polymerization of the investigated monomers.....	50
III-A-a-ii. Dependence of the rate of polymerization on the initiator concentration.....	51
III-A-a-iii. Dependence of the rate of polymerization on the monomer concentration.....	54
III-A-a-iv. Determination of the polymerization activation energy.....	57
III-A-a-v. Effect of solvent polarity on the polymerization rate.....	60
III-B. COPOLYMERIZATION BEHAVIOR OF VINYLIMIDAZOLE.....	62
III-B-a. Copolymerization behavior of vinylimidazole (VI) with acrylamide (AA).....	62
III-B-b. Copolymerization behavior of vinylimidazole (VI) with N-phenylmaleimide (NPMI).....	69
III-B-c. Copolymerization behavior of vinylimidazole (VI) with acrylonitrile (AN).....	78
III-C. ELECTROCHEMICAL BEHAVIOUR.....	96
III-C-a. Corrosion Measurements.....	96
III-C-b. Potential Measurements.....	129
CHAPTER IV	
CONCLUSIONS.....	141
CHAPTER V	
REFERENCES.....	145
CHAPTER VI	
ARABIC SUMMARY.....	

## LIST OF TABLES

No.	Page
(1)	The values of overall rate of copolymerization of vinylimidazole with acrylamide.....65
(2)	The intrinsic viscosity of some samples of the copolymer [ VI : AA ].....68
(3)	Copolymerization data for the vinylimidazole VI(M <sub>1</sub> ) - acrylamide AA (M <sub>2</sub> ) system in distilled water at 60°C by K <sub>2</sub> S <sub>2</sub> O <sub>8</sub> .....71
(4)	Analysis of the copolymerization data of the VI(M <sub>1</sub> )-AA (M <sub>2</sub> ) in dist. H <sub>2</sub> O at 60°C by K <sub>2</sub> S <sub>2</sub> O <sub>8</sub> by the F-R and K-T methods.....72
(5)	The values of overall rate of copolymerization of vinylimidazole with N-Phenylmaleimide.....77
(6)	The intrinsic viscosity of some samples of the copolymer [ VI : NPMI ].....79
(7)	Copolymerization data for the vinylimidazole VI(M <sub>1</sub> ) - N-phenylmaleimide (NPMI) (M <sub>2</sub> ) system in dioxane at 60°C by azobisisobutyronitrile.....82
(8)	Analysis of the copolymerization data of the VI (M <sub>1</sub> ) - NPMI (M <sub>2</sub> ) in dioxane at 60°C by azobisisobutyronitrile by the F-R and K-T methods.....84
(9)	Copolymerization data for the vinylimidazole VI (M <sub>1</sub> ) - acrylonitrile AN (M <sub>2</sub> ) system in dioxane at 60°C by azobisisobutyronitrile.....87
(10)	Analysis of the copolymerization data of the VI (M <sub>1</sub> ) - AN (M <sub>2</sub> ) in dioxane at 60°C by azobisisobutyronitrile by the F-R and K-T methods.....89
(11)	Vinylimidazole with reactivity ratios calculated by different methods.....93
(12)	Q and e Values for Free-Radical-Initiated Copolymerization of 1-vinylimidazole (M <sub>1</sub> ).....95

No.	Page
(13) Rate of corrosion of aluminium in 0.1, 0.2, 0.3, and 0.4 M NaOH.....	97
(14) Rate of corrosion of aluminium in 0.1, 0.2, 0.3, and 0.4M NaOH, containing different concentrations of monomer (a): vinylimidazole (VI).....	99
(15) Rate of corrosion of aluminium in 0.1, 0.2, 0.3, and 0.4 M NaOH, containing different concentrations of monomer (b): Acrylamide (AA).....	103
(16) Rate of corrosion of aluminium in 0.1, 0.2, 0.3, and 0.4 M NaOH, containing different concentrations of monomer (c): Acrylonitrile (AN).....	106
(17) Rate of corrosion of aluminium in 0.1, 0.2, 0.3, and 0.4 M NaOH, containing different concentrations of copolymer (I): [VI] : [AA] 20 : 80.....	110
(18) Rate of corrosion of aluminium in 0.1, 0.2, 0.3, and 0.4 M NaOH, containing different concentrations of copolymer (II): [VI] : [AA] 40 : 60.....	112
(19) Rate of corrosion of aluminium in 0.1, 0.2, 0.3, and 0.4 M NaOH, containing different concentrations of copolymer (III): [VI] : [AA] 50 : 50.....	114
(20) Rate of corrosion of aluminium in 0.1, 0.2, 0.3, and 0.4 M NaOH, containing different concentrations of copolymer (IV): [VI] : [AA] 70 : 30.....	117
(21) Rate of corrosion of aluminium in 0.1, 0.2, 0.3, and 0.4 M NaOH, containing different concentrations of copolymer (V): [VI] : [AA] 90 : 10.....	119

No.	Page
(22) Rate of corrosion of aluminium in 0.1, 0.2, 0.3, and 0.4 M NaOH, containing different concentrations of copolymer (I): [VI] : [AN] 20 : 80.....	121
(23) Rate of corrosion of aluminium in 0.1, 0.2, 0.3, and 0.4 M NaOH, containing different concentrations of copolymer (II): [VI] : [AN] 40 : 60.....	124
(24) Rate of corrosion of aluminium in 0.1, 0.2, 0.3, and 0.4 M NaOH, containing different concentrations of copolymer (III): [VI] : [AN] 90 : 10.....	126
(25) The effect of the rate of corrosion of aluminium by macromolecules.....	128
(26) Effect of monomer concentrations on the potentials of aluminium in 0.2 and 0.4M NaOH at steady state.....	131
(27) Effect of copolymer concentrations on the potentials of aluminium in 0.2 and 0.4M NaOH at steady state.....	134
(28) Effect of copolymer concentrations on the potentials of aluminium in 0.2 and 0.4M NaOH at steady state.....	138

## LIST OF FIGURES

No.	Page
(1) The electrode vessel and the prepared aluminium electrode.....	46
(2) Apparatus for the distillation of water.....	47
(3) Cell for Pre-electrolysis of NaOH.....	48
(4) Capillary viscometer commonly used for measurement of polymer solution viscosities (Ubbelohde).....	49
(5) Conversion-time curves for VI at 60°C and [M] = 4.00 mol./L in DMF.....	52
(6) Dependence of the rate of polymerization of VI on the initiator concentration in DMF at 60°C and [M] = 4.00 mol./L.....	53
(7) Conversion-time curves for VI at 60°C and [AIBN]=1X10 <sup>-2</sup> mol./L in DMF.....	55
(8) Dependence of the rate of polymerization for VI on the monomer concentration [M] at constant [AIBN] = 1X10 <sup>-2</sup> mol./L in DMF at 60°C.....	56
(9) Conversion-time curves for VI [AIBN]=1X10 <sup>-2</sup> mol./L , [M] = 4.00 mol./L in DMF.....	58
(10) The logarithm of polymerization rate versus 1/T in DMF at [M] = 4.00 mol./L , [AIBN]=1 X 10 <sup>-2</sup> mol./L.....	59
(11) Relation between the volume contraction and the polymerization time of VI in different solvents , [M] = 4.00 mol./L and [AIBN] = 1 X 10 <sup>-2</sup> mol./L.....	61

No.	Page
(12) Volume contraction-time curves for the solution copolymerization of VI with AA using $K_2S_2O_8$ as an initiator $5 \times 10^{-2}$ mol./L, solvent distilled $H_2O$ at $60^\circ C$ .....	63
(13) Initial overall rate of copolymerization of the VI $[M_1]$ -AA $[M_2]$ system versus monomer feed molar ratios at $60^\circ C$ , $K_2S_2O_8 = 5 \times 10^{-2}$ mol./L, total monomer concentration = 2 mol./L in distilled $H_2$ .....	64
(14) Intrinsic viscosity concentration measurement for VI- AA copolymer.....	66
(15) Intrinsic viscosity of copolymerization of VI $[M_1]$ - AA $[M_2]$ system versus monomer feed molar ratio at $30^\circ C$ .....	67
(16) Plots of copolymer composition versus monomer composition for VI and AA using $K_2S_2O_8$ as an initiator $5 \times 10^{-2}$ mol./L at $60^\circ C$ .....	70
(17) Fineman - Ross plots for VI( $M_1$ ) with AA ( $M_2$ ).....	73
(18) Kelen - Tudös plots for VI( $M_1$ ) with AA( $M_2$ ).....	74
(19) Volume contraction-time curves for the solution copolymerization of VI with NPMI using $[AIBN] = 5 \times 10^{-2}$ mol./L, solvent dioxane.....	75
(20) Initial overall rate of copolymerization of the VI $[M_1]$ -NPMI $[M_2]$ system versus monomer feed molar ratios at $60^\circ C$ , AIBN = $5 \times 10^{-2}$ mol./L, total monomer concentration = 2 mol./L in dioxane.....	76
(21) Intrinsic viscosity concentration measurement for VI- NPMI copolymer.....	80
(22) Intrinsic viscosity of copolymerization of VI $[M_1]$ - NPMI $[M_2]$ system versus monomer feed molar ratio at $30^\circ C$ .....	81

No.	Page
(23) Plots of copolymer composition versus monomer composition for VI and NPMI using AIBN as an initiator $5 \times 10^{-2}$ mol./L at $60^{\circ}\text{C}$ .....	83
(24) Fineman - Ross plots for VI( $M_1$ ) with NPMI ( $M_2$ ).....	85
(25) Kelen - Tudös plots for VI( $M_1$ ) with NPMI( $M_2$ ).....	86
(26) Plots of copolymer composition versus monomer composition for VI and AN using AIBN as an initiator $5 \times 10^{-2}$ mol./L at $60^{\circ}\text{C}$ .....	88
(27) Fineman - Ross plots for VI( $M_1$ ) with AN ( $M_2$ ).....	91
(28) Kelen - Tudös plots for VI( $M_1$ ) with AN( $M_2$ ).....	92
(29) UV spectra of (a) Pure VI , (b) Pure AA, (c) Mix. VI and AA.....	94
(30) Effect of concentration of NaOH on the corrosion of aluminium at $30^{\circ}\text{C}$ .....	98
(31) Effect of monomer concentration (VI) on the corrosion rate of aluminium in different concentrations of NaOH solutions at $30^{\circ}\text{C}$ .....	100
(32) Effect of monomer concentration (AA) on the corrosion rate of aluminium in different concentrations of NaOH solutions at $30^{\circ}\text{C}$ .....	102
(33) Effect of monomer concentration (AN) on the corrosion rate of aluminium in different concentrations of NaOH solutions at $30^{\circ}\text{C}$ .....	105
(34) Effect of copolymer concentration on the corrosion rate of aluminium in different concentrations of NaOH solutions (I) [VI : AA ] 20 : 80 .....	109

No.	Page
(35) Effect of copolymer concentration on the corrosion rate of aluminium in different concentrations of NaOH solutions (II) [VI : AA ] 40 : 60 .....	111
(36) Effect of copolymer concentration on the corrosion rate of aluminium in different concentrations of NaOH solutions (III) [VI : AA ] 50 : 50 .....	113
(37) Effect of copolymer concentration on the corrosion rate of aluminium in different concentrations of NaOH solutions (IV) [VI : AA ] 70 : 30 .....	116
(38) Effect of copolymer concentration on the corrosion rate of aluminium in different concentrations of NaOH solutions (V) [VI : AA ] 90 : 10 .....	118
(39) Effect of copolymer concentration on the corrosion rate of aluminium in different concentrations of NaOH solutions (I) [VI : AN ] 20 : 80 .....	122
(40) Effect of copolymer concentration on the corrosion rate of aluminium in different concentrations of NaOH solutions (II) [VI : AN ] 40 : 60 .....	125
(41) Effect of copolymer concentration on the corrosion rate of aluminium in different concentrations of NaOH solutions (III) [VI : AN ] 90 : 10 .....	127
(42) Effect of monomer concentration on corrosion potentials of aluminium in 0.2 M NaOH solution .....	132
(43) Effect of monomer concentration on corrosion potentials of aluminium in 0.4 M NaOH solution .....	133

No.	Page
(44) Effect of copolymer concentration [VI : AA] on corrosion potentials of aluminium in 0.2 M NaOH solution .....	136
(45) Effect of copolymer concentration [VI : AA] on corrosion potentials of aluminium in 0.4 M NaOH solution .....	137
(46) Effect of copolymer concentration [VI : AN] on corrosion potentials of aluminium in 0.2 M NaOH solution .....	139
(47) Effect of copolymer concentration [VI : AN] on corrosion potentials of aluminium in 0.4 M NaOH solution .....	140