

**PREPARATION AND APPLICATION OF  
GRAFTED POLY(VINYL ALCOHOL)  
MEMBRANES USING GAMMA  
RAYS AS INITIATOR**

THESIS  
SUBMITTED TO  
FACULTY OF SCIENCE  
AIN SHAMS UNIVERSITY

FOR  
M.SC. DEGREE IN SCIENCE

BY  
**ALI MOHAMMED ALI**  
(B.Sc.)

1997

547.28  
A - 01



**PREPARATION AND APPLICATION OF  
GRAFTED POLY(VINYL ALCOHOL)  
MEMBRANES USING GAMMA  
RAYS AS INITIATOR**


**THESIS ADVISORS:**

**APPROVED**

**PROF.DR. A.M.RABIE**




**PROF.DR. E.A.HEGAZY**



**DR. H.A.EL-RAHIM**



**PROF. DR. F.FAHMY**



**HEAD OF CHEMISTRY**

**DEPARTMENT**



**PREPARATION AND APPLICATION OF  
GRAFTED POLY(VINYL ALCOHOL)  
MEMBRANES USING GAMMA  
RAYS AS INITIATOR**

**BY  
ALI MOHAMMED ALI  
B.SC. (1990)**

THIS THESIS FOR M.SC. DEGREE HAS BEEN  
APPROVED BY:

**PROF.DR. H. F. ALY**

*H. F. Aly*

**PROF.DR. M. A. EL-GHAFFAR**

*M. Abd El-G.*

**PROF.DR. A. M. RABIE**

*A. M. Rabie*

**PROF.DR. E. A. HEGAZY**

*E. A. Hegazy*

DATE OF EXAMINATION: 12 / 8 /1997

## ***NOTE***

Besides the work carried in this thesis, the candidate has attended postgraduate courses in the following topics:

- 1-Reactions of organic compounds
- 2-Organic reaction mechanisms
- 3-Analysis of organic compounds
- 4-Organometallic compounds
- 5-Hetero cyclic compounds
- 6-Aromatic compounds
- 7-Pericyclic reactions
- 8-Polymer chemistry
- 9-Natural products
- 10-Spectroscopy
  - UV
  - IR
  - NMR
  - MAS
- 11-Free radicals
- 11-Photochemistry
- 13-English language

He has successfully passed a written examination in these courses. in partial fulfillment for the degree of master of science.

**APPROVED**

**PROF.DR. F. FAHMY**

**HEAD OF CHEMISTRY  
DEPARTMENT**

## ***ACKNOWLEDGMENT***

The author Wishes sincerely to thank **Prof. Dr. Abd El-Gawad.M.Rabie**, (Dean of the Faculty of Science, Ain Shams University), for supervision, continuous guidance and helpful discussions throughout this work.

I would like to express my deepest gratitude and thanks to **Prof. Dr. El-Sayed.A.Hegazy**, (Head of Department of Radiation Research of Polymer Chemistry, National Center for Radiation Research and Technology (NCRRT)), Nasr City, Cairo, Egypt for suggesting and planning this work, supervision, fruitful and helpful discussions and continuous guidance throughout this work.

Grateful thanks are also due to **Dr. H.Abd El-Rahim** lecturer of Polymer Chemistry, (NCRRT), for supervising this research, invaluable efforts, discussion and critical reading of this work.

Lastly, the author wishes to express his sincere thanks to every one who directly and indirectly gave a hand in the preparation of this thesis.

# ***CONTENTS***

	<b>Page No.</b>
List of Figures	
List of Tables	
Aim of Work	

## CHAPTER I INTRODUCTION

I.1. Preparation and Modification of Synthetic Membranes	2
I.2. Characterization of Polymers	6
I.3. Relationship Between Structure and Properties	12
I.4. Dialysis	13

## Chapter II LITERATURE REVIEW

II.1. Preparations, Properties and Characterization of Grafted Copolymer Materials	15
II.1.1. Graft Copolymerization of Unitary Monomers	15
II.1.2. Graft Copolymerization of Binary Monomer Mixtures	31
II.2. Application of Membranes in Different Separation processes	38

## CHAPTER III EXPERIMENTAL

III.1. Materials	55
III.2. Apparatus and Methods	55

## Chapter IV RESULTS AND DISCUSSION

IV.I Preparation and Modification of Functionized Poly (vinyl alcohol )	67
IV.I.1. Graft Copolymerization of Different Monomers and Comonomers onto PVA Using Gamma-Rays As Initiator	67
IV.I.2. Radiation-Induced Graft Copolymerization of AAc/Sty onto PVA	68
IV.I.2.1. Effect of Solvent	68
IV.I.2.2. Effect of Water Ethanol Composition on the Grafting Yield	69
IV.I.2.3. Effect of Comonomer Concentration	74
IV.I.2.4. Effect of Comonomer Composition	76
IV.I.2.5. Effect of Irradiation Dose	78
IV.I.2.6. Effect of (AAc or Sty) Content in Feed Solution on AAc/Sty Ratio of Graft chains	81
IV.II. Characterization and Some Selected Properties of the Graft Copolymers	87
V.II.1. Ion Exchange Capacity of the Grafted Membranes	87
IV.II.2. IR Spectra of Grafted and Ungrafted Films	89
IV.II.3. Swelling Behavior	89
IV.II.4. Gel Determination in the Grafted Films	91

IV.II.5. Dimensional Change in Grafted Membranes	94
IV.II.6. Characterization of Thermal properties and Crystallinity for the grafted Membranes	97
IV.II.6.1. Thermal Gravimetric Analysis (TGA)	97
IV.II.6.2. Determination of Thermal Parameters of PVA by DSC	100
IV.II.6.2.1. Change in Temperature of Melting and Heat Of Melting with Grafting	102
IV.II.6.2.2. Recrystallization of the Graft Copolymer by Cooling from Molten State	111
IV.II.6.2.3. Change in Glass Transition Temperature for PVA-g-AAc	116
IV.II.7. Mechanical Properties	121
IV.II.7.1. Mechanical Properties of PVA-g-AAc/Sty on Dry State	121
IV.II.7.2. Mechanical Properties of PVA-g-AAc/Sty on Wet State	125
IV.II.8. X-Ray Diffraction (XRD)	127
IV.III. Separation of Some Heavy Metals by the Prepared Grafted Membranes	130
IV.III.1. Separation of $\text{Cu}^{+2}$ from Solution that Containing $\text{Fe}^{+3}$	131
IV.III.1.1. Factors Affecting the Transportation of Cu or Fe Through PVA-g-AAc/Sty Membrane	136
IV.III.1.1.1. Effect of Degree of Grafting	137
IV.III.1.1.2. Effect of pH	137

IV.III.1.1.3. Effect of Cu Concentration on Its Transportation throughout Membrane	141
IV.III.1.1.4. Effect of Valence of Fe Ion on Its Transportation in Presence of Cu	141
IV.III.1.1.5. Effect of Anion Type on the Transport process	144
IV.III.1.1.6. Role of Carboxylic and Hydroxyl groups of the Grafted Membrane in Transportation Process	144
IV.III.2. Separation of Ni <sup>+2</sup> from Solution that Containing Heavy Metals	146
IV.III.2.1 Separation of Ni <sup>+2</sup> from Solution that Containing Co <sup>+2</sup> .	148
IV.III.2.1.1. Effect of Degree of Grafting	150
IV.III.2.1.2. Effect of pH	152
IV.III.2.1.3. Effect of Ni <sup>+2</sup> Concentration on Its Transportation throughout Membrane	152
SUMMARY AND CONCLUSION	155
REFERENCES	160
SUMMARY IN ARABIC	

## List of Figures

	<b>Pag No.</b>
Fig.(1): Exploded view of the dynamic dialysis cell.	66
Fig.(2): Effect of solvent composition on the grafting of (AAc/Sty) binary monomers of composition (1/1 mole) onto PVA films. Comonomer concentration: (20 wt.%) and irradiation dose: 5 kGy.	72
Fig.(3): Effect of solvent composition on the grafting of (AAc/Sty) binary monomers of composition (2/1 mole) onto PVA films. Comonomer concentration: (20 wt.%) and irradiation dose: 10 kGy.	73
Fig.(4): Effect of (AAc/Sty) concentration of composition (2/1 mole) on the grafting yield onto PVA films. EtOH/H <sub>2</sub> O-mixture composition: (75/25 wt.%) and irradiation dose: 5 kGy.	75
Fig.(5): Effect of AAc/Sty comonomer composition on the grafting yield onto PVA films. Comonomer concentration: (20wt.%), EtOH/H <sub>2</sub> O-mixture: (75/25 wt.%) and irradiation dose: 5 kGy.	77
Fig.(6): Effect of total irradiation dose on the grafting	

- of (AAc/Sty) of composition (2/1 mole) onto PVA films. Comonomer concentration; 20 wt.% and composition of EtOH/H<sub>2</sub>O-mixture; (75/25 wt.%). 79
- Fig.(7): Effect of total irradiation dose on the grafting of (AAc/Sty) of composition (3/1 mole) onto PVA films. Comonomer concentration; (20wt.%), composition of EtOH/H<sub>2</sub>O-mixture; (75/25 wt.%). 80
- Fig.(8): UV spectra of PVA-g-Sty having degree of grafting 35%. 82
- Fig.(9): UV spectra of PVA-g-AAc/Sty having degree of grafting 34% from feed solution of composition (1:1 mole) (AAc/Sty). 83
- Fig.(10): UV spectra of PVA-g-AAc/Sty having degree of grafting 24% from feed solution of composition (1:2 mole) (AAc/Sty). 85
- Fig.(11): UV spectra of PVA-g-AAc/Sty having degree of grafting 25% from feed solution of composition (3:1 mole) (AAc/Sty). 86
- Fig.(12): Ion-exchange capacity for the grafted PVA-g-AAc/Sty membrane as a function of degree of grafting. 88
- Fig.(13): IR spectra of  
 A- PVA-g-Sty having degree of grafting 8%,  
 B-PVA-g-AAc/Sty having degree of grafting

16%, C- Original PVA.	90
Fig.(14): Water uptake percent vs. Degree of grafting for PVA-g-AAc/Sty films at 25 <sup>o</sup> C. Comonomer concentration (20 wt.%), AAc/Sty composition; (3/1 mole), EtOH/H <sub>2</sub> O-mixture (75/25 wt.%).	93
Fig.(15): Area change in membrane by grafting vs. Degree of grafting for (PVA-g-AAc/Sty) films on dry state.	95
Fig.(16): Area change in membrane by grafting vs. Degree of grafting for ( PVA-g-AAc/Sty) films on wet state.	96
Fig. (17): Thermogravimetric diagrams of: (A) Original PVA, (B), (C) and (D) for grafted membranes by AAc/Sty having degree of grafting : 20%, 42% and 61%, respectively.	99
Fig.(18): DSC scan show the (T <sub>m</sub> and T <sub>g</sub> ) for original PVA.	101
Fig.(19): DSC thermal diagram of the first heating run for original PVA.	103
Fig.(20): DSC thermal diagram of the second heating run for original PVA.	104
Fig.(21): DSC thermal diagram of the first heating run for PVA-g-AAc/Sty having degree of grafting 33%.	105

Fig.(22): DSC thermal diagram of the second heating run for PVA-g-AAc/Sty having degree of grafting 33%.	106
Fig.(23): Change in $T_m$ with degree of grafting for PVA-g-AAc/Sty at first and second heating runs.	107
Fig.(24): Change in $\Delta H_m$ with degree of grafting for PVA-g-AAc/Sty at first and second heating runs.	109
Fig.(25): Change in $\Delta H_m$ with degree of grafting for PVA-g-AAc/Sty that calculated theoretically	110
Fig.(26): DSC thermal diagram of cooling run from molten state for original PVA.	112
Fig.(27): DSC thermal diagram of cooling run from molten state for PVA-g-AAc/Sty having degree of grafting 33%.	113
Fig.(28): Change in $T_{rc}$ with degree of grafting for PVA-g-AAc/Sty by cooling from molten state.	114
Fig.(29): Change in $\Delta H_{rc}$ with degree of grafting for PVA-g-AAc/Sty by cooling from molten state.	115

Fig.(30): Change in tensile strength with degree of grafting for PVA-g-AAc/Sty films on dry state.	123
Fig.(31): Change in elongation percent with degree of grafting for (PVA-g-AAc/Sty) films on dry state.	124
Fig.(32): Change in elongation percent with degree of grafting for (PVA-g-AAc/Sty) films on wet state.	126
Fig.(33): Change in tensile strength with degree of grafting for (PVA-g-AAc/Sty) films on wet state.	127
Fig.(34): XRD scans for: (A) Original PVA, (B) and (C) for PVA-AAc/Sty films having degree of grafting 33% and 112% respectively.	129
Fig.(35): Transportation of $\text{Cu}^{+2}$ through (PVA-g-AAc/Sty) membrane having degree of grafting 90%. $\text{CuCl}_2$ Concn.; 1000 PPM. pH of (feed solution/ received solution) = (5.74/ 6.70).	132
Fig.(36): Transportation of $\text{Cu}^{-2}$ from solution containing $\text{Fe}^{+3}$ through PVA-g-AAc/Sty membrane having degree of grafting 52%. pH of (feed solution/ received solution) = (4.03/6.70). Fe/Cu Composition (1:1).	134