

**STUDIES ON THE EFFECT OF RADIATION
ON NITROGEN FIXING
MICROORGANISMS**

THESIS

**Submitted for the Degree of
DOCTOR OF PHILOSOPHY
IN SCIENCE
(Microbiology)**

By

**MAHA AMIN HEWEIDY
Assistant Lecturer, Botany Department
Women's College
Ain Shams University
B.Sc. 1977**


UNDER THE SUPERVISION OF

**Dr. S.A. Z. MAHMOUD
Prof. Agric. Microbiology
Faculty of Agric.
Ain Shams University**

**Dr. M. T. EI-MOKADEM
Prof. of Microbiology
Women's College
Ain Shams University**

1992





وقل اعتملوا فسيرى الله عنقلكم ورسوله والمؤمنين
- صدق الله العظيم -



ACKNOWLEDGMENT

It is of Great Honour to work with Dr. Saad A . Zaki Mahmoud , Prof. of Agricultural Microbiology , Faculty of Agriculture , Ain Shams University . Thanks for his valuable suggestions and for help in presenting the Thesis .

Sincere Thanks and Gratitude are also due to Dr . Mehreshan T . El Mokadem , Prof. of Microbiology , Botany Dept. , Women's College , Ain Shams University , for her help in supervising this work , for valuable discussion and continuous guidance .

My thanks to Members of the Microbiology Research Unit , Radiology Department , National Center for Radiation Research and Technology (NCRRT) , Egyptian Atomic Energy Establishment , for the facilities they kindly provided .

Thanks also to Prof . Dr . Amal Shehab , Head of Botany Department , Women's College , Ain Shams University , for her Endless Generosity , Kind Heart and Forbearance .

Also , many Thanks for my Colleagues in the Botany Department , Women's College , Ain Shams University for their Help and Encouragement .

APPROVAL SHEET


Name : Maha Amin Heweidy


Title: Studies on the effect of radiation on nitrogen-fixing
microorganisms.

Scientific degree: Ph.D.

This thesis has been approved by

Supervisors:-

- 1- Professor Doctor:- S. A. Zakaria 
- 2- Professor Doctor:- Helwan T. El-Hokky 



Tables Of Contents

. ABSTRACT	1
I. INTRODUCTION	2
II. REVIEW OF LITERATURE	5
1. Azospirillum	5
A. Concentration of Azospirillum	8
B. Interaction of Azospirillum with soil Part- icals	8
C. Effect of Azospirillum inoculation on the asso- ciated plants	12
a. Root growth	12
b. Involvement of plant -growth regulators . .	13
c. Mineral uptake	14
d. Antagonism with other soil micro-orga- nisms	16
D. Growth parameters	16
E. Effect of Azospirillum inoculation on the nitrogen content of the associated plants	17
F. Crop yield	18
G. Physiology and metabolism of Azospirillum	19
a. Carbon utilization	20
b. Some factors affecting growth of Azospi- rillum of antibiotics	22
c. pH	24
2. Rhizobia	24
A. Carbon utilization	25
B. Effect of radiation on some nitrogen fixing organisms	29
C. Effect of radiation on some physiological char- acters of the nitrogen-fixing organisms . . .	32

III. MATERIALS AND METHODS	36
1. Biological materials	36
2. Media used throughout this investigation for cultivation and maintenance of bacteria	36
3. Gamma radiation	37
A. Source of gamma radiation	37
B. Radiation units	38
C. Irradiation treatment of <u>Azospirillum</u> & <u>Rhizobium</u>	38
a. Preparation of bacterial suspension of <u>A. brasilense</u>	38
b. Preparation of bacterial suspension of <u>R. leguminosorum</u>	38
D. Irradiation doses used in this investigation	38
E. Count of gamma irradiated cells	39
a. <u>Azospirillum</u>	39
b. <u>Rhizobium</u>	39
F. Dose response curves	39
G. Characters of the irradiated cells	39
a. Some morphological characteristics of irradiated bacterial cells	39
(1). <u>Azospirillum</u>	39
(2). <u>Rhizobium</u>	40
b. Some physiological characteristics of irradiated cells	40
(1). Catalase test	40
(2). Acidification of sugar medium	40
(i). <u>Azospirillum</u>	40
(ii). <u>Rhizobium</u>	41
(3). Determination of the soluble polysaccharides produced by the bacteria	42
(4). Effect of antibiotic on the gamma irradiated bacteria	44

H. Nitrogen-fixing efficiency of the radiated bacteria under field conditions	44
a. soil used	44
b. Microplot field experiment	45
c. Preparation of seeds	46
d. Inoculation of seeds	46
(1). <u>Azospirillum</u>	46
(2). <u>Rhizobium</u>	46
e. Plant growth conditions	46
f. Plant parameter measurements	47
g. Dry matter accumulation	47
h. Nitrogen and protein determination	48
i. Mineral analysis of plant tissues	48
(1). Method of phosphorus determination	48
(2). Method of potassium determination	49
(3). Method of magnesium determination	49
(4). Analysis of microelements	49
IV. RESULTS AND DISCUSSION	50
1. Response of <u>A. brasilense</u> & <u>R. leguminosarum</u> 203 p to increasing doses of gamma radiation	50
2. Morphological and some physiological characteristics of gamma irradiated <u>A. brasilense</u> 245 ARC & <u>R. leguminosarum</u>	57
A. Culture characteristics colony shape & cell morphology	57
B. Effect of inoculation on some physiological characters of <u>A. brasilense</u> & <u>R. leguminosarum</u>	64
a. Catalase test	64
b. pH values during growth	67
c. Carbohydrates	70
d. Production of soluble polysaccharides	73

e. Resistance to antibiotics	78
3. Effect of inoculation with irradiated <u>A. brasilense</u> sp 245 on the growth of <u>T. vulgare</u>	85
A. Vegetative growth parameters	85
B. Effect of inoculation on nutrient concentration in plant tissues	97
C. Effect of inoculation on wheat yield and yield parameters	102
4. Effect of inoculation with <u>A. brasilense</u> sp 245 on the growth of <u>Zea maize</u>	108
A. Vegetative growth parameters	108
B. Effect of inoculation on nutrient concentration in <u>Zea maize</u> tissues	115
C. Effect of <u>A. brasilense</u> inoculation on yield and yield parameters of <u>Zea maize</u>	118
5. Effect of inoculation with gamma irradiated cell <u>R.</u> leguminosarum 203 p on the growth of <u>P. sativum</u> C.V. little marvell	125
A. Root growth and nodulation	125
B. Shoot growth	133
C. Yield	142
V. SUMMARY	147
VI. REFERENCES	152
VII. ARABIC SUMMARY	202

Table (14): Effect of inoculation with γ -irradiated and non-irradiated <u>A. brasilense</u> 245 ARC on the root growth parameters of wheat (<u>T. vulgare</u> C.V. Giza 167).	87
Table (15): Effect of inoculation with γ -irradiated <u>A. brasilense</u> 245 ARC on shoot parameters of wheat (<u>T. vulgare</u> C.V. Giza 167).	90
Table 16 (a): Effect of inoculation with γ -irradiated <u>A. brasilense</u> 245 ARC on the macronutrient content of wheat (<u>T. vulgare</u> C.V. Giza 167) 30 days from sowing.	99
Table 16 (b): Effect of inoculation with γ -irradiated <u>A. brasilense</u> 245 ARC on the micronutrient content of wheat (<u>T. vulgare</u> C.V. Giza 167) 30 days from sowing.	99
Table 17 (a): Effect of inoculation with γ -irradiated <u>A. brasilense</u> 245 ARC on the macronutrient content of wheat (<u>T. vulgare</u> C.V. Giza 167) 60 days from sowing.	100
Table 17 (b): Effect of inoculation with γ -irradiated <u>A. brasilense</u> 245 ARC on the micronutrient content of wheat (<u>T. vulgare</u> C.V. Giza 167) 60 days from sowing.	100
Table (18): Effect of inoculation with γ -irradiated and non-irradiated <u>A. brasilense</u> 245 ARC on the yield parameters of wheat (<u>T. vulgare</u> C.V. Giza 167). . .	103
Table 19 (a): Effect of inoculation with γ -irradiated <u>A. brasilense</u> 245 ARC on the macronutrient content of wheat (yield) [<u>T. vulgare</u> C.V. Giza 167].	107
Table 19 (b): Effect of inoculation with γ -irradiated <u>A. brasilense</u> 245 ARC on the micronutrient content of wheat (yield) [<u>T. vulgare</u> C.V. Giza 167].	107

Table (20): Effect of inoculation of γ -irradiated <u>A. brasilense</u> 245 ARC on shoot system of mays [<u>Zea maïze</u> C.V. single cross 10] (30 & 60 days from sowing)	110
Table 21 (a): Effect of inoculation with γ -irradiated <u>A. brasilense</u> 245 ARC on macronutrient content of mays [<u>Zea maïze</u> C.V. single cross 10] (30 days from sawing)	116
Table 21 (b): Effect of inoculation with γ -irradiated <u>A. brasilense</u> 245 ARC on micronutrient content of mays [<u>Zea maïze</u> C.V. single cross 10] (30 days from sawing)	116
Table 22 (a): Effect of inoculation with γ -irradiated <u>A. brasilense</u> 245 ARC on macronutrient content of mays [<u>Zea maïze</u> C.V. single cross 10] (60 days from sawing)	117
Table 22 (b): Effect of inoculation with γ -irradiated <u>A. brasilense</u> 245 ARC on micronutrient content of mays [<u>Zea maïze</u> C.V. single cross 10] (60 days from sawing)	117
Table (23): Effect of inoculation of γ -irradiated <u>A. brasilense</u> 245 ARC on shoot system and yield of mays [<u>Zea maïze</u> C.V. single cross 10]	120
Table 24 (a): Effect of inoculation with γ -irradiated <u>A. brasilense</u> 245 ARC on macronutrient content of mays (yield) [<u>Zea maïze</u> C.V. single cross 10]	126
Table 24 (b): Effect of inoculation with γ -irradiated <u>A. brasilense</u> 245 ARC on micronutrient content of mays (yield) [<u>Zea maïze</u> C.V. single cross 10]	126
Table (25): Effect of inoculants of γ -irradiated <u>R. leguminosorum</u> 203 p on root growth of peas [<u>P. sativum</u> C.V. Little marvell]	134

Table (26): Effect of inoculants of γ -irradiated R. leguminosarum 203 p on shoot growth parameters of [P. sativum C.V. Little marvell]. 138

Table 27 (a): Effect of inoculation of γ -irradiated R. leguminosarum 203 p on macronutrient content of peas [P. sativum C.V. Little marvell] (30 days from sawing). 140

Table 27 (b): Effect of inoculation of γ -irradiated R. leguminosarum 203 p on micronutrient content of peas [P. sativum C.V. Little marvell] (30 days from sawing). 140

Table 28 (a): Effect of inoculation of γ -irradiated R. leguminosarum 203 p on macronutrient content of peas [P. sativum C.V. Little marvell] (60 days from sawing). 141

Table 28 (b): Effect of inoculation of γ -irradiated R. leguminosarum 203 p on micronutrient content of peas [P. sativum C.V. Little marvell] (60 days from sawing). 141

Table (29): Effect of inoculants of γ -irradiated cells of R. leguminosarum 203 p on yield of [P. sativum C.V. Little marvell]. 143

Table 30 (a): Effect of inoculation of γ -irradiated R. leguminosarum 203 p on macronutrient content of peas (yield) [P. sativum C.V. Little marvell]. . . 145

Table 30 (b): Effect of inoculation of γ -irradiated R. leguminosarum 203 p on micronutrient content of peas (yield) [P. sativum C.V. Little marvell]. . . 145

LIST OF FIGURES:

Fig. (1): Standard curve of glucose determination. . . . 43

Fig. (2): Growth response of cells A. brasilense 245 to increasing γ -radiation doses 52

Fig. (3): Growth response of <u>R. leguminosarum</u> 203 p to increasing γ -radiation doses	54
Fig. (4): Production of soluble polysaccharides produced by γ -irradiated cells of <u>A. brasilense</u> 245.	75
Fig. (5): Production of soluble polysaccharides produced by γ -irradiated cells of <u>R. leguminosarum</u> 203 p.	77
Fig. (6): Effect of γ -radiation on the sensitivity of <u>A. brasilense</u> 245 ARC against antibiotic.	82
Fig. (7): Effect of γ -radiation on the sensitivity of <u>R. leguminosarum</u> 203 p against antibiotic	84
Fig. (8): Effect of inoculants with γ -irradiated <u>A. brasilense</u> 245 on shoot height of <u>T. vulgare</u> at 30 & 60 days old.	93
Fig. (9): Effect of inoculants with γ -irradiated <u>A. brasilense</u> 245 on fresh weight of <u>T. vulgare</u> at 30 & 60 days old.	95
Fig. (10): Effect of inoculants with γ -irradiated <u>A. brasilense</u> 245 on dry weight of <u>T. vulgare</u> at 30 & 60 days old.	96
Fig. (11): Effect of inoculants with γ -irradiated <u>A. brasilense</u> 245 on nitrogen content % on plant <u>T. vulgare</u> at 30 & 60 days old.	101
Fig. (12): Effect of inoculants of γ -irradiated <u>A. brasilense</u> 245 on yield parameters of <u>T. vulgare</u>	104
Fig. (13): Effect of inoculants of γ -irradiated <u>A. brasilense</u> 245 on shoot height of <u>Zea maize</u> at 30 & 60 days old.	111
Fig. (14): Effect of inoculants of γ -irradiated <u>A. brasilense</u> 245 on fresh weight of <u>Zea maize</u> at 30 & 60 days old.	113
Fig. (15): Effect of inoculants of γ -irradiated <u>A. brasilense</u> 245 on dry weight of <u>Zea maize</u> 30 & 60 days old.	114

Fig. (16): Effect of inoculants γ -irradiated A. brasilense 245 on nitrogen content % of Zea maïze tissues at 60 days old. 119

Fig. (17): Effect of inoculants of γ -irradiated A. brasilense 245 on yield parameters of Zea maïze. . 121

Fig. (18): Effect of inoculants of γ -irradiated R. leguminosorum 203 p on root growth of P. sativum at 30 & 60 days old. 127

Fig. (19): Effect of inoculants of γ -irradiated R. leguminosorum 203 p on number of nodules P. sativum at 30 & 60 days old 128

Fig. (20): Effect of inoculants of γ -irradiated R. leguminosorum 203 p on shoot height of P. sativum at 30 & 60 days old. 135

Fig. (21): Effect of inoculants of γ -irradiated R. leguminosorum 203 p on fresh weight of P. sativum at 30 & 60 days old. 136

Fig. (22): Effect of inoculants of γ -irradiated R. leguminosorum 203 p on dry weight of P. sativum at 30 & 60 days old. 136

Fig. (23): Effect of inoculants of γ -irradiated R. leguminosorum 203 p on nitrogen content % of P. sativum at 30 & 60 days old. 139

Fig. (24): Effect of inoculants of γ -irradiated R. leguminosorum 203 p on yield parameters of P. sativum. 144

Fig. (25): Effect of inoculants of γ -irradiated R. leguminosorum 203 p on yield parameters of P. sativum. 146

Fig. (26): Effect of inoculants of γ -irradiated R. leguminosorum 203 p on yield parameters of P. sativum. 146

LIST OF PHOTOS:

Photo (1-11): Micrographs of <u>A. brasilense</u> exposed to γ -radiation doses stained with simple stain	59
Photo (12): Micrographs of <u>R. leguminosarum</u> 203p exposed at 0.8 KGy γ -radiation doses stained with simple stain	63
Photo (13): Effect of inoculation with irradiated <u>A. brasilense</u> on the root growth of <u>T. vulgare</u> at 30 days old	88
Photo (14): Effect of inoculation with irradiated <u>A. brasilense</u> on the shoot growth of <u>T. vulgare</u> at 30 days old	91
Photo (15): Effect of inoculation with irradiated <u>A. brasilense</u> on the spike of <u>T. vulgare</u>	105
Photo (16): Effect of inoculation with irradiated <u>A. brasilense</u> on the ear of <u>Zea maize</u>	124
Photo (17): Effect of inoculation with irradiated <u>R. leguminosarum</u> on the root growth and nodulation of <u>P. sativum</u>	132