


27/11/84

**BIOCHEMICAL STUDIES ON THE EFFECT OF
DIFFERENT CONCENTRATIONS OF SOME
POLLUTANTS (INSECTICIDE DDT AND SOME
HEAVY METALS SUCH AS MERCURY, ZINC
AND COPPER) ON BLUE CRAB**

THESIS

Presented to the Zoology Department
Faculty of Girls, Ain Shams University
For the Ph. D. Degree in
(Physiology)



By
AFAF A. EL ABO NOUR

(B. Sc; M. Sc.)

Assistant Lecturer in Zoology Department of
Faculty of Girls, Ain Shams University

Supervised by

Prof. Dr. M. YANNI

Prof. of Physiology and Head of
Zoology Department
Faculty of Girls
Ain Shams University

Prof. Dr. H. K. BADAWI

Head of Institute of Oceanography
And Fisheries Alexandria



1984

**TO MY PARENTS
TO MY HUSBAND AND MY CHILDREN**



3

"TITLE OF THESIS"

BIOCHEMICAL STUDIES ON THE EFFECT OF DIFFERENT
CONCENTRATIONS OF SOME POLLUTANTS (INSECTICIDE DDT AND
SOME HEAVY METALS SUCH AS MERCURY, ZINC AND COPPER) ON BLUE CRAB.

THESIS ADVISORS

1- Prof. Dr. M. YANNI

Prof. of Physiology and Head of
Zoology Department
Faculty of Girls
Ain Shams University

APPROVED

(SIGNATURE)

M. Yanni

2- Prof. Dr. H. K. BADAWI

Head of Institute of Oceanography
And Fisheries Alexandria

H. Kamel

APPROVED

M. Yanni

HEAD OF ZOOLOGY DEPT.

SIGNATURE

ACKNOWLEDGEMENT

I wish to express my sincere appreciations and gratitude to Prof. Dr.M.Yanni, professor of comparative physiology; zoology Department, Faculty of Girls, Ain Shams University for supervising this work. His continuous guidance, valuable advice, comments, critical discussions and suggestions greatly helped me in carrying out the present study.

I would like to express my deepest gratitude and deepest thanks to Prof. Dr.H.K.Badawi, Head of Institute of Oceanography and Fisheries, Alexandria, for supervising this study, and also for his valuable advice and encouragement.

Thanks are also due to the staff members of the Institute of Oceanography and Fisheries, Alexandria for the facilities they offered during the course of investigation.

5

CONTENTS

	Page
I. PREFACE	1
II. INTRODUCTION	4
III. REVIEW OF LITERATURE ON:-	
1. DDT	10
2. Heavy metals:-.....	25
a) Mercury	28
b) Copper	33
c) Zinc	35
IV. MATERIALS AND METHODS	39
1. Effect of DDT on the biochemistry of :	
blue crab	39
a) Solvents and reagents	39
b) Apparatus	41
c) Procedure	42
1. Preparation of pesticide standard	
solutions	42
2. Chromatographic columns preparation	42
3. Crab sampling, extraction and clean up	45
4. Determination of percentage recovery	47
5. GLC analysis	47
6. Determination of residues.....	49

6

	Page
2. Effect of heavy metals (Mr,Cu and Zn.) on the biochemistry of the blue crab..... ..	50
a. Sample preparation	50
b. Determination of dry weight in biolo- gical material	50
c. Procedure	50
3. Techniques of Bioassay	52
a. Methods and techniques used	53
b. Estimation of TL_m	54
4. Determination of Protein, Fat and Water content	55
V. RESULTS AND DISCUSSIONS	59
1. Residues of pesticides in the tissues.....	59
a. DDT	59
b. Heavy metals	74
2. Biochemical changes in:-	
1. Fat content	96
2. Protein content	115
3. Water content	134
3. Estimation of TL_m	153
VI. SUMMARY	175
VII, BIBLIOGRAPHY	179
VIII. ARABIC SUMMARY.	

List of tables

	Page
Table (I): Pesticide concentration on cumulative working standard mixture.....	43
Table (1) DDT,DDD and DDE residues in different organs of female blue crab <u>Callinectes sapidus</u> exposed for 96 hours to graded concentrations of DDT. Residues are expressed in part per billion (ppb) wet weight. A dash (-) indicates not detected.....	60
Table (2) DDT, DDD and DDE residues in different organs of male blue crab <u>Callinectes sapidus</u> exposed for 96 hours to graded concentrations of DDT. Residues are expressed in part per billion (ppb) wet weight. A dash (-) indicates not detected.	64
Table (3) Mercuric residues in different organs of female blue crab <u>Callinectes sapidus</u> exposed for 96 hours to graded concentrations of mercury. Residues are expressed in part per million (ppm) wet weight	75
Table (4) Mercuric residues in different organs of male blue crab <u>Callinectes sapidus</u> exposed for 96 hours to graded concentrations of mercury. Residues are expressed in part per million (ppm) wet weight	77

Table (5): Copper residues in different organs in female blue crab Callinectes sapidus exposed for 96 hours to graded concentrations of copper. Residues are expressed in part per million (ppm) wet weight..... 82

Table (6): Copper residues in different organs of male blue crab Callinectes sapidus exposed for 96 hours to graded concentrations of copper. Residues are expressed in part per million (ppm) (ppm) wet weight 84

Table (7) Zinc residues in different organs of female blie crab Callinectes sapidus exposed for 96 hours to graded concentrations of zinc. Residues are expressed in part per million (ppm) wet weight 90

Table (8): Zinc residues in different organs of male blue crab Callinectes sapidus exposed for 96 hours to graded concentrations of zinc. Residues are expressed in part per million (ppm) wet weight 92

Table (9): Fat content in different organs of female blue crab Callinectes sapidus exposed for 96 hours to graded concentrations of DDT (0.01, 0.1 and 1.0 ppm) expressed as gm/100 gm fresh weight. 97

Table (10): Fat content in different organs in male blue crab <u>Callinectes</u> <u>sapidus</u> exposed for 96 hours to graded concentrations of DDT (0.01, 0.1 and 1.0 ppm) expressed as gm/100 gm fresh weight.	99
Table (11): Fat content in different organs of female blue crab <u>Callinectes</u> <u>sapidus</u> exposed for 96 hours to graded concentrations of mercury (0.01, 0.1 and 1.0 ppm) expressed as gm/100 gm fresh weight	101
Table (12) Fat content in different organs of male blue Crab <u>Callinectes</u> <u>sapidus</u> exposed for 96 hours to graded concentrations of mercury (0.01,0.1 and 1.0 ppm) expressed as gm/100gm fresh weight	103
Table (13) Fat content in different organs of female blue crab <u>Callinectes</u> <u>sapidus</u> exposed for 96 hours to graded concentrations of copper (0.01,0.1 and 1.0 ppm) expressed as gm/100 gm fresh weight	105
Table (14) Fat content in different organs of male blue crab <u>Callinectes</u> <u>sapidus</u> exposed for 96 hours to graded concentrations of copper (0.01, 0.1 and 1.0 ppm) expressed as gm/100 gm fresh weight	107

10

Table (15) Fat content in different organs of female blue crab <u>Callinectes</u> <u>sapidus</u> exposed for 96 hours to graded concentrations of zinc (0.01, 0.1 and 1.0 ppm) expressed as gm/100 gm fresh weight	109
Table (16): Fat content in different organs of male blue Crab <u>Callinectes</u> <u>sapidus</u> exposed for 96 hours to graded concentrations of zinc (0.01, 0.1 and 1.0 ppm) expressed as gm/100gm fresh weight	111
Table (17) Protein content in different organs of female blue Crab <u>Callinectes</u> <u>sapidus</u> exposed for 96 hours to graded concentrations of DDT 0.01,0.1 and 1.0 ppm expressed as gm/100 gm fresh weight	116
Table (18): Protein content in different organs of male blue Crab <u>Callinectes</u> <u>sapidus</u> exposed for 96 hours to graded concentrations of DDT 0.01, 0.1 and 1.0 ppm expressed as gm/100 gm fresh weight	118
Table (19) Protein content in different organs of female blue crab <u>Callinectes</u> <u>sapidus</u> exposed for 96 hours to graded concentrations of mercury 0.01, 0.1 and 1.0 ppm expressed as gm/100gm fresh weight.....	120

Table (20): Protein content in different organs of male blue Crab Callinectes sapidus exposed for 96 hours to graded concentrations of mercury 0.01,0.1 and 1.0 ppm expressed as gm/100 gm fresh weight..... 122

Table (21): Protein content in different organs of female blue crab Callinectes sapidus exposed for 96 hours to graded concentrations of copper(0.01, 0.1 and 1.0 ppm) expressed as gm/100 gm fresh weight..... 124

Table (22): Protein content in different organs of male blue Crab Callinectes sapidusexposed for 96 hours to graded concentrations of copper (0.01, 0.1 and 1.0 ppm expressed as gm/100 gm fresh weight. 126

Table (23):Protein content in different organs of female blue crab Callinectes sapidus exposed for 96 hours to graded concentrations of zinc (0.01 0.1 and 1.0 ppm) expressed as gm/100 gm fresh weight 128

Table (24) Protein content in different organs of male blue crab Callinectes sapidus exposed for 96 hours to graded concentrations of zinc/0.01, 0.1 and 1.0 ppm) expressed as gm/100gm fresh weight..... 130

Table (25): Water content in different organs of female blue Crab Callinectes sapidus exposed for 96 hours to graded concentrations of DDT (0.01, 0.1 and 1.0 ppm expressed as gm/100 gm fresh weight 136

Table (26): Water content in different organs of male blue crab Callinectes sapidus exposed for 96 hours to graded concentrations of DDT (0.01, 0.1 and 1.0 ppm) expressed as gm/100gm fresh weight 138

Table (27): Water content in different organs of female blue crab Callinectes sapidus exposed for 96 hours to graded concentrations of mercury (0.01, 0.1 and 1.0 ppm)expressed as gm/100gm fresh weight 140

Table (28): Water content in different organs of male blue crab Callinectes sapidus exposed for 96 hours to graded concentrations of mercury (0.01, 0.1 and 1.0 ppm) expressed as gm/100 gm fresh weight 142

Table (29): Water content in different organs of female blue crab Callinectes sapidus exposed for 96 hours to graded concentrations of copper (0.01 0.1 and 1.0ppm) expressed as gm/100gm fresh weight 144

13

Table (30): Water content in different organs of male blue crab <u>Callinectes sapidus</u> exposed for 96 hours to graded concentrations of copper (0.01, 0.1 and 1.0ppm) expressed as gm/100 gm fresh weight	146
Table(31): Water content in different organs of female blue crab <u>Callinectes sapidus</u> exposed for 96 hours to graded concentrations of zinc (0.01, 0.1 and 1.0 ppm) expressed as gm/100gm fresh weight....	148
Table (32);Water content: in different organs of male blue crab <u>Callinectes sapidus</u> exposed for 96 hours to graded concentrations of zinc (0.01, 0.1 and 1.0 ppm) expressed as gm/100gm fresh weight	150
Table (33): Data on water content of different classes of vertebrates as well as crastacea	153
Table (34):Results of toxicity of DDT using female blue crab <u>Callinectes sapidus</u> as test organism....	155
Table (35):Results of toxicity of DDT using male blue crab <u>Callinectes sapidus</u> as test organism...	157
Table (36):Results of toxicity of mercury using female blue crab <u>Callinectes sapidus</u> as test organism	159
Table (37): Results of toxicity of mercury using male blue Crab <u>Callinectes : sapidus</u> as test organism...	161

	Page
Table (38): Results of toxicity of copper using female blue crab <u>Callinectes</u> <u>sapidus</u> as test organism.	163
Table (39): Results of toxicity of copper using male blue crab <u>Callinectes</u> <u>sapidus</u> as test organism...	165
Table (40): Results of toxicity of zinc using female blue crab <u>Callinectes</u> <u>sapidus</u> as test organism...	167
Table (41) Results of toxicity of zinc using male blue crab <u>Callinectes</u> <u>sapidus</u> as test organism...	169