


[Handwritten signature]

BIOLOGICAL STUDIES ON THE TELEOST FISH
NEMIPTERUS JAPONICUS FROM
THE RED SEA

BY
MANAR EFFAT SELIEM



B.Sc

*Department of zoology
Faculty of Science
Ain Shams University*

597.5
M . E

1987

50823

*A thesis submitted in partial fulfilment
of the requirments for the award of the degree
of Master of Science*

Faculty of Science
Ain Shams University

1994

[Handwritten notes in Arabic script]

SUPERVISORS

Prof. Dr. Abd ElHalim Kamel Mohamed

Professor Of Experimental Zoology, Zoology Department,
Faculty Of Science.

Dr. Adel Ali Hassan

Lecture Of Zoology department.

Dr. Said Abd Elhalim Kamel

Assistant Professor Of Fish Reproduction ,
National Institute Of Oceanography and Fisheries.



ACKNOWLEDGEMENT

The present investigation was done under the supervision of professor Abd Elhalim Kamel, Professor of Zoology, Faculty of Sciens, Ain Shams University. To him I wish to express my deepest gratitude and appreciation for his endless help and support. He patiently supervised every bit of detail in this work. The completion of this work would not have been possible without his great scientific guidance.

The writer would like to express her deep gratitude and sincere thanks to Dr. Said Abd Elhalim Kamel, Assistant professor of Fish-Reproduction, National Institute of Oceanography and Fisheries, for tutorial guidance, active supervisien and critically reading the manuscript.

Sincere thanks are also due to Dr. Adel Ali Hassan, of the Zoology Department, Faculty of Science, Ain Shams University. He kindly advised the writer on the basic techniques of fishery biology and gave his constructive comments on the draft manuscript of the biology.

The present work was done in the Department of Zoology, Faculty of Scince, Ain Shams University. Sincere thanks are due to

professor Fawzi Amer for his interest and continuous encouragement. Thanks are also extended to all my colleagues in the Department of Zoology.

Great thanks and appreciation are due to professor Mohamad El Samra Director of Gulf of Suez branch of National Institute of Oceanography and Fisheries and his colleagues for their sincere collaboration.

LIST OF TABLES

Table	Page
(1) Mean distance from the last annulus to the otolith margin of age group (II) <u>Nemipterus japonicus</u> from the Red Sea.	20
(2) Mean back calculated total lengths in (cm.) at the end of different years of life of <u>Nemipterus japonicus</u> from the Red Sea (from otolith measurements).	26
(3) Calculated lengths (cm.) and length increments of <u>Nemipterus japonicus</u> at the end of the different years of life.	27
(4) The constants of the length -weight relationship of <u>Nemipterus japonicus</u> for both sexes combined.	32
(5) Mean observed and calculated total weights of <u>Nemipterus japonicus</u> from the Red Sea for both sexes combined.	35
(6) Average composite "K", relative "Kn" and Mean "Km" coefficients of condition of <u>Nemipterus japonicus</u> from the Red Sea for the different length groups.	44
(7) Monthly variation in the average composite coefficient of condition "K" for both sexes combined.	45

(II)

Table	Page
(8) Calculated total weights in gms. at the end of the different years of life.	48
(9) Calculated weights (gm.) and weight increments at the end of different years of life.	49
(10) The constants of the Von Bertalanffy equation computed by Ford-Walford, Gulland and Holt and Chapman methods.	59
(11) The observed and calculated lengths using Von Bertalanffy and straight line equation.	63
(12) The observed and calculated weight using Von Bertalanffy and straight line equation.	69
(13) The survival rates "S" and the instantaneous total mortality coefficients "Z" by the different methods.	78
(14) Frequency distribution of mature and immature females per length group during the spawning season.	85
(15) Monthly distribution of maturity stages from October 1990 to June 1992.	88
(16) Average gonado somatic index (G.S.I) of male and femal.	90

(III)

Table	Page
(17) The correlation coefficients and regression constants of the relationships between absolute fecundity and total length, total weight and age.	96
(18) The mean observed and calculated absolute and relative fecundity per total length group.	98
(19) The mean observed and calculated relative fecundity per total weight groups.	101
(20) The mean observed and calculated relative fecundity per age group.	104
(21) The mean back-calculated lengths of <u>N. japonicus</u> at the end of the different years of life in different areas.	132
(22) Annual length increment of the different age groups of <u>Nemipterus japonicus</u> .	

(IV)

LIST OF FIGURES

Figure	Page
(1) Photograph of <u>Nemipterus japonicus</u> from the Gulf of Suez.	15
(2) Photograph of an otolith of <u>Nemipterus japonicus</u> from the Gulf of Suez.	17
(3) Total length - Otolith radius relationship.	23
(4) Growth in length and length increment.	28
(5) Length-weight relationship on normal coordinates.	36
(6) Length-weight relationship on logarithmic coordinates.	37
(7) Extent of variation of the total weight with the total length for the different length groups.	38
(8) Monthly variation in the average composite coefficient of condition "K".	46
(9) Calculated growth in weight and weight increment.	50
(10) Ford-Walford plot for length at successive ages.	60
(11) Gulland and Holt plot for length at successive ages.	61
(12) Chapman plot for length at successive ages.	62
(13) Theoretical growth in length. Von Bertalanffy Model. I) Ford-Walford. II) Gulland and Holt. III) Chapman.	64
(14) Theoretical growth in length using straight line.	65

Figure	Page
(15) Theoretical growth in weight. Von Bertalanffy Model. I) Ford-Walford. II) Gulland and Holt. III) Chapman.	70
(16) Theoretical growth in weight using straight line.	71
(17) Photograph of a female <u>N. japonicus</u> showing maturing Ovaries in prespawning period.	81
(18) Photograph of a female <u>N. Japonicus</u> in the spawning season showing mature ovaries.	81
(19) Photograph of a dissected mature male of <u>N. Japonicus</u> showing ripe testes.	82
(20) Length frequency distribution of immature and mature females per length groups during the spawning season.	86
(21) Monthly average gonado -somatic index of males and females.	91
(22) Relation between log absolute fecundity and log total length.	99
(23) Relation between log absolute fecundity and log total weight.	102
(24) Relation between log absolute fecundity and log age.	105
(25) Photomicrograph of T.S in the testis showing seminiferous tubules arranged in a radial type.	110

(VI)

Figure	Page
(26) Photomicrograph of T.S in the testis showing mother spermatogonia, spermatogonia and spermatids.	110
(27) Photomicrograph of T.S in the testis showing primary spermatocytes and secondary spermatocytes.	110
(28) Photomicrograph of T.S in the testis showing spermatozoa and spermatids.	110
(29) Photomicrograph of T.S in the ovarian wall showing batches of longitudinal and oblique muscles intermingled with circular muscles	113
(30) Photomicrograph of T.S in the ovarian wall showing the longitudinal muscles outward and the circular muscles inward	113
(31) Photomicrograph of T.S in the ovary showing the oocytes inside the lamellae and wide inter lamellar cavity	113
(32) Photomicrograph of T.S in the ovary showing nest of oogonia and early perinucleolus oocytes with numerous nuclei.	116
(33) Photomicrograph of T.S in the ovary showing oocytes in the early perinucleolus stage with one large nucleus	116

(VII)

Figure	Page
(34) Photomicrograph of T.S in the ovary showing oocytes in the late perinucleolus stage	116
(35) Photomicrograph of T.S in the ovary showing oocytes in the vesicular stage with two circles of vesicles "bitinctorial"	119
(36) Photomicrograph of T.S in the ovary showing oocytes in the vesicular stage with irregular nuclear membrane and thin zona radiata.	119
(37) Photomicrograph of T.S in the ovary showing an oocyte in the primary yolk stage with fat vesicles around the nucleus and small yolk vesicles and yolk globules outward	119
(38) Photomicrograph of T.S in the ovary showing an oocyte in the primary yolk stage with fat vesicles, minute yolk vesicles and large yolk globules	119
(39) Photomicrograph of T.S in the ovary showing oocyte at the end of primary yolk stage with large globules.	120
(40) Phtotomicrograph of magnified part of primary yolk stage oocyte showing the differentiated zona radiata and the thick follicular cells.	120

(VIII)

Figure	Page
(41) Photomicrograph of T.S in the ovary showing part of oocyte in the migratory stage.	120
(42) Photomicrograph of T.S in the ovary showing oocytes in the secondary yolk stage	122
(43) Photomicrograph of T.S in the ovary showing large yolk globules and thick zona radiata of oocyte in the secondary yolk stage.	122
(44) Photomicrograph of T.S in the ovary showing oocyte in the prematuration stage with cytoplasm mainly accumulated in one side underneath the zona radiata	122
(45) Photomicrograph of T.S in a spent ovary showing round Empty follicle of recently released oocyte	124
(46) Photomicrograph of collapsed empty follicle and atretic oocyte in yolk vesicle stage with clear liquification.	124
(47) Photomicrograph of T.S in maturing ovary showing yolky oocyte with deeply basophilic nucleus and incomplete zona radiata	126
(48) Photomicrograph of T.S in maturing ovary showing remains of atretic oocytes	126

(IX)

Figure	Page
(49) Photomicrograph of T.S in the ovary showing atretic mature oocyte with degenerating zona radiata and coalesce yolk	126
(50) Photomicrograph of T.S in the ovary showing atretic oocyte of the 1 st type with liquified ooplasm in periphery and migratory nucleus, also collapsed empty follicle.	128
(51) Photomicrograph of T.S in the ovary showing atretic oocyte with degeneration around the nucleus.	128
(52) Photomicrograph of T.S in the ovary showing different types of atresia.	128

CONTENTS

Chapter	Page
LIST OF TABLES	I
LIST OF FIGURES	IV
I INTRODUCTION AND HISTORICAL REVIEW	1
II MATERIALS AND METHODS	8
III DIAGONSTIC FEATURES OF NEMIPTERUS JAPONICUS FROM THE RED SEA	12
a) Systematic position.	12
b) General charcter.	12
c) Diagonostic features of <u>Nemipterus japonicus</u> .	14
IV AGE AND GROWTH	16
A. Age determination.	16
a) Validity of otoliths in age determination.	18
b) Time of annulus formation.	19
B. Growth in length.	19
a) Body length - otolith radius relationship.	19
b) Back calculation of body length at the end of different years of life.	24
C. Length - weight relationship.	29
D. Coefficient of condition.	39
a) Fulton's (Composite) coefficient of condition "K".	39