

COMPARATIVE STUDIES ON CERTAIN LIPID CLASSES AND AMINO ACIDS IN SOME LOWER AND HIGHER PLANTS

THESIS

Submitted to Botany Department
Women's College
Ain Shams University

In Partial Fulfilment for
The Degree of
MASTER OF SCIENCE
(BOTANY)

By
SHAIIRA HUSSEIN ALY ATTIA
(B. Sc.)

Botany Department
Women's College
Ain Shams University

1982

LIST OF CONTENTS

	<u>Page</u>
ACKNOWLEDGEMENT	
GENERAL PREFACE.	
I. INTRODUCTION	1
1. Historical review	2
2. Phytochemical changes resulting from infection..	7
II. MATERIALS AND METHODS	11
1. Cultivation	11
1.1. Cultivation of <u>Vicia faba</u> and its infection with <u>Orobancha crenata</u>	11
1.2. Cultivation of <u>Allium cepa</u> and its synthetic infection	12
2. Extraction procedures	13
2.A. Extraction procedures for higher plants	13
2.A.1. Extraction of lipids	13
2.A.2. Extraction and purification of organic acids	15
2.A.3. Extraction and purification of free sugars.	16
2.A.4. Extraction and purification of free amino acids	17
2.A.5. Extraction of bound sugars and bound amino acids	17
2.B. Extraction procedures for microorganisms	18
2.B.1. Extraction of lipids	18
2.B.2. Extraction of organic acids	20
2.B.3. Extraction of free sugars	21



	<u>Page</u>
2.B.4. Extraction of free amino acids	21
2.B.5. Extraction of bound sugars	22
2.B.6. Extraction of bound amino acids	22
3. Chromatographic analysis	23
3.1. Fractionation and identification of lipids	23
3.2. Fractionation and identification of sugars	24
3.3. Fractionation and identification of individual amino acids	26
4. Quantitative estimation	29
4.1. Quantitative estimation of pure total lipids	29
4.2. Quantitative estimation of organic acids	29
4.3. Quantitative estimation of sugars	29
4.4. Quantitative estimation of amino acids..	30
III. RESULTS AND DISCUSSION	34

Part I

Comparative studies of Nicia saka (healthy or infected) and Crotonch crenata.

1. Morphology of healthy and infected plants.	34
2. Comparative physicochemical studies of <u>Nicia saka</u> (healthy or infected) and <u>Crotonch crenata</u>	36
2.1. Quantitative studies of lipids	36
2.2. Identification of polar and non polar lipids in <u>Nicia saka</u> and <u>Crotonch crenata</u>	36

	<u>Page</u>
2.2.1. Polar lipid fractions	39
2.2.2. Non polar lipid fractions	45
2.3. Quantitative estimation of total organic acids	51
2.4. Quantitative estimation of free and bound sugars in <u>Vicia faba</u> and <u>Orobancha crenata</u>	51
2.5. Identification of free and bound sugars in <u>Vicia faba</u> (healthy or infected), and <u>Orobancha crenata</u>	54
2.5.1. Free sugars	54
2.5.2. Bound sugars	58
2.6. Quantitative estimation of free, bound and total amino acids in extracts of <u>Vicia faba</u> (healthy or infected), and of <u>Orobancha crenata</u>	60
2.7. Identification of free and bound amino acids in <u>Vicia faba</u> (healthy or infected) and <u>Orobancha crenata</u>	61
2.7.1. Free amino acids	61
2.7.2. Bound amino acids	68

Part II

Comparative studies of Allium cepa (healthy or infected) and Helianthus perfoliatus (course of white rot disease)

1. Morphology of healthy and infected plants ..	74
---	----

	Page
2. Comparative phytochemical studies of <u>Allium cepa</u> (healthy or infected) and <u>Sclerotium cepivorum</u>	74
2.1. Quantitative studies of lipids	74
2.2. Identification of polar and non polar lipids of <u>Allium cepa</u> (healthy or infected) and <u>Sclerotium cepivorum</u>	76
2.2.1. Polar lipid fractions	76
2.2.2. Non polar lipids fractions	84
2.3. Quantitative estimation of organic acids in <u>Allium cepa</u> (healthy or infected) and <u>Sclerotium cepivorum</u>	89
2.4. Quantitative estimation of free and bound sugars in <u>Allium cepa</u> (healthy or infected) and <u>Sclerotium cepivorum</u>	90
2.5. Identification of free and bound sugars in <u>Allium cepa</u> (healthy or infected) and <u>Sclerotium cepivorum</u>	90
2.5.1. Free sugars	90
2.5.2. Bound sugars	97
2.6. Quantitative estimation of free, bound and total amino acids in <u>Allium cepa</u> (healthy or infected) and <u>Sclerotium cepivorum</u>	99
2.7. Identification of free and bound amino acids of <u>Allium cepa</u> (healthy or infected) and <u>Sclerotium cepivorum</u>	99
2.7.1. Free amino acids	99
2.7.2. Bound amino acids	102

Part III

Comparative phytochemical studies of a parasitically severe and non severe species of the genus Sclerotium.

1. quantitative determination and identification of lipids	112
1.1. Quantitative determination of total lipids in extracts of <u>Sclerotium cepivorum</u> , <u>Sclerotium rolfsii</u> and <u>Allium cepa</u>	112
1.2. Identification of polar and non polar lipids in <u>Sclerotium cepivorum</u> and <u>Sclerotium rolfsii</u>	115
1.2.1. Polar lipids	115
1.2.2. Non-polar lipids	115
1.3. quantitative estimation of total organic acids	120
1.4. quantitative estimation of free and bound sugars in extracts of <u>Sclerotium cepivorum</u> and <u>Sclerotium rolfsii</u>	120
1.5. Identification of free and bound sugars in extracts of <u>Sclerotium cepivorum</u> and <u>Sclerotium rolfsii</u>	122
1.5.1. free sugars	123
1.5.2. bound sugars	127
1.6. quantitative determination of free, bound and total amino acids in extracts of <u>Sclerotium cepivorum</u> , and <u>Sclerotium rolfsii</u> .	127

1.7. Identification of free and bound amino acids in extracts of <u>Sclerotium cepivorum</u> and <u>Sclerotium rolfsii</u>	131
1.7.1. Free amino acids	131
1.7.2. Bound amino acids	134
IV. GENERAL DISCUSSION	137
V. SUMMARY	146
VI. REFERENCES	151
VII. ARABIC SUMMARY.	

LIST OF FIGURES

	<u>Page</u>
Fig. (1): Standard curve of Glucose	31
Fig. (2): Standard curve of amino acids	33
Fig. (3): Amount of pure total lipids in <u>Vicia faba</u> (healthy or infected) and in <u>Orobanche crenata</u>	38
Fig. (4): Amount of organic acids in <u>Vicia faba</u> (healthy or infected) and in <u>Orobanche crenata</u>	53
Fig. (5): Amount of free and bound sugars in <u>Vicia faba</u> (healthy or infected) and in <u>Orobanche crenata</u>	56
Fig. (6): Amount of free, bound and total amino acids in <u>Vicia faba</u> (healthy or infected) and in <u>Orobanche crenata</u>	62
Fig. (7): Amount of pure total lipids in <u>Allium cepa</u> (healthy or infected) and <u>Selenitium cariborum</u>	78
Fig. (8): Amount of organic acids in <u>Allium cepa</u> (healthy or infected) and <u>Selenitium cariborum</u>	92
Fig. (9): Amount of free and bound sugars in <u>Allium cepa</u> (healthy or infected) and <u>Selenitium cariborum</u>	94
Fig. (10): Amount of free, bound and total amino acids in <u>Allium cepa</u> (healthy or infected) and <u>Selenitium cariborum</u>	101
Fig. (11): Amount of pure total lipids in <u>Selenitium cariborum</u> , <u>Selenitium goldii</u> and the host <u>Allium cepa</u>	114

Fig. (12): Amount of organic acids in <u>Sclerotium cepivorum</u> , <u>Sclerotium rolfsii</u> and the host <u>Allium cepa</u>	122
Fig. (13): Amount of free and bound sugars in <u>Sclerotium cepivorum</u> , <u>Sclerotium rolfsii</u> and the host <u>Allium cepa</u>	125
Fig. (14): Amount of free, bound and total amino acids in <u>Sclerotium cepivorum</u> and <u>Sclerotium rolfsii</u>	131

LIST OF PLATES

	<u>Page</u>
Plate (1) : Map of standard amino acids	28
Plate (2) : Photograph of healthy and infected plants of <u>Vicia faba</u>	35
Plate (3) : Photograph of T.L.C. plate showing the polar lipids in extracts of healthy <u>Vicia faba</u>	41
Plate (4) : Photograph of T.L.C. plate showing the polar lipids in extracts of infected <u>Vicia faba</u>	42
Plate (5) : Photograph of T.L.C. plate showing the polar lipid in extracts of <u>Orobancha crenata</u>	43
Plate (6) : Photograph of T.L.C. plate showing the non polar lipids in extracts of healthy <u>Vicia faba</u>	48
Plate (7) : Photograph of T.L.C. plate showing the non polar lipids in extracts of infected <u>Vicia faba</u>	49
Plate (8) : Photograph of T.L.C. plates showing the non polar lipids in extracts of <u>Orobancha crenata</u>	50
Plate (9) : Photograph of the paper chromatogram showing the free amino acids in extracts of healthy <u>Vicia faba</u>	65
Plate (10) : Photograph of the paper chromatogram showing the free amino acids in extracts of infected <u>Vicia faba</u>	66
Plate (11) : Photograph of the paper chromatogram showing the free amino acids in extracts of <u>Orobancha crenata</u>	67

Plate (12): Photograph of the paper chromatogram showing the bound amino acids in extracts of healthy <u>Vicia faba</u>	70
Plate (13): Photograph of the paper-chromatogram showing the bound amino acids in extracts of infected <u>Vicia faba</u>	71
Plate (14): Photograph of paper chromatogram showing the bound amino acids in extracts of <u>Orobancha crenata</u>	72
Plate (15): Healthy and infected plants of <u>Allium cepa</u>	75
Plate (16): Photograph of P.L.C. plates showing the polar lipids in extracts of healthy <u>Allium cepa</u>	81
Plate (17): Photograph of P.L.C. plate showing the polar lipids in extracts of infected <u>Allium cepa</u>	82
Plate (18): Photograph of P.L.C. plate showing the polar lipids in extracts of <u>Solanum carolinense</u>	83
Plate (19): Photograph of P.L.C. plate showing the non polar lipids in extracts of healthy <u>Allium cepa</u>	86
Plate (20): Photograph of P.L.C. plate showing the non polar lipids in extracts of infected <u>Allium cepa</u>	87
Plate (21): Photograph of P.L.C. plate showing the non polar lipids in extracts of <u>Solanum carolinense</u>	88
Plate (22): Photograph of the paper chromatogram showing the free amino acids in extracts of healthy <u>Allium cepa</u>	104

	<u>Page</u>
Plate (23): Photograph of the paper chromatogram showing the free amino acids in extracts of infected <u>Allium cepa</u>	105
Plate (24): Photograph of the paper-chromatogram showing the free amino acids in extracts of <u>Sclerotium cepivorum</u>	106
Plate (25): Photograph of the paper chromatogram showing the bound amino acids in extracts of healthy <u>Allium cepa</u>	109
Plate (26): Photograph of the paper chromatogram showing the bound amino acids in extracts of infected <u>Allium cepa</u>	110
Plate (27): Photograph of the paper chromatogram showing the bound amino acids in extracts of <u>Sclerotium cepivorum</u>	111
Plate (28): Photograph of the T.L.C. plate showing the polar lipids in extracts of <u>Sclerotium rolfsii</u>	117
Plate (29): Photograph of the T.L.C. plates showing the non polar lipids in extracts of <u>Sclerotium rolfsii</u>	119
Plate (30): Photograph of the paper chromatogram showing the free amino acids <u>Sclerotium rolfsii</u>	133
Plate (31): Photograph of the paper chromatogram showing the bound amino acids in extracts of <u>Sclerotium rolfsii</u>	136

LIST OF TABLES

	<u>Page</u>
Table (1): Amount of pure total lipids in <u>Vicia faba</u> (healthy or infected) and in <u>Orobancha crenata</u>	37
Table (2): Chromatographic identification of polar lipid classes in extracts of <u>Vicia faba</u> (healthy or infected) and <u>Orobancha crenata</u>	40
Table (3): Chromatographic identification of non polar lipid classes in extracts of <u>Vicia faba</u> (healthy or infected) and <u>Orobancha crenata</u>	47
Table (4): Quantitative estimation of total organic acids in extracts of <u>Vicia faba</u> (healthy or infected) and <u>Orobancha crenata</u>	52
Table (5): Quantitative estimation of free and bound sugars in extracts of <u>Vicia faba</u> (healthy or infected) and of <u>Orobancha crenata</u>	55
Table (6): Identification of free sugars of <u>Vicia faba</u> (healthy or infected) and of <u>Orobancha crenata</u>	57
Table (7): Identification of bound sugars of <u>Vicia faba</u> (healthy or infected) and of <u>Orobancha crenata</u>	59
Table (8): Amount of free, bound and total amino acids in extracts of <u>Vicia faba</u> (healthy or infected) and of <u>Orobancha crenata</u>	62

	<u>Page</u>
Table (9): Identification of free amino acids in extracts of <u>Vicia faba</u> (healthy or infected) and of <u>Orobancha crenata</u>	64
Table (10): Identification of bound amino acids in extracts of <u>Vicia faba</u> (healthy or infected) and of <u>Orobancha crenata</u>	69
Table (11): Amount of pure total lipids in <u>Allium cepa</u> (healthy or infected) and <u>Sclerotium</u> <u>cequivorum</u>	77
Table (12): Identification of different polar lipid fractions in extracts of <u>Allium cepa</u> (healthy or infected) and of <u>Sclerotium</u> <u>cequivorum</u>	79
Table (13): Identification of different non polar lipid classes in <u>Allium cepa</u> (healthy or infected) and <u>Sclerotium cequivorum</u>	85
Table (14): quantitative estimation of total organic acids in extracts of <u>Allium cepa</u> (healthy or infected) and <u>Sclerotium cequivorum</u>	91
Table (15): Sugar content (free and bound) of <u>Allium</u> <u>cepa</u> (healthy or infected) and <u>Sclerotium</u> <u>cequivorum</u>	93
Table (16): Identification of free sugars in extracts of <u>Allium cepa</u> (healthy or infected) and <u>Sclerotium cequivorum</u>	96