

جامعة عين شمس
كلية البنات للآداب والعلوم والتربية
قسم علم الحيوان

إسم الطالبة : منى أحمد فؤاد ناصر
عنوان الرسالة : دراسة تجريبية على بعض الاعضاء الحيوية فى الفئران
البيضاء تحت التأثير المزدوج للمهدئات والنيكوتين .
إسم الدرجة : الماجستير فى العلوم

لجنة الاشراف
أ.د / سناء محمد رفعت وهبة : أستاذة محاضرة
د / سميرة أحمد عبدالمجيد : أستاذة محاضرة

تاريخ البحث :
الدراسات العليا :
أجيزت الرسالة بتاريخ
ختم الإجازة
/ / ١٩٩٩ م

موافقة مجلس الكلية
موافقة مجلس الجامعة
/ / ١٩٩٩ م

جامعة عين شمس

كلية البنات للآداب والعلوم والتربية

أسم الطالب : منى أحمد فؤاد ناصر

الدرجة العلمية : الماجستير

القسم التابع له : قسم علم الحيوان

أسم الكلية : كلية البنات للآداب والعلوم والتربية

الجامعة : جامعة عين شمس

سنة التخرج : سنة ١٩٩٠

سنة المنح :



APPROVAL

Name : Mona Ahmed Fouad Naser

**Title : Experimental Studies On Some Vital
Organs of Albino Rats In Response to The Double
Stress of Sedatives and Nicotine .**

Scientific Dgree : M. Sc.

Supervisors :

**Dr. Sanaa M. R. Wahba Professor of
Histology and Histochemistry and Dr. Samira A.
Abdel Mageid Assistant Professor of Histology and
Histochemistry Department of Zoology, Faculty of
Girls Ain Shams University.**

COURSES

1 - Histology

2 - Physiology

3 - Histopathology

4 - Emeryology

5 - Statistical Analysis

6 - English Language

QUALIFICATION

Name : Mona Ahmed Fouad Naser

Scientific degree : M. Sc.

Department : Zoology

Collage : Faculty of Grils

University : Ain Shams

Graduation Year : 1990

Acknowledgement

I wish to express my deepest feeling of gratitude and thanks to Dr. Sanaa M. R. Wahba professor of Histology and Histochemistry and Dr. Samira A. Abdel Mageid Assistant professor of Histology and Histochemistry Department of Zoology , Faculty of Girls Ain Shams University, for suggesting the point of this investigation, supervision, continuous guidance, encouragement and criticism.

ABSTRACT

The present work is an attempt to investigate the side effects of administration of temazepam, nicotine and interaction between both drugs on some of the vital organs of albino rats .

Kidneys and lung of male albino rats were currently chosen where the study involved different morphological, biochemical, histological and histochemical parameters .

The present findings were further discussed in view of relevant literature available in similar fields of studies .

Conclusions were deducted and suggestions for further studies were introduced .

CONTENTS

	Page
LIST OF TABLES	
LIST OF FIGURES	
INTRODUCTION	1
CHAPTER I : REVIEW OF LITERATURE	5
a- Noxious Effects of Benzodiazepines	5
b- General Effects of the Benzodiazepine Temazepam	13
1- Pharmacological effects of temazepam	13
2- Physiological effects of temazepam	14
3- Abuse and Misuse of temazepam	16
4- Histological effects of temazepam	17
c- Noxious Risks of Nicotine Intake	18
I- Morphological studies	19
II- Biochemical alterations	24
III- Gross, histological and histochemical investigation	26
d- Interaction Effects Among Different Drugs	31
CHAPTER II : MATERIAL AND METHODS	36
MATERIAL :	36
a- Experimental Animals	36
b- Experimental Drugs	36

c- Drug Administration	37
d- Tissue Sampling	38
e- Histological and Histochemical Studies	38
METHODS	39
a- Housing of Experimental Animals	39
b- Body weights	39
c- Mortality rates	39
d- Estimation of LD ₅₀	40
e- Histological and Histochemical Methods	40
1- Fixation	40
2- Processing	41
3- Staining	41
f- Biochemical studies	42
(i) Determination of protein content	42
(ii) Enzyme activity in lung and kidney	45
a- Determination of alkaline phosphatase	45
b- Determination of glutamic oxalo acetic transaminase (GOT) and glutamic pyruvic transaminase (GPT)	46
(iii) Determination of renal creatinine	49
g- Statistical Analysis	51
Experimental Design	53
CHAPTER III : RESULTS	56

I- Morphological investigation .	56
1- General behaviour	56
2- Growth rates	59
3- Absolute lung weights	62
4- Absolute kidney weights	62
5- Relative lung weights	66
6- Relative kidney weights	66
7- Mortality rates	71
8- Determination of LD ₅₀ .	74
II Histological and Histochemical Investigation	76
1- Lung :	76
a- Control group	76
b- Experimental groups	84
1- Gross & Histological studies	84
2- Histochemical studies	139
(1) Periodic acid Schiff reaction (P. A. S.)	139
(2) Haemosiderin granules	146
(3) Elastic fibres	155
(4) Protein content	160
2- Kidney :	169
a- Control group	169
b- Experimental groups	175
1- Gross & Histological studies	175

2- Histochemical studies	242
(i) Periodic acid Schiff reaction(P.A.S.)	242
(ii) Haemosiderin granules	243
(iii) Protein content	243
III Biochemical studies	261
(i) Determination of protein content	261
(ii) Enzyme activity	262
a- Determination of alkaline phosphatase	262
b- Determination of glutamic oxalo acetic	263
transaminase (GOT) and glutamic	263
pyruvic transaminase (GPT)	264
(3) Determination of creatinine	265
CHAPTER IV : DISCUSSION	285
CHAPTER V : SUMMARY	298
BIBLIOGRAPHY	304
ARABIC SUMMARY	

LIST OF TABLES

Table (1)	Experimental Design and group distribution	53
Table (2)	Average growth rates	57
Table (3)	Average of absolute lung weight	60
Table (4)	Average of absolute kidney weight	64
Table (5)	Average of relative lung weight	67
Table (6)	Average of relative kidney weight	69
Table (7)	Mortality rates	72
Table (8)	Determination of LD ₅₀	74
Table (9)	Average of lung total proteins	267
Table (10)	Average of kidney total proteins	269
Table (11)	Average of lung alkaline phosphatase	271
Table (12)	Average of kidney alkaline phosphatase	273
Table (13)	Average of lung glutamic oxaloacetic transaminase	275
Table (14)	Average of kidney glutamic oxaloacetic transaminase	277
Table (15)	Average of lung glutamic pyruvic transaminase	279
Table (16)	Average of kidney glutamic pyruvic transaminase	281
Table (17)	Average of kidney creatinine	283

LIST OF FIGURES

Fig. (1)	Stantard calibration curve for protein	44
Fig. (2)	Average growth rates	58
Fig. (3)	Average of absolute lung weight	61
Fig. (4)	Average of absolute kidney weight	65
Fig. (5)	Average of relative lung weight	68
Fig. (6)	Average of relative kidney weight	70
Fig. (7)	Mortality rates	73
Fig. (8)	Determination of LD ₅₀	75
Fig. (9)	Section of rat lung from control rat to show general structure (Hx- E ; X 400)	79
Fig.(10)	Lung section from normal control rat to show the normal distribution in elastic fibres (Orcein ; X 200)	79
Fig. (11)	Lung section from normal control rat to show general structure (Mallory ; X400)	81
Fig.(12)	Lung section from normal control rat to show the normal distribution of P.A.S +ve material in pulmonary tissue (P. A. S ; X 200)	81
Fig. (13)	Section of rat lung from control rat to show normal distribution of total protein in lung tissue (Bromophenol blue ; X 200)	83
Fig. (14)	Section of rat lung after one week of 5 mg/kg temazepam injection , showing intravascular thrombosis and stagnation of blood (Hx-E; X 200)	88

- Fig . (15) Lung section from rat after two weeks injection 88
with 5 mg/kg temazepam showing thickening of
wall of blood vessel and dilated bronchioles (Hx -
E; X 100)
- Fig . (16) Lung section from rat after three weeks injection 90
with 5 mg/kg temazepam showing desquamated
cells within the alveoli (Hx-E ; X 400).
- Fig . (17) Lung section from rat after four weeks injection 90
with 5 mg/kg temazepam showing patchy areas of
inflammatory reaction (Hx-E ; X 400).
- Fig . (18) Section of rat lung after four weeks of 5mg/kg 92
temazepam injection showing inflammatory
exudate of mononuclear and polymorphonuclear
leucocytes invading alveolar walls and alveolar
spaces . (Hx-E ; X 400) .
- Fig . (19) Lung section from rat after four weeks of injection 92
with 5mg /kg temazepam showing pronounced
presence of R . B . Cs between cells of alveolar
walls and in blood capillaries (Mallory ; X 400) .
- Fig . (20) Lung section from rat after five weeks of injection 94
with 5 mg / kg temazepam showing irregular air
spaces with thick walls and some of alveoli spaces
contained cell debris and hyaline material (Hx - E ;
X 400) .
- Fig . (21) After six weeks injection with 5 mg / kg 94
temazepam lung section of rat reflected interstitial
inflammatory reaction around the small vessels and
between alveoli cells (Hx - E ; X 200) .
- Fig . (22) Lung section after seven weeks post treatment with 96
5 mg /kg temazepam showing necrotic cells in
alveolar wall with pyknotic nuclei (Hx - E ; X400).