PLASMA SOMATOSTATIN CONCENTRATION IN THE PRETERM NEONATE: RESPONSE TO STRESS

Thesis
Submitted for Partial Fulfillment
of M.Sc. Degree in Paediatrics

By

Mohamed Ibrahim Mahmoud Shoman

(M. B., B. Ch.,)

Supervised by

Prof. Dr. Ismail Sadek Ismail

Professor of Paediatrics Ain Shams University

Dr. Nehal Mohamed El-Raggal

Lecturer of Paediatrics
Ain Shams University

Dr. Hanaa Ahmed Amer

Lecturer of Clinical Pathology
Ain Shams University

Faculty of Medicine
Ain Shams University
1998



ACKNOWLEDGEMENT

Above all and first of all thanks to ALLAH

I would like to express my profound gratitude and sincere appreciation to Prof. Dr. *Ismail Sadek Ismail*, Prof. of Paediatrics, Faculty of Medicine, Ain Shams University, who offered me a lot of his time and experience. He contributed greatly to bring this work to its form through his suggestions, valuable observations, and meticulous revision of every possible detail. To him I owe what is beyond expression and for his no words of thanks are sufficient.

My thanks are devoted to Dr. *Nehal Mohamed El-Raggal*, Lecturer of Paediatrics, Faculty of Medicine, Ain Shams University, for her sincere and immense help during preparation of this study. Great thanks are also paid to her for her kind sympathy during accomplishment of this work.

My sincere appreciation goes to Dr. *Hanaa Ahmed Amer*, Lecturer of Clinical Pathology, Ain Shams University, for all the help, guidance, and encouragement during the preparation of my study.

Mohamed Ibrahim Shoman, 1998

Contents

	Page
* Introduction	1
* Aim of the Work	3
* Review of literatures	4
* Ontogeny of gut peptides	4
* Somatostatin hormone	31
* Prematurity	46
* Respiratory distress syndrome	58
* Necrotizing enterocolitis	72
* Patients and Methods	89
* Results	94
* Discussion	112
* Summary	125
* Conclusion & Recommendation	128
* References	131
* Arabic Summary	



LIST OF TABLES FOR REVIEW

Гable No.	Title	Page No.
1	Development of gastrointestinal tract in	
	human fetus: appearance of developmental markers.	5
2		15
2 3	Distribution of gut peptides	18
	Mode of delivery of gut peptides.	
4	Gastrointestinal peptide families	20
5	Factors affecting somatostatin levels	36
6	Action of somatostatin hormone on	42
	endocrine and exacrine secretions	
7	The GIT application of somatostatin	44
8	High risk infants	47
9	Identifiable causes of preterm birth	54
10	Physiological handicaps and related	55
	problems associated with premature infants	
11	Grading of RDS based on ventilation index	64
12	RDS severity scoring system on	65
	radiographs	

LIST OF TABLES FOR RESULTS

Table No.	Title	Page No.
1	Clinical characteristics of study groups	95
2	Mean plasma blood glucose and log. SS	
	values for the reference preterm infants compared with full terms	97
3	Comparison between enterally fed and	
	parenterally fed preterm infants regarding	104
	their clinical characteristics and plasma	
	levels of SS	
4	Difference among infants with RDS compared with reference group	105
5	Comparison between RDS mild and RDS	
	sever groups regarding their clinical	106
	characteristics and plasma levels of SS	
6	Difference among ifants with	
	gastrointestinal complication (or NEC)	110
	compared with reference group	

LIST OF FIGURES FOR REVIEW

Fig. No.	Title	Page No.
1	Typical endocrine cells at the gut	14
2	Schematic representation of the wall of the small intestine: Mode of delivary of gut peptides	17
3	Mechanisms controlling gastrin hormone release	23
4	Histology of somatostatin cells	32
5	Inhibitory action of somatostatin on GIT	39
6	Scheme by which multiple factors interact to produce NEC	76
7	Across - table lateral rentegenogram of the abdomen from a patient with NEC	83
8	Free intraperitoneal gas due to bowel perforation in infant with NEC	84
9	NEC treatment based on staging criteria	88

LIST OF FIGURES FOR RESULTS

Fig. No.	Title	Page No.
1	Represents log-mean of plasma SS levels ± SD among the study groups	96
2	Regression analysis showing correlation between SS and GA among all healthy neonates	98
3	Regression analysis showing correlation between SS and P.N age among EF and IVF groups	100
4	Regression analysis showing correlation between SS and body weight among EF and IVF groups	101
5	Regression analysis showing correlation between SS and BL. G among EF and IVF groups	102
6	Plasma SS levels in infatns with mild RDS (X) and reference group (+).	108
7	Plasma SS levels in infatns with sever RDS (X) and reference group (+).	109
8	Plasma SS levels in infants with NEC (X) and the reference group (+).	111

LIST OF ABBREVIATIONS

ACTH Adrenocortecotrophic hormone

BPD Bronchopulmonary dysplasia

BL.G Blood glucose CCK Cholecystokinine

CGRP Calcitonine-gene-related peptide CPAP Contineous positive airway pressure

CS Cesarean section ECL Enterochormaffin like.

EF Enteral feeding

FIO₂ Fraction of inspired oxygen

G Gastrin

GA Gestational age
GH Growth hormone

GIP Gastric inhibitory polypeptide

GIT Gastrointestinal tract

Hge Hemorrhage

HMD Hyaline membrane disease ICH Intracranial hemorrhage

IUGR Intrauterine growth retardation IVH Intraventricular hemorrhage

LBW Low birth weight

LGA Large for gestational age
L/S Lithicin / Sphingomylin ratio

MAP Mean airway pressure

MMCs Migrating motor complexes ng/ml nanogram per milliliter

NEC Necrotizing entercolitis

NPY Neuropeptide Y

NVD Normal vaginal delivery
 PAF Platlet activating factor
 PDA patent ductus arteriosus
 PHI peptide histidine isoleucine

P.N. age postnatal age

P_aO₂ partial oxygen pressure PP Pancreatic polyeptide

PRM Premature rupture of membrane

PTH Parathormone hormone

PYY Peptide YY

RDS Respiratory distress syndrome

RIA Radioimmunoassay

ROP Retinopathy of prematurity SGA Small for gestational age

SS Somatostatin

TNF Tumour necrosis factor

TSH Thyroid stimulating hormone

VI Ventilation index

VIP Vasoactive intestinal peptide

VLBW Very low birth weight

Wk Week

INTRODUCTION AND AIM OF THE WORK

