



Ain Shams University
Faculty of Medicine
Obstetrics & Gynecology Dept.

INTERLEUKIN-6 AND TUMOUR NECROSIS FACTOR IN WOMEN WITH PRE-ECLAMPSIA

A THESIS

Submitted for Partial Fulfillment of
MASTER DEGREE
In
Obstetrics and Gynecology

By

Hanan Mohamed Said Abd El-Raouf
M.B., B.Ch. Ain Shams University

Under Supervision of

Prof. Dr. Ibrahim El-Mitwally Samaha
Prof. of Obstetrics and Gynecology
Ain Shams University


Dr. Khaled Hussein Abd El-Razek
Lecturer of Obstetrics and Gynecology
Ain Shams University

Dr. Ibrahim Youssef Abd El-Messih
Lecturer of Clinical Pathology
Ain Shams University

1997







سُبْحَانَكَ

الْعَلِيمُ إِنَّا إِلَهُكَ مَا عَلِمْنَا

إِنَّا أَنْتَ الْعَلِيمُ الْحَكِيمُ

صَدَقَ اللَّهُ الْعَظِيمُ

سورة البقرة (٣٢)

Dedication to My Family

Acknowledgement

First of all thanks to God him alone to be worshipped who guided to perform this work,

I would like to express my sincere appreciation and deepest gratitude to Professor Dr. Ibrahim Samaha, Professor of Obstetrics & Gynecology, Ain Shams University, for his creation, help, generous guidance, support and advice through out the whole work,

To Dr. Khaleed Hussein Lecturer of Obstetrics & Gynecology., Ain Shams University. I wish to express my sincere gratitude for his great help during the preparation of this work,

I wish to express my almost thanks to Dr. Ibrahim Youssef, Lecturer of Clinical Pathology, Ain Shams University for his helpful guidance and facilities that made this work possible.

I would like to thank every patient who accepted to be a part of this work,

Last but not least thanks must be extended to my family and every one helped me in preparing this work in its final form even with a word of encouragement.

CONTENTS

	Page No.
INTRODUCTION	1
REVIEW OF LITERATURE	2
- Pre-eclampsia	2
- Classification of PIH	2
- Pathogenesis of PIH	7
- Pathophysiology of PIH	17
- Pathological changes in preeclampsia.	25
- Tumour Necrosis Factor	32
- Interleukin-6	41
SUBJECTS AND METHODS	45
RESULTS	52
DISCUSSION	73
SUMMARY	77
REFERENCES	80
ARABIC SUMMARY	1

List of Tables		Page
Table (1) : Severity of pregnancy-induced hypertension		5
Table (2) : Descriptive data of control group (group I)		53
Table (3) : Descriptive data of patient group (group II)		54
Table (4a) : Comparison between patients, (group II) and controls (group I) regarding various clinical parameters, using student's "t" test.		55
Table (4b) : Comparison between patients (group II) and control (group I) using student "t" test. Regarding laboratory data.		56
Table (5) : Proteinuria		60
Table (6) : Edema		60
Table (7) : Correlation between IL-6 and other clinical data.		61
Table (8) : Correlation between IL-6 and other laboratory data.		61
Table (9) : Correlation between TNF and other clinical data.		62
Table (10) : Correlation between TNF and other laboratory data.		62
Table (11) : ANOVA "F" test for proteinurea		63
Table (12) : ANOVA "F" test for proteinurea		63
Table (13) : Comparison between 2 groups of patient GI have no edema & GII have edema using student's "t" test regarding level of SBP, DBP, TNF and IL-6.		64
Table (14) : Comparison between 2 groups of patient GI have no edema & GII have edema using student's "t" test regarding level of SBP, DBP, TNF and IL-6.		64

Table (15) : Comprison between mild and severe preeclampsia using student's "t" regarding GA, SBP, DBP, TNF, IL-6 and FDPs.	65
Table (16) : Comprison between mild and severe preeclampsia using student's "t" regarding GA, SBP, DBP, TNF, IL-6 and FDPs.	65

List of Figures	Page
Fig. (1) : Comparison between patients and control group regarding IL-6.	57
Fig. (2) : Comparison between patients and control group regarding TNF.	58
Fig. (3) : Comparison between patients and control group regarding FDPs.	59
Fig. (4) : Mean level of IL-6 in control, mild and severe preeclampsia groups.	66
Fig. (5) : Mean level of TNF in different grades of proteinuria.	67
Fig. (6) : Mean level of IL-6 in different grades of proteinuria.	68
Fig. (7) : Mean level of FDPs in different grades of proteinuria.	69
Fig. (8) : Mean level of TNF in different grades of preeclampsia.	70
Fig. (9) : Mean level of IL-6 in different grades of proteinuria.	71
Fig. (10) : Mean level of FDPs in mild and severe proteinuria.	72

LIST OF ABBREVIATIONS

ACTH	= Adrenocorticotrophic Hormone
ADH	= Antidiuretic Hormone
ANP	= Atrial Natriuretic Peptide
CBC	= Complete Blood Count
Cont.	= Control
CRH	= Corticotropine Releasing Hormone
CSF	= Colony Stimulating Factor
D.B.P.	= Diastolic Blood Pressure
DHEAS	= Dehydroepiandrosterone Sulfate
DIC	= Disseminated Intravascular Coagulation
DOC	= Deoxy Corticosterone
FDPs	= Fibrin Degradation Products
G.A.	= Gestational Age
HELLP	= Hemolysis Elevated Liver Enzymes and Low Platelet Count
IFN- γ	= Interferon- γ
Ig	= Immunoglobulin
IL	= Interleukin
LDH	= Lactic Dehydrogenase
PIH	= Pregnancy Induced Hypertension
Pt.,	= Patient
PT	= Prothrombin Time
PTT	= Partial Thromboplastine Time
S.B.P.	= Systolic Blood Pressure
Signif.	= Significance
TNF	= Tumour Necrosis Factor

١٠٠

١٠١

١٠٢

١٠٣

١٠٤

١٠٥

١٠٦

١٠٧

١٠٨

١٠٩

١١٠

١١١