بسم الله الرحمن الرحيم

The Effect of Finishing Techniques and Time on Surface Roughness and Biocompatibility of Resin Modified Glass Ionomer Cements

Thesis submitted to the faculty of dentistry,
Ain Shams University in partial fulfillment of the requirements of
Doctor degree in operative dentistry.

By

Heba Mohammed Abdelaal

B.D.S., Ain Shams University (2003) M.Sc., Ain Shams University (2011)

Ain Shams University 2015

SUPERVISORS

Dr. Khaled Aly Nour

Assistant Prof. of Operative Dentistry Faculty of Dentistry Ain Shams University

DR. OMAIMA HASSAN GHALLAB

Assistant Prof. of Operative Dentistry Faculty of Dentistry Ain Shams University

DR. EHAB SAID ABD EL HAMID

Professor of oral pathology and vice dean for graduate affairs and research
Faculty of Dentistry
Ain Shams University

بسم الله الرحمن الرحيم

تأثير طرق ووقت الصقل على خشونة السطح و التوافق البيولوجى للاصق الأيونومر الزجاجى المعدل راتنجيا

رسالة مقدمة لكلية طب الاسنان بجامعة عين شمس توطئة للحصول على درجة الدكتوراة في العلاج التحفظي للأسنان

مقدمه من

الطبيبة / هبه محمد محمد عبد العال بكالوريوس طب الأسنان- جامعة عين شمس- ٢٠٠٣ ماجستير العلاج التحفظي- جامعة عين شمس- ٢٠١١

المشرفون

أ.م.د/ خالد على نور

أستاذ مساعد بقسم العلاج التحفظى كلية طب الأسنان جامعة عين شمس

أ.م.د/ أميمة حسن غلاب

أستاذ مساعد بقسم العلاج التحفظى كلية طب الأسنان جامعة عين شمس

أ.د/ إيهاب سعيد عبدالحميد

أستاذ باثولوجيا الفم ووكيل الكلية لشئون الدراسات العليا والبحوث كلية طب الأسنان جامعة عين شمس

I would like to express my deepest thanks and appreciation to **Dr**. **Khaled Aly Nour**, Assistant Professor of Operative Dentistry, Faculty of Dentistry, Ain Shams University, for his help and valuable guidance throughout my research work.

I would also like to express my sincere thanks and deep gratitude to **Dr. Omaima Hassan Ghallab**, Assistant Professor of Operative Dentistry, Faculty of Dentistry, Ain Shams University, who helped me immensely and gave her unending support and moral courage on daily basis.

I am greatly honored to express my gratitude and appreciation to **Dr. Ehab Said Abd el Hamid,** Professor of oral pathology and vice dean for graduate affairs and research, Faculty of Dentistry, Ain Shams University, for his constant help and support. Without his help, it would not have been possible for me to carry out this task.

I would also like to thank **Dr. Ahmed Mohamed Abd ellah**, Researcher Vet surgeon, Medical research center, Ain Shams University hospitals and Medical school, for helping me in carrying out the surgical procedures.

My sincere appreciation to my colleague **Dr. MOHAMED NASSER,** Assistant lecturer of Operative Dentistry, Faculty of Dentistry, Ain Shams University, for his assistance in carrying out the statistical analysis.

To my parents, my husband, my sister, my brother, and my children for their love and support

List of contents

List of Figures	I
List of Tables	XV
Introduction	1
Review of Literature	5
I. Glass ionomer cements	5
II. Surface roughness	27
III.Finishing techniques	38
IV. Time of finishing	60
V. Measurement of surface roughness	63
VI. Biocompatibility	68
Aim of The Study	85
Materials & Methods	86
Results	113
Discussion	223
Summary and Conclusions	252
References	256
Arabic Summary	

Figure 1	Setting reaction of a conventional glass-	
	ionomer cement.	13
Figure 2	The difference in set cement structure between	
	CGIC and RMGIC.	25
Figure 3	The resin-modified glass ionomer cements	
	used in the study	88
Figure 4	Jiffy abrasive, silicon-impregnated rubber	
	polishers.	90
Figure 5	Sof-Lex Aluminum oxide Discs	90
Figure 6	Diamond coated abrasive bur(856EF)	91
Figure 7	Equia Nanofilled Self-Adhesive.	91
Figure 8	Specimen grouping for surface roughness	
	evaluation.	92
Figure 9	The specially constructed split Teflon mold.	96
Figure 10	A 500gm static load applied onto the slide.	96
Figure 11	The tip of the LED placed against the Mylar	
	strip.	97
Figure 12	The under surface of the specimens marked	
	using a permanent marker pen.	99
Figure 13	Environmental Scanning Electron Microscope	
	(ESEM)	100
Figure 14	Specimen grouping for biocompatibility	
	evaluation.	103
Figure 15	Spectrolinker XL-1500 UV Crosslinker.	105
Figure 16	The five disinfected sites in the dorsal skins of	
	the rat.	108
Figure 17	2cm incision.	108

Figure 18	Implantation of RMGIC specimens in the	
	subcutaneous tissue of rat.	109
Figure 19	Closure of the skin of the rat with 3/0 silk	
	suture.	109
Figure 20	Steps of image analysis for calculation of the	
	number of inflammatory cells.	111
Figure 21	Bar chart for the mean surface roughness as	
	affected by resin modified glass ionomer type	
	regardless to the finishing technique and time	
	of finishing used.	116
Figure 22	Bar chart for the mean surface roughness as	
	affected by the finishing technique regardless	
	to the resin modified glass ionomer type and	
	time of finishing used.	116
Figure 23	Bar chart for the mean surface roughness as	
	affected by the time of finishing regardless to	
	the resin modified glass ionomer type and the	
	type of finishing used.	117
Figure 24	Bar chart for the effect of RMGIC type on	
	surface roughness within each finishing	
	technique after 24 hours.	121
Figure 25	Bar chart for the effect of RMGIC type on	
	surface roughness within each finishing	
	technique after 1 week.	121
Figure 26	Bar chart for the effect of finishing technique	
	on surface roughness within each RMGIC	
	type after 24 hours.	124

Figure 27	Bar chart for the effect of finishing technique	
	on surface roughness within each RMGIC	
	type after 1 week.	124
Figure 28	Bar chart for the effect of time of finishing on	
	surface roughness within each finishing	
	technique for Fuji VIII RMGIC material.	127
Figure 29	Bar chart for the effect of time of finishing on	
	surface roughness within each finishing	
	technique for Fuji II LC RMGIC material.	127
Figure 30	Bar chart for the effect of time of finishing on	
	surface roughness within each finishing	
	technique for Ketac nano RMGIC material.	128
Figure 31	ESEM micrograph of RMGIC specimens	
	finished with Mylar strip after 24 hours.	129
Figure 32	ESEM micrograph of RMGIC specimens	
	finished with Mylar strip after 1 week.	130
Figure 33	ESEM micrograph of RMGIC specimens	
	finished with Rubber tips after 24 hours.	131
Figure 34	ESEM micrograph of RMGIC specimens	
	finished with Rubber tips after 1 week.	132
Figure 35	ESEM micrograph of RMGIC specimens	
	finished with Soflex discs after 24 hours.	133
Figure 36	ESEM micrograph of RMGIC specimens	
	finished with Soflex discs after 1 week.	134
Figure 37	ESEM micrograph of RMGIC specimens	
	finished with Finishing abrasive after 24 hours.	135

Figure 38	ESEM micrograph of RMGIC specimens	
	finished with Finishing abrasive after 1 week.	136
Figure 39	ESEM micrograph of RMGIC specimens	
	finished with Finishing abrasive followed by	
	coat after 24 hours.	137
Figure 40	ESEM micrograph of RMGIC specimens	
	finished with Finishing abrasive followed by	
	coat after 1 week.	138
Figure 41	Photomicrograph of the negative control	
	group after 1 month.	152
Figure 42	Photomicrograph of Fuji VIII RMGIC after 1	
	month finished with Mylar strip after 24	
	hours.	153
Figure 43	Photomicrograph of Fuji VIII RMGIC after 1	
	month finished with Mylar strip after 1 week.	153
Figure 44	Photomicrograph of Fuji VIII RMGIC after 1	
	month finished with Rubber tips after 24	
	hours.	154
Figure 45	Photomicrograph of Fuji VIII RMGIC after 1	
	month finished with Rubber tips after 1 week.	154
Figure 46	Photomicrograph of Fuji VIII RMGIC after 1	
T. 4=	month finished with Soflex discs after 24 hours.	155
Figure 47	Photomicrograph of Fuji VIII RMGIC after 1	
T1 40	month finished with Soflex discs after 1 week.	155
Figure 48	Photomicrograph of Fuji VIII RMGIC after 1	
	month finished with finishing abrasive after 24	
	hours.	156

Figure 49	Photomicrograph of Fuji VIII RMGIC after 1	
	month finished with finishing abrasive after 1	
	week.	156
Figure 50	Photomicrograph of Fuji VIII RMGIC after 1	
	month finished with finishing abrasive	
	followed by Coat after 24 hours.	157
Figure 51	Photomicrograph of Fuji VIII RMGIC after 1	
	month finished with finishing abrasive	
	followed by Coat after 1 week.	157
Figure 52	Photomicrograph of Fuji II LC RMGIC after 1	
	month finished with Mylar strip after 24	
	hours.	158
Figure 53	Photomicrograph of Fuji II LC RMGIC after 1	
	month finished with Mylar strip after 1 week.	158
Figure 54	Photomicrograph of Fuji II LC RMGIC after 1	
	month finished with Rubber tips after 24	
	hours.	159
Figure 55	Photomicrograph of Fuji II LC RMGIC after 1	
	month finished with Rubber tips after 1 week.	159
Figure 56	Photomicrograph of Fuji II LC RMGIC after 1	
	month finished with Soflex discs after 24	
	hours.	160
Figure 57	Photomicrograph of Fuji II LC RMGIC after 1	
	month finished with Soflex discs after 1 week.	160
Figure 58	Photomicrograph of Fuji II LC RMGIC after 1	
	month finished with Finishing abrasive after	
	24 hours.	161

Figure 59	Photomicrograph of Fuji II LC RMGIC after 1	
	month finished with Finishing abrasive after 1	
	week.	161
Figure 60	Photomicrograph of Fuji II LC RMGIC after 1	
	month finished with Finishing abrasive	
	followed by coat after 24 hours.	162
Figure 61	Photomicrograph of Fuji II LC RMGIC after 1	
	month finished with Finishing abrasive	
	followed by coat after 1 week.	162
Figure 62	Photomicrograph of Ketac nano RMGIC after	
	1 month finished with Mylar strip after 24	
	hours.	163
Figure 63	Photomicrograph of Ketac nano RMGIC after	
	1 month finished with Mylar strip after 1	
	week.	163
Figure 64	Photomicrograph of Ketac nano RMGIC after	
	1 month finished with Rubber tips after 24	
	hours.	164
Figure 65	Photomicrograph of Ketac nano RMGIC	
	after 1 month finished with Rubber tips	
	after 1 week.	164
Figure 66	Photomicrograph of Ketac nano RMGIC after	
	1 month finished with Soflex discs after 24	
	hours.	165
Figure 67	Photomicrograph of Ketac nano RMGIC after	
	1 month finished with Soflex discs after 1	
	week.	165