PARTIAL PURIFICATION AND BIOCHEMICAL STUDIES OF A COAGULANT ACTIVITY OF NAJA HAJE VENOM

Thesis

Submitted For Partial Fulfilment Of Master Degree In Biochemistry

By

Faida Ibrahim Abdel Moteleb M.B., B.Ch.

612.115 F. I

Supervisors


Prof. Dr. Rashwan Mohamed Farag Professor Of Biochemistry Ain Shams University

5018

Dr. Kamelia Ahmed Zaky Assistant Professor Of Biochemistry Ain Shams University

> Faculty of Medicine Ain Shams University 1994







EXAMINERS

First Examiner :

Second Examiner:

Third Examiner :

Dedicated To My Family and Husband

ACKNOWLEDGEMENT

I wish to thank *Prof. Dr. Mohamed Farid El-Asmar*, Professor of Biochemistry and Head of the Research Unit of Natural Toxins, Faculty of Medicine, Ain Shams University, for offering me the opportunity to work in this field of research under his supervision and suggesting the subject of this thesis and for his generous cooperation throughout the entire work.

My thanks are likewise due to *Prof. Dr. Rashwan Mohamed Farag*, Professor of Biochemistry, Faculty of Medicine, Ain Shams University, for his keen supervision and continous assistance throughout the work.

I am greatly indebted and much obliged to the kindness of **Dr. Kamelia Ahmed Zaky**, Assistant Professor of Biochemistry, Faculty of Medicine, Ain Shams University, for her alert supervision and encouragement all through this work.

Many thanks are due to *Dr. Hanaa El-Tayeb Nasser*, Assistant Professor of Biochemistry, Faculty of Medicine, Ain Shams University, for her contribution in completing this work.

Many thanks must also extend to all the members of the Biochemistry Department, Faculty of Medicine, Ain Shams University, for their support.

CONTENTS

	Page
LIST OF TABLES	I
LIST OF FIGURES	IV
ABBREVIATIONS	VI
AIM OF THE WORK	1
INTRODUCTION	2
. Snake Venoms	2
 Introduction to blood coagulation 	13
 Snake venoms and blood coagulation 	22
MATERIALS AND METHODS	35
• Crude venom, chemicals and instruments	35
 Estimation of the coagulant activity of the Naja haj 	e
crude venom:	37
A- Plasma recalcification time	37
	39
B- Fibrinogen clotting timePurification of the crude Naja haje venom:	40
	40
I- Gel filtration II- Refractionation of the coagulant fraction I (FI)	
obtained from Sephadex G-75 column on DEAE	
Sephadex A50.	44

CONTENTS (Cont'd)

		Page
•	Testing the purity of the "FId" (Disc gel	
	electrophoresis) From DEAE Sephadex A50	48
•	Proteolytic activity of the crude Naja haje venom,	
	"FI" and FId".	50
•	Proteolytic activity of the crude Naja haje	
	venom and "FId" using fibrin as a substrtate	
	(Fibrinolytic activity)	53
•	Effect of some inhibitors on the coagulant	
	activity of "FId".	54
•	Effect of coagulant fraction "FId"on plasma	
	deficient factors.	55
•	Determination of PLA ₂ activity	56
•	Standard curve for PLA ₂	57
•	Estimation of PLA ₂ activity of the crude Naja	
	haje venom, "FI" and "FId".	58

CONTENTS (Cont'd)

	Page
• Detection of arginine esterase activity of the crude <i>Naja haje</i> venom "FI" and "FId".	59
• Effect of crude Naja haje venom and "FId"	
on platelet aggregation	61
• Neutralization of the coagulant activity of "Fld"	63
• Immunodiffusion on cellulose acetate strips	64
RESULTS	65
DISCUSSION	98
SUMMARY	105
REFERENCES	108
ARABIC SUMMARY	

LIST OF TABLES

	Page
Table (1):	
Effect of different concentrations of crude Naja haje	
venom on plasma recalcification time.	65
Table (2) :	-
Effect of incubation of different concentrations of	
crude <i>Naje haje</i> venom on fibrinogen.	67
Table (3):	
Estimation of the coagulant activity of the fractions	
obtained from fractionation of crude Naja haje	
venom on Sephadex G-75 column "Plasma	
recalcification time" before concentration	
by amicon.	69
Γable (4) :	
"A": Effect of "FI" on plasma recalcification time.	71
Γable (5) :	
"B": Effect of incubation of "FI" on "fibrinogen".	72

	Page
Table (6):	
Estimation of the coagulant activity of the obtained	
fractions from fractionation of "FI" on DEAE	
Sephadex A50 after concentration of the fractions	
by lyophilizer.	74
Table (7):	
Effect of different concentrations of "Fld"	
on plasma recalcification time.	75
Table (8):	
Effect of incubation of "FId" on "Fibrinogen".	78
Table (9):	
Proteolytic activity of the crude Naja haje venom, "FI"	
and "FId" using; casein, albumin, fibrinogen and	
gelatin as substrates.	80
Table (10) :	
Effect of some inhibitors on coagulant activity of	
"FId" as tested by plasma recalcification time.	82
Table (11) :	
Effect of "FId" on coagulation of human plasma	
deficient in some coagulation factors : Plasma	
deficient in factors V, IX and X were tested in the	
absence and presence of coagulant fraction "FId".	85

Table (12) :	Page
Phospholipase A_2 (PLA $_2$) activity of crude Naja haje venom, "FI" and "FId".	88
Table (13):	
Neutralization of the coagulant activity of "FId" by	
polyvalent Egyptian antivenin as tested by	
"plasma recalcification time"	96

LIST OF FIGURES

	Page
Fig. (1):	
Schematic representation of the interaction	
between blood vessels, blood platelets and	
blood coagulation factors.	14
Fig. (2):	
The mechanisms of action of snake venom	
principles affecting blood coagulation and	
platelet aggregation.	24
Fig. (3):	
Fractionation of Naja haje crude venom on	
Sephadex G-75.	68
Fig. (4):	
Ion exchange chromatography of "FI" on DEA	AE Sephadex
A50 column (1.2 X 20 cm).	73
Fig. (5):	
Effect of different concentrations of "Fld" on	
plasma recalcification time.	76
Fig. (6):	
Disc gel electrophoresis of "FId".	79

	Page
Fig. (7):	
Effect of the crude Naja haje venom and "FId"	
on the hydrolysis of "Fibrin" as detected by	
fibrin plate method.	81
Fig. (8):	
Effect of some inhibitors on "FId" coagulant activity.	83
Fig. (9):	00
Standard curve for lecithin.	87
Fig. (10):	07
Effect of ADP on aggregation of human platelets.	91
Fig. (11):	71
Effect of crude Naja haje venom on aggregation	
of human platelets.	92
Fig. (12):	92
Effect of "FId" on aggregation of human platelets.	93
Fig. (13):	93
Effect of "Fld" followed by ADP on aggregation	
of human platelets.	0.4
Fig. (14):	94
Effect of crude venom followed by ADP on	
aggregation of human platelets.	0
Fig. (15):	95
Immunodiffusion on cellulose acetate strips.	97