Institute of Environmental Studies and Research Ain Shams University

ENVIRONMENTAL STUDIES ON REARING OF SYNODONTIS SCHALL, BL. Schn.

THESIS
Submitted to

Institute of Environmental Studies and Research, Ain Shams University, Cairo for the Ph.D. Degree

By Mamdouh Thabet Kheir

Assistant Teacher, National Institute of Oceanography and Fisheries, Cairo.

SUPERVISED BY

Prof. Dr. A. Kamel Mohamed

Professor Of Zoology, Faculty of Science, Ain-Shams University Cairo.

Dr. W.D. Labib.

Assistant Professor of Fish Culture, Institute of Oceanography and Fisheries Cairo.

Prof. Dr. A. M. Eisawy

Professor of Fish Culture, Institute of Oceanography and Fisheries, Cairo.

Dr. A.A. Hassan

Lecturer of Zoology, Faculty of Science Ain Shams University Cairo.

1993

ACKNOWLEDGEMENT

I am obliged to **Prof. Dr. A. Kamel,** Professor of Zoology, Faculty of Science, Ain Shams University, under whose supervision this work was carried out. I am greatly indebted to him for his keen review and criticism of the manuscript.

I wish to express my gratitude and appreciation to Prof. dr. A.M. Eisawy, Professor of Fish Culture, and Dr. W.D. Labib, Assistant Professor of Fish ulture, National Institute of Oceanography and Fisheries for suggesting the study, their valuable advice and continuous encouragement throughout the whole work.

I wish to express my thanks to dr. A.M. Abu El Ezz, Assistant Professor, National Institute of Oceanography and Fisheries, and Dr. A.A. Hassan, Lecturer of Zoology, Faculty of Science, Ain Shams University for their help in this study.

My sincere thanks to all staff of National Institute of Oceanography and Fisheries for the facilities and useful help they offered during the work.



<u>Contents</u>

		Page
I-INTRODU	CTION	1
II-HISTORI	CAL REVIEW	5
III- MATERIA	L AND METHODS	10
A- Area	a of Investigation	10
B- Rive	er Nile Environment	13
C~ Env	ironmental Studies	14
D- Bic	logical Studies	17
E- Expe	erimental Feeding	25
F- Mon	thly Composition of Fish Muscles	2.7
IV- GENUS S	SYNODONTIS	30
V-RIVER N	NILE ENVIRORMENT	33
1) Some	e Hydrographic Features	33
<u> </u>	Temperature	33
B -	Chlorosity	33
C -	pH values	33
D-	Dissolved oxygen	36
E-	Nutrient Salts	36
2) Bio	ta	38
<u> 74</u> –	Phytoplankton	3 8
B -	Zooplankton	43
C -	Benthic Organisms	47
VI-TENVIRO	NMENTAL STUDIES	52
A- Eff	ect of salinity on <u>Synodontis</u> <u>schall</u>	. 52
B- Eff	fect of pH on Sympodontis schall	. 52
ο τ€f	seat of temperature on Sympoontis schall	. 54

		Page
VII-BIO	LOGY OF SYNODONTIS SCHALL	58
1-AGE	AND GROWTH	58
A -	Use of vertebrae for age determination	59
B-	Time of annulus formation	60
C -	Length distribution of age groups	67
D -	Growth calculations	74
	a- Length-weight relationship	74
	b- Coefficient of condition	76
	c- Growth in length	84
	(i) Body-Length-vertebrae radius relationship	84
	(ii) Back calculation of body length	90
	d- Growth in weight	97
E-	Mathematical models of growth	106
	The mdoel of Bertalanffy	107
	a- Theoretical growth in length	110
	b- Theoretical growth in weight	113
2 -	FOOD AND FEEDING HABITS	115
A -	Relative length of gut	115
B -	Feeding intensity	117
C-	Food analysis	122
	a- Percentage composition	122
	b- Percentage occurrence	122
3 -	REPRODUCTION	135
A -	Maturity stages	135
B -	Monthly distribution of maturity stages	138
C-	Spawning season	141
D-	Gonado-somatic index(G.S.I)	142
E-	Size and age at first sexual maturity	145
		1 4 6

	<u>Page</u>
G- Fecundity	. 148
a- Relation between fecundity and fish length	. 150
b- Relation between fecundity and fish weight	. 151
c- Relation between fecundity and fish age	. 154
VIII-EXPERIMENTAL FEEDING	. 160
1) Water quality of the experimental ponds	. 160
2) Growth in length	. 160
3) Growth in weight	. 162
A- Gain in weight	. 162
B- Food efficiency	. 167
C- Growth rate (G.R.)	. 168
IX- MONTHLY COMPOSITION OF FISH MUSCLES	. 170
A- Water content	170
B- Fat content	. 170
C- Protein content	. 174
D- Ash content	. 177
X- DISCUSSION	. 179
XI - SUMMARY	. 217
XII- REFERENCES	. 225

.

ARABIC SUMMARY

LIST OF TABLES

		Page
Table (1):	Average monthly air and water temperature	
	during the period from March, 1988 to August,	
	1989	34
Table (2):	Average monthly values of chlorosity, pH and	
	dissolved oxygen in the area of investigation during	
	the period from March, 1988 to August, 1989	35
Table (3):	Average seasonal variations of phosphates, Nitrites	
	and Silicates (mg/L) in the area of investigation	37
Table (4):	Seasonal fluctuations of the main phytoplankton	
	groups in the area of investigation (No. org x $10^3/L$)	39
Table (5):	Seasonal fluctuations of zooplankton organisms	
(_,	(average of the three sites) in the area of investiga-	
	tion (No. org/L)	44
Table (6):	Seasonal fluctuations of benthic organisms (average	
(-)	of the three sites) in the area of investigation during	
	1988, 1989. (No. org/m ²)	48
Table (7):	Effect of salinity on survival rate of Synodontis schall	5 0
	for a period of 21 days	53
Table (8):	Effect of different pH levels on survival rate of	
	Synodontis schall for a period of 21 days	55

		Page Page
Table (9):	Monthly average surface water temperature in	
	Barrage fish farm experimental ponds during	
	the period from November, 1989 to October, 1990.	57
Table (10):	Average increment in growth (in micrometer	
	division) of <u>S. schall</u> (combined sexes) of age groups I, II and III	68
Table (11):	Length distribution of age groups of <u>S. schall</u> from the commercial catch	71
Table(12):	The mean observed and calculated weight, (gm.) of S. schall during the period from March, 1988 to August, 1989	77
Table (13):	Variation of condition factor "K" of <u>S. schall</u> according to different lengths	82
Table(14):	Relation between total body length L and vertebrae radius (micrometer division) of <u>Synodontis schall</u>	85
Table (15):	Relationship between age, average total length at capture (cm) and calculated total length at the end of each year of life of male Synodontis schall and percentage of annual increment	91
Table (16)	Relationship between age, average total length at capture (cm) and calculated total length at the end of each year of life of female Synodontis schall and percentage of annual increment	92

]	<u>Page</u>
Table (17):	Relationship between age, total length at capture	
	(cm.) and calculated total length at the end of each	
	year of life of Synodontis schall (combined sexes)	
	and percentage of annual increment	93
Table (18):	Average calculated weights for males Synodontis	
	schall at the end of each year and percentage of	
	annual increment	98
Table (19):	Average calculated weights for females Synodontis	
	schall at the end of each year and percentage of	
	annual increment	99
Table (20):	Average calculated weights of <u>S. schall</u> (combined	
	sexes) in grams at the end of each year and percent-	
	age of annual increment	100
Table (21):	The constants of the Von Bertalanffy equation of	
	Synodontis schall computed by Ford-Walford, Gulland	
	and Holt and Chapman Methods	110
Table (22):	Mean lengths in cm. at different ages of Synodontis	
	schall obtained by vertebral method and from the Von	
	Bertalanffy equation	112
Table (23):	The relative length of the gut at different lengths of	
	Synodontis schall	116
Table (24):	: Monthly variation in the feeding intensity of <u>S. schall</u>	
	of length group 16-30 cms. during the period from	
	March 1988 to August 1989 (Percentage in parenthesis)	11

		Page
Table (25):	Monthly variation in the feeding intensity of <u>S.</u> schall of length group 31-50 cms. during the period from March, 1988 to August, 1989 (Percentage in parenthesis)	119
Table (26):	Monthly variations of food items in the guts of Synodontis schall of length group 16-30 cms	123
Table (27):	Monthly variations of food items in the guts of Synodontis schall of length group 31-50 cms	124
Table (28):	Percentage composition of the food items of <u>S. schall</u> of length group 16-30 cms	125
Table (29):	Percentage composition of the food items of <u>S. schall</u> of length group 31-50 cms	126
Table (30):	Percentage occurrence of foood items in the guts of S. schall of length group 16-30 cms	128
Table (31):	Percentage occurrence of food items in the guts of <u>S.</u> schall of length group 31-50 cms	129
Table (32):	Grading of various groups of the gut contents of Synodontis schall of length group 16-30 cms	133
Table (33):	Grading of various groups of the gut contents of Synodontis schall of length group 31-50 cms	134
Table (34):	Monthly chages in sexual maturity of <u>Synodontis schall</u> (males and females) from march, 1988 to February, 1989 (Percentage in parenthesis)	139

		Page
	Monthly variation of average G.S.I. of Synodontis schall male and female in the Nile during the period from March, 1988 to February, 1989	143
Гable (36):	Length frequency distribution of immature and mature males per length group during the spawning season of <u>Synodontis schall</u> from the River Nile	146
Γable (37):	Length frequency distribution of immature and mature females per length group during the spawning season of Synodontis schall from the	
	River Nile	147
Гable (38):	Monthly sex-ratio (females/males) of Synodontis schall	149
Table (39):	Relation between absolute and relative fecundities and length (cm.) of <u>Synodontis schall</u>	152
Table (40):	Relation between absolute and relative fecundities and weight (gm.) of <u>Synodontis schall</u>	155
Table (41):	Relation between fecundity and age of Synodontis schall	157
Table (42):	Average monthly surface water temperature, pH value and the amount of dissolved oxygen in the two experimental ponds from March to September,	161

		Page Page
Table (43):	Average growth in length (cm.) of <u>Synodontis</u> schall fed on natural and supplementary feed	163
Table (44):	Monthly growth in weight, growth rate (G.R.), food efficiency and gain in weight/fish/day of <u>S.</u> schall (6 fish/ division)	164
Table (45):	Monthly growth in weight, growth rate (G.R.), food efficiency and gain in weight/fish/day of <u>S. schall</u> (12 fish/division)	165
Table (46):	Monthly growth is weight, growth rate (G.R.), food efficiency and gain in weight/fish/day of <u>S. schall</u> (24 fish/division)	166
Table (47):	Monthly variations in water, fat, protein and ash contents of <u>S. schall</u> of length group 16-30 cms	171
Table (48):	Monthly variations in water, fat, protein and ash contents of <u>S. schall</u> of length group 31-50 cms	172
Table (49):	The annual increment in length of <u>Synodontis schall</u> at Khartoum (Cited from Bishai and Abu Gideiri 1965a)	199
Table (50):	Growth in weight and annual increment in weight of Synodontis schall according to the present work and, Bishai and Abu Gideiri (1965a)	201
Table (51):	Sex-ratio of Synodontis schall in Sudan (Cited from	209

LIST OF FIGURES

		Page
Fig. (1):	A map illustrates the area of investigation in the	
	River Nile from Helwan to El Kanater El Khyria	
	(1: 1000000)	11
E' - (0).	Distance of Symodertic scholl Pl (22 cm total	
Fig. (2):	Photograph of <u>Synodontis</u> schall Bl. (32 cm total length)	31
	Tengun/	-
Fig. (3):	Seasonal fluctuations of the main phytoplankton	
3	groups in the area of investigation	40
Fig. (4):	Seasonal fluctuations of the main zooplankton	
	groups in the area of investigation	45
Fig. (5):	Seasonal fluctuations of benthic organisms in the	49
	area of investigation	4.5
Fig. (6):	Photograph of a vertebra of <u>S. schall</u> of age group I	61
1 -g. (0)-		
Fig. (7):	Photograph of a vertebra of S. schall of age group II	62
Fig. (8):	Photograph of a vertebra of <u>S. schall</u> of age group III	63
		2.4
Fig.(9):	Photograph of a vertebra of <u>S. schall</u> of age group IV	64
Esa (10).	Photograph of a vertebra of <u>S. schall</u> of age group V	65
Fig. (10):	Findtograph of a vertebra of <u>6. schan</u> of age group v	•
Fig. (11):	Photograph of a vertebra of <u>S. schall</u> of age group VI	66
 -/•		
Fig. (12):	Average increment of growth of Synodontis schall	
	(combined sexes) of age groups I, II and III	69

		Page
Fig. (13):	Length-weight relationship of males of Synodontis schall in the area of investigation	79
Fig. (14):	Length-weight relationship of female of <u>Synodontis</u> schall in the area of investigation	80
Fig. (15):	Length-weight relationship of <u>Synodontis schall</u> (combined sexes) in the area of investigation	81
Fig. (16):	Body length-vertebrae radius relationship of males of <u>Synodontis schall</u> in the area of investigation	87
Fig. (17):	Body length-vertebrae radius relationship of females of <u>Synodontis</u> schall in the area of investigation	88
Fig.(18):	Body length-vertebrae radius relationship of Synodontis schall (combined sexes) in the area of investigation	89
Fig. (19):	General growth in length and annual increment of growth of males of Synodontis schall	94
Fig. (20):	General growth in length and annual increment of growth of females of Synodontis schall.	95
Fig.(21):	General growth in length and annual increment of growth of <u>Synodontis schall</u> (combined sexes)	96
Fig. (22):	General growth in weight and annual increment of growth of males of Synodontis schall	101

		Page Page
Fig. (23):	General growth in weight and annual increment of growth of females of <u>Synodontis</u> schall	102
Fig. (24):	General growth in weight and annual increment of growth of <u>Synodontis schall</u> (combined sexes)	103
Fig.(25):	Percentage of annual length and weight increments of <u>Synodontis schall</u> (combined sexes)	104
Fig. (26):	Monthly variations in the feeding intensity of <u>Synodontis schall</u> of length groups 16-30 cms and 31-50 cms	120
Fig.(27):	Percentage composition of food items of <u>Synodontis</u> <u>schall</u> of length groups $A = 16-30$ cms and $B = 31-50$ cms	127
Fig. (28):	Percentage occurrence of food items of Synodontis schall of length group 16-30 cms	130
Fig. (29):	Percentage occurrence of food items of Synodontis schall of length group 31-50 cms	131
Fig. (30):	Different maturity stages of males (Testes) and females (Ovaries) of Synodontis schall	137
Fig.(31):	Monthly changes in sexual maturity of Synodontis schall (males and females)	14(
Fig.(32):	Monthly average values of gonado-somatic index G.S.I. of Synodontis schall (Males and females)	144