

STUDY OF ESOPHAGEAL MOTILITY IN PATIENTS WITH CHRONIC RENAL FAILURE

Thesis

*Submitted for Partial Fulfillment of
Master Degree of Internal Medicine*



By

Mohamed Abd El Hameed Abd El Megeed
M.B., B.Ch.

Under Supervision of

Prof. Dr. Ali Monis

Professor of Internal Medicine

Faculty of Medicine - Ain Shams University



Ass. Prof. Dr. Khaled Hemida

Assistant Professor of Internal Medicine

Faculty of Medicine - Ain Shams University

Dr. Wafaa Kamal El-Din Hussein

Lecturer of Internal Medicine

Faculty of Medicine - Ain Shams University

Faculty of Medicine-Ain Shams University

1998



بسم الله الرحمن الرحيم

سنريهم آياتنا في الأفاق و في أنفسهم حتى
يتبين لهم أنه الحق أو لم يكف بربك أنه على
كل شيء شهيد

صدق الله العظيم

فصلت ٥٣

Acknowledgement

First and foremost, I thank ALLAH who gave me the strength to fulfill this work.

I would like to thank Professor Dr. Ali Monis, Professor of Internal medicine, Ain Shams University, for his guidance and continuous encouragement. I consider my self very fortunate to be worked under his supervision.

I wish to thank Professor Dr. Khalid Hemida, Assistant Professor of Internal medicine, Ain Shams University for his utmost support and help during this work.

Also, I would like to thank Dr. Wafaa Kamal El-Din Hussein, Lecturer of Internal medicine, Ain Shams University for her kind help during this work.

Also I would like to thank Professor Dr. Badawy Labib, Professor of Internal medicine, Ain Shams University, and Head of the Dialysis Unit for

his kind support and encouragement during the practical work of this study.

Also, I would like to thank Professor Dr. Gamal Mady, Assistant Professor of Internal Medicine, Ain Shams University for his great cooperation during this work

Many thanks goes to Dr. Rasha Refaii for her experienced support during the practical part of this study.

Finally I would like to extend my thanks to my family and all my colleagues in the Internal Medicine Department, Ain Shams University Hospitals, for their patience, encouragement, and continuous support.

List of Contents

	<i>Page</i>
<i>List of Tables</i>	<i>I</i>
<i>List of Figures</i>	<i>ii</i>
<i>List of Abbreviations</i>	<i>iv</i>
Introduction and Aim of the Work	<i>1</i>
Review of Literature:	
I-Anatomy of the Esophagus	<i>2</i>
II-Physiology of the Esophagus	<i>14</i>
III-Esophageal Motility Study	<i>26</i>
IV-Esophageal Motility Pattern in Healthy Subjects (Manometric Study)	<i>42</i>
V-Motility Disorders of the Esophagus (Definition and Classification)	<i>55</i>
VI-Chronic Renal Failure	<i>58</i>
Subjects and Methods	<i>87</i>
Results	<i>96</i>
Discussion	<i>107</i>
Summary and Conclusion	<i>119</i>
References	<i>120</i>
Arabic Summary	

List of Tables

<i>Tables</i>	<i>Title</i>	<i>Page</i>
Table 1	<i>Substances influencing the LES</i>	<i>21</i>
Table 2	<i>Sex, age, and esophageal symptoms in the three studied groups</i>	<i>97</i>
Table 3	<i>Esophageal examination findings in the three studied groups</i>	<i>98</i>
Table 4	<i>Esophageal examination findings in the patients groups regarding the presence of symptoms</i>	<i>99</i>
Table 5	<i>Laboratory findings in the three studied groups</i>	<i>100</i>
Table 6	<i>Comparison between group I (patients on hemodialysis) and group III (control group)</i>	<i>101</i>
Table 7	<i>Comparison between group II (patients on conservative therapy) and group III (control group)</i>	<i>102</i>
Table 8	<i>Comparison between group I (patients on hemodialysis) and group II (patients on conservative therapy)</i>	<i>103</i>
Table 9	<i>Comparison between symptomatic and asymptomatic subgroups in group I (patients on hemodialysis)</i>	<i>104</i>
Table 10	<i>Comparison between symptomatic and asymptomatic subgroups in group II (patients on conservative therapy)</i>	<i>105</i>
Table 11	<i>Correlation between hypocalcemia and hypotonia In group I</i>	<i>106</i>
Table 12	<i>Correlation between hypocalcemia and hypotonia In group II</i>	<i>106</i>

List of Figures

Figure	Title	Page
Figure 1	<i>Topographic relationships, contours, and normal constrictions of the esophagus. The anatomic structure on the far right represents vertebrae C4 to L3.</i>	5
Figure 2	<i>Esophageal junction</i>	7
Figure 3	<i>Diagram of the two types of esophageal manometry systems currently in use.</i>	30
Figure 4	<i>Normal manometric response to IEBD. With the inflation of the balloon, there is a sustained elevation and manometric baseline proximal to the distending balloon with a distinct absence of activity distal to the balloon. A secondary peristalsis is shown with balloon deflation</i>	37
Figure 5	<i>Abnormal manometric response to IEBD demonstrating distal spasm. In the lead proximal to the distending balloon, a normal elevation in pressure occurs. However, in leads distal to the balloon, repeated simultaneous contractions are noted.</i>	38
Figure 6	<i>A sample manometric measurement of the lower esophageal sphincter. RIP = respiratory inversion point.</i>	44
Figure 7	<i>Measurement of lower esophageal sphincter (LES) resting pressure using the station pull-through and rapid pull-through techniques.</i>	47
Figure 8	<i>Pressure tracing showing spontaneous contraction observed in a healthy volunteer during the 5-min quiet period.</i>	50

List of Figures (iii)

Figure 9	<i>Tracing showing a comparison of esophageal contraction after dry and wet swallows in the same healthy volunteer.</i>	53
Figure 10	<i>Coordination of upper esophageal sphincter.</i>	54
Figure 11	<i>The Motility Laboratory where the present study was conducted</i>	88
Figure 12	<i>The water perfusion catheter which was used in the study</i>	90
Figure 13	<i>A normal manometric study of the LES by three channel catheter</i>	109
Figure 14	<i>A manometric study of the LES in a chronic renal failure patient</i>	110
Figure 15	<i>A normal manometric study of the esophageal body</i>	112
Figure 16	<i>A manometric study of the lower esophageal body in chronic renal failure patient</i>	113

List of Abbreviations

<i>ALT</i>	Alanine aminotransferase
<i>ANA</i>	Anti-nuclear antibody
<i>AST</i>	Aspartate aminotransferase
<i>Ca</i>	Calcium
<i>CRF</i>	Chronic renal failure
<i>ESR</i>	Erythrocyte sedimentation rate
<i>FBS</i>	Fasting blood sugar
<i>IEBD</i>	Intra-esophageal balloon distension
<i>LESP</i>	Lower esophageal sphincter pressure
<i>LESR</i>	Lower esophageal sphincter relaxation
<i>PPBS</i>	Post-prandial blood sugar

