

18-11-14

Static and Dynamic Analysis of
Tall Chimneys

By

Nasr El-Din Mahmoud Abd Alla

Faculty of Engineering

B. Sc. 1979 Structural Division

Ain Shams University

Submitted in partial fulfilment
of the requirements for the degree
of Master of Engineering Science

624-171
N.M.

Faculty of Engineering

Ain Shams University

Cairo, Egypt

February , 1987

S U P E R V I S O R S

Prof.Dr. Aly E. Shaaban

Professor of Civil Engineering Dept.
Ain Shams University.

Prof.Dr. Ahmed A. Korashy

Professor of Civil Engineering Dept.
Ain Shams University

Prof.Dr. Mahmoud G. Hashish

Professor of Civil Engineering Dept.
Ain Shams University.



EXAMINATION COMMITTEE

Prof.Dr. Saafan A. Saafan

Professor of Civil Engineering Dept.

Ain Shams University

S. A. Saafan

Prof.Dr. Mohamed Kasm

Professor of Civil Engineering Dept.

El-Monofiya University.

M. A. Kasse

Prof.Dr. Ahmed A. Korashy

Professor of Civil Engineering Dept.

Ain Shams University

A. Korashy

Prof.Dr. Mahmoud G.Hashish

Professor of Civil Engineering Dept.

Ain Shams University.

M. G. Hashish

ACKNOWLEDGMENT

A C K N O W L E D G E M E N T

The author wishes to thank Prof. Dr. Aly E. Shaaban, Prof. of Civil Engineering, Ain Shams University, Prof. Dr. Mahmoud G. Hashish, Prof. of Civil Engineering, Ain Shams University, and Prof. Dr. Ahmed A. Korashy, Prof. of Civil Engineering, Ain Shams University for their constant guidance, invaluable assistance, and precious advice which have truly helped in bringing this work to a successful end, and to them the author is extremely indebted.

The author is also grateful to Prof. Dr. Kaddah Sh. Kaddah, Prof. of Mechanical Engineering, Ain Shams University for his help in providing data about chimneys.

The author also wishes to extend his thanks to the Staff of the Arab Contractors Co. for their Contributions in the achievement of this research.

CONTENTS

	Page
ABSTRACT	I
CONTENTS.	V
LIST OF FIGURES.	X
LIST OF TABLES.	XIV
NOTATIONS.	XVII

CHAPTER 1 INTRODUCTION

1.1. Function of chimney.	1
1.2. Historical background.	2
1.3. Determination of chimney height and diameter.	7
1.3.1. General.	7
1.3.2. Chimney height and diameter.	8
1.4. Some existing chimneys in Egypt.	11
1.5. Loads.	15
1.6. Methods of analysis.....	24
1.6.1. Static analysis.	24
1.6.2. Dynamic analysis.	24
1.6.3. Dynamic wind response.	25
1.6.4. Seismic response.	27
1.7. Design.	28
1.8. Scope of work.	29

CHAPTER 2 CHIMNEY ACCESSORIES

2.1. Introduction.	33
2.2. Chimney lining.	33
2.2.1. Independent brick lining.	35
2.2.2. Corbel supported brick lining.	39
2.2.3 Concrete lining.	42
2.2.4. Insulated steel lining.	43
2.3. Lightning protection.	48
2.4. Caps.	48

	Page
2.5. Cleanout door.	49
2.6. Ladders and platform.	49
2.7. Aviation-obstruction lights.	50
2.8. Daylight aviation-obstruction marking.	50
 CHAPTER 3	
<u>LOADS</u>	
3.1. General.	51
3.2. Own weight.	51
3.3. Wind load.	53
3.3.1. General.	53
3.3.2. Mean wind pressure.	53
3.3.2.1. Variation of mean wind speed with height.	55
3.3.2.2. Design mean wind speed.	57
3.3.3. Wind pressure coefficient, $\bar{C}_p(z, \theta)$	57
3.3.4. Fluctuating wind pressure, $p'(z, \theta, t)$	65
3.3.5. Codes of practice.	67
3.3.6. Wind loading on a typical chimney.	68
3.4. Earthquake load.	71
3.4.1. Introduction.	71
3.4.2. Earthquake risk in Egypt.	72
3.4.3. Design earthquake load.	77
3.4.3.1. ACI Specifications.	77
3.4.3.2. SEAOC Code as applied to towers and chimneys (56).	79
3.4.4. Application.	81
3.5. Thermal load.	83
 CHAPTER 4	
<u>DYNAMIC ANALYSIS OF TALL CHIMNEYS</u>	
4.1. Introduction.	90
4.2. Stodola method.	91
4.2.1. General.	91
4.2.2. Assumptions.	91
4.2.3. Method of analysis.	92
4.2.4. Convergence to higher modes.	97

	Page
4.2.4.1. Sweeping procedure.	97
4.3. Stodola-Vainello method	100
4.3.1. General.	100
4.3.2. Assumptions.	101
4.3.3. Method of analysis.	102
4.3.3.1. Convergence to the fundamental mode.	109
4.3.4. Axial load effect	114
4.3.5. Computer program	114
4.4. Empirical methods.	115
4.4.1. ACI and SEAOC specification method.	115
4.4.2. Housner and Keightly method.	115
4.4.3. Warren Mitchell method.	118
4.4.4. Hashish method.	121
4.5. Numerical results.	123
4.6. Parametric study.	128
 <u>CHAPTER 5 SEISMIC RESPONSE OF CHIMNEYS</u>	
5.1. Introduction.	133
5.2. Dynamic analysis.	135
5.2.1. Assumptions.	135
5.2.2. Governing differential equations.	135
5.2.3. Time-domain analysis.	138
5.3. Response pseudo-spectra approach.	142
5.4. Rumman method.	145
5.5. Numerical results.	149
 <u>CHAPTER 6 WIND RESPONSE</u>	
6.1. Introduction.	164
6.2. Gust factor approach.	166
6.2.1. Davenport gust factor.	167
6.2.2. Vickery gust factor.	169
6.3. Numerical results.	170

VIII

CHAPTER 7	DESIGN OF R.C. CHIMNEYS	Page
7.1.	Introduction.	181
7.2.	ACI Chimney specifications.	182
7.2.1.	General.	182
7.2.2.	Design loads.	183
7.2.3.	Allowable stresses.	183
7.2.4.	Evaluation of stresses.	187
7.2.4.1.	Stresses in vertical direction due to dead and wind (or earthquake) loads.	187
7.2.4.2.	Stresses due to temperature in both vertical and circumferential directions.	193
7.2.4.3.	Final stresses.	196
7.2.5.	Design requirements.	197
7.2.6.	Application.	203
7.3.	Diver method.	207
7.3.1.	General.	207
7.3.2.	general assumptions.	207
7.3.3.	Design loads.	208
7.3.4.	Allowable stresses.	209
7.3.5.	Design steps.	209
7.3.6.	Tabular arrangement of computations.	223
7.3.7.	Application.	223
7.4.	Effect of wind pressure distribution on ring moments in chimney.	224
7.5.	Design of chimney foundations.	229
7.5.1.	Types of chimney foundations.	229
7.5.2.	Design loads.	230
7.5.3.	Method of analysis.	230
7.5.4.	Annular and circular footing resting on soil.	230
7.5.5.	Circular footing resting on piles.	236
7.5.6.	Application.	242
CHAPTER 8	SUMMARY AND CONCLUSIONS	249

<u>REFERENCES</u>	Page 256
<u>APPENDIX A DESIGN WIND PRESSURE</u>	
A.1 External Mean Wind Speed in Egypt	266
A.2 Swiss Code of Practice	267
A.3 Egyptian Code of Practice	271
<u>APPENDIX B DESIGN CURVES, CHARTS AND TABLES</u>	
B.1 ACI Specifications for Design Curves of R.C. Chimneys	272
B.2 Parameter Defining N.A., Diver Method	279
<u>APPENDIX C EARTHQUAKE IN EGYPT</u>	
C.1 Some Typical Earthquake in Egypt	282
<u>APPENDIX D COMPUTER PROGRAMS</u>	
D.1 Dynamic Characteristics of R.C. Chimneys	285
D.2 Seismic Response of R.C. Chimneys	291

LIST OF FIGURES

No.	Titel	Page
1.1.	Construction of a chimney using slipform..	5
1.2.	Chimneys with square cross-section	6
1.3.	Chimney with circular cross-section	6
1.4.	Sketch of relation between ($H_a \times D_i$) and V_g	12
1.5.	Relation between ($H_a \times D_i$) and V_g	12
1.6.	Cross-section of chimney at Tourah cement factory.	14
1.7.	Some existing chimneys at Tourah cement factory.	17
1.8.	Lining, lining joints, air space and stainless steel sheet lining at the upper part of Suez chimney.	18
1.9.	Section elevation in Suez chimney footing.	20
1.10.	Corbel reinforcement.	21
1.11.	Suez chimney.	22
1.12.	Suez cement factory.	23
2.1.	Brick lining type.	38
2.2.	Corbel supported brick lining.	41
2.3.	Corbel moment.	41
2.4.	Insulation details.	44
2.5.	Base supported liner.	45
2.6.	Top supported liner.	46
3.1.	Wind pressure on chimney.	54
3.2.	Profiles of static speed over terrians of different roughness for a gradient wind speed $U_g = 100$ m/sec.	56
3.3.	Distribution of mean wind pressure coefficient, $\bar{C}_p$ for various chimneys with circular cross-section.	60
3.4.	a- $\bar{C}_p$ for Fawley chimney.	61
3.4.	b- Values for experimental stack.	61
3.4.	c- $\bar{C}_p$ Values for power plant stack.	62

	Page
3.4. Distribution of mean wind pressure coefficient, $\bar{C}_p$ for various chimneys with circular cross-section.	62
3.5. Approximate variations of C_p with R_e for circular cylinder (19).	66
3.6. Seismic regions of Egypt.	76
3.7. Distribution of base shear.	79
3.8. Bending moments.	80
3.9. Bending moment diagram for Suez chimney in ft-kips.	82
3.10. Variation of the temperature in vertical direction.	84
3.11. Variation of temperature in circumferential direction.	84
3.12. Flue gas film coefficient.	88
4.1. Notation of force and deflection.	95
4.2. Conjugate beam loaded by $M(z)/EI(z)$	95
4.3. Schematic diagram.	102
4.4. Schematic diagram for K_{bs} , K'_b , K_{1E} & K_{2s}	113
4.5. Ω_1^2 Values.	117
4.6. Mode of shapes for Suez chimney.	127
5.1. Chimney deflection during earthquake motion.	141
5.2. Linear interpolation of ground motion.	141
5.3. Typical earthquake response spectrum curves (EL CENTRO EARTHQUAKE MAY 18, 1940).	143
5.4. Representation of symbols for seismic analysis. ..	148
5.5. Multiplier J_x for seismic moment.	148
5.6. Time History of Generalized coordinate for Mode 1 & Mode 2, $q_1(t)$ $q_2(t)$ respectively.	154
5.7. Time History of Generalized coordinate for Mode 3 & Mode 4, $q_3(t)$, $q_4(t)$ respectively.	155
5.8. Maximum values of modal bending moment, shear force and lateral displacement for mode 1.	156
5.9. Maximum values of modal bending moment, shear force and lateral displacement for mode 2.	157
5.10. Maximum values of modal bending moment, shear force and lateral displacement for mode 3.	158
5.11. Max. Deflection For Suez Chimney.	160

XII

	Page
5.12. Max. Shearing Force Diagram For Suez Chimney.	160
5.13. Max. Bending Moment Diagram For Suez Chimney.	160
5.14. Maximum Response Components of Suez Chimney According to Peseudo-Spectra Approach.	161
5.15. Bending Moment Diagram For Suez Chimney According to Rumman Method.	163
6.1. Roughness Factor, r_G , Davenport.	171
6.2. Background Excitation Factor, B_G , Davenport.	171
6.3. Gust Energy Ratio, F_G , Davenport.	172
6.4. Size reduction Factor, S_G , Davenport.	172
6.5. Suggested Values of $\frac{2 \sigma_u}{\bar{U} (H)} (=r_G \frac{1 + \beta_G + \alpha}{1 + \beta_G + 2 \alpha})$, Vickery	173
6.6. Background Factor, B_G , Vickery	173
6.7. Size Reduction Factor, Vickery	174
6.8. Gust Energy Factor, F_G , Vickery	174
6.9. Total wind pressure on Suez chimney at Abu-Suwer..	178
6.10. Shearing force diagram on Suez chimney according to Davenport.	179
6.11. Shearing force diagram on Suez chimney according to Vickery.	179
6.12. Bending moment diagram on Suez chimney according to Davenport.	180
6.13. Bending moment diagram on Suez chimney according to Vickery.	180
7.1. Cross-sectional area subjected to bending moment M, and axial force N_1	190
7.2. Section partially subjected to compression.	198
7.3. Section entirely subjected to compression.	198
7.4. Section entirely subjected to tension.	199
7.5. Section partially subjected to tension.	199
7.6. Various sections designed along the chimney height.	202

	Page
7.7. General section in circumferential direction.	211
7.8. general section in vertical direction	211
7.9. Corbel moment.	216
7.10. Circumferential plane.	216
7.11. Vertical plane.	216
7.12. Vertical direction.	219
7.13. Circumferential direction.	219
7.14. Section partially subjected to compression.	221
7.15. Section entirely subjected to compression.	221
7.16. Section entirely subjected to tension.	221
7.17. Tabular design form.	225
7.18. Design of section 3.	226
7.19. Wind pressure coefficients distribution and its corresponding ring moments.	227
7.20. Circular and annular foundations subjected to M & N_1	231
7.21. Positive sign convention	237
7.22. Circular footing resting on piles.	237
7.23. A set of ring loads.	240
7.24. Annular footing subjected to M & N	244
7.25. Radial moment in circular footing.	245
7.26. Tangential moment in circular footing.	245
7.27. Radial moment in annular footing.	246
7.28. Tangential moment in annular footing.	246
7.29. Radial moment due to load condition 1.	247
7.30. Tangential moment due to load condition 1.	247
7.31. Radial moment due to load condition 2.	248
7.32. Tangential moment due to load condition 2.	248