# COLOR DOPPLER ULTRASONOGRAPHY IN DIAGNOSIS OF OCCLUSIVE ARTERIAL DISEASE OF THE LOWER LIMB

#### THESIS

Submitted for Partial Fulfilment of

M.D. Degree in RADIODIAGNOSIS

By

Mohsen Gomaa Hassan

M.B., B, B.Ch.; M. Sc. Radiodiagnosis Faculty of Medicine, Ain Shams University

Supervised By

Prof. Dr. Jannette Boushra Hanna


Professor of Radiodiagnosis
Faculty of Medicine,
Ain Shams University

Dr. Hisham Mahmond Alimed

Assist Prof. of Radiodiagnosis
Faculty of Medicine,
Ain Shams University

Faculty of Medicine
AIN SHAMS UNIVERSITY
(1999)





## Acknowledgement

First and foremost, thanks are due to **GOD** in few grateful words.

I wish to express my heartful and deepest gratitude and respect to **Prof. Dr. Jannette Boushra Hanna**, Professor of Radiodiagnosis, Faculty of Medicine, Ain Shams University, for suggesting and planning this work, and for her kind, continuous encouragement. It was by her continuous meticulous guidance that this work has came to light.

I would like also to express my profound thanks to **Dr. Hisham Mahmoud Ahmed,** Assistant Professor of Radiodiagnosis, Faculty of Medicine, Ain Shams University, for his friendly attitude and kind faithful supervision to complete this work.

I should like also to express my thanks to all my colleagues.

Mohsen Gomaa Hassan

#### **CONTENTS**

	Page
INTRODUCTION AND AIM OF THE WORK	1
REVIEW OF LITERATURE	
- Anatomy of Arterial System of the Lower Limb	3
- Pathological Consideration of Common Occlusive	
Arterial Vascular Diseases of the Lower Limb.	14
- Basic Principles of Doppler Physics	25
- Color Duplex Ultrasonography in Normal and in	
Different Pathological Arterial Lesions.	46
PATIENTS AND METHODS	67
RESULTS	88
ILLUSTRATIVE CASES	107
DISCUSSION	141
SUMMARY AND CONCLUSION	152
REFERENCES	155
ARABIC SUMMARY	

### LIST OF DIAGRAMS

No	Title	Page
1	Schematic diagram of common iliac, internal iliac, external iliac and common femoral	6
	arteries.	
2	Schematic diagram of external iliac, common femoral, superficial femoral and profunda	8
•	femoris arteries.	
3	Schematic diagram of popliteal, anterior tibial, posterior tibial and peroneal arteries	10
4	Doppler effect caused by a moving reflector	28
	toward the transducers causes on upward shift in the frequency of the received signal.	
5	Illustration of Doppler effect	30
6	Sample volume of pulsed Doppler and color	37
	Doppler	
7	Displays of flows by colors	40
8	Systolic acceleration.	54
9	Parameters of circulatory resistance	56

## LIST OF TABLES

No	Title	Page
1	Mean values and standard deviation measured at five different arterial segments	57
2	Criteria for classifying peripheral artery lesions based on duplex scanning with spectral waveform analysis	62
3	Percentage of stenosis using the peak systolic velocity measurements.	80
4	Degree of stenosis in multiple stenotic lesion	81
5	Arteriographic grading of arterial stenosis	87
6	Different age group and sex of the patients involved in the study.	88
7	Different clinical presentation of the patients involved in the study.	89
8	Risk factors	90
9	Different groups involved into the study and number of cases.	91
10	Degree of arterial stenosis by color Doppler manifestation.	92
11	Degree of arterial stenosis in supra inguinal portion by color duplex and arteriography.	93
12	Degree of arterial stensois in infrapopliteal portion.	95

[		
13	Color Doppler ultrasonography correct diagnosis of the degree of arterial stenosis in differ arterial segments.	97
14	Arteriographic results	98
15	Arteriography versus color duplex ultrasonography in diagnosis of more than 50% stenosis (hemodynamically significant stenosis).	100
16	Arteriography versus color duplex ultrasonography in diagnosis of 30% -100 stenosis (normal versus abnormal)	101
17	Arteriography versus color duplex ultrasonography in diagnosis of arterial occlusion.	102
18	Accuracy of color duplex ultrasonography compared with arteriography	103
19	Show (18) patients with arterial graft operation	104
20	Sows (10) patients with arterial aneurysms.	105

### LIST OF FIGURES

No	Title	Page
1	Normal anatomic course of the abdominal aorta and its branches	4
2	Normal anatomic course of the popliteal artery and its branches	9
3	Effects of various ultrasound angles on the measured peak systolic velocities	35
4	Spectral waveform from a normal iliac artery segments	46
5	A-Laminar flow illustration	49
	B- Liminar flow Doppler spectrum.	
6	A-Disturbed flow illustration	50
	B- Minor flow disturbances.	
7	Moderate flow disturbances	52
8	Severe flow disturbances	52
9	Damped waveform	53
10	Flow resistance as indicated by the velocity waveform	55
11	Damped waveform either physiological or pathological	58
12	Local effect of arterial stenosis.	61

_	T	
13	Spectral waveforms of the different stenotic categories	63
14	Arteriovenous fistula	65
15	L.S the aorta and superior mesenteric artery	71
16	L.S. the common iliac, external iliac and internal iliac arteries	71
17	L.S. the common femoral artery, superficial femoral and profunda femories arteries.	73
18	T.S. of the right common femoral art4ery and common femoral veins.	73
19	L.S. of the popliteal artery	74
20	L.S. of the popliteal artery, PTA and ATA	75
21	L.S. of the anterior tibial artery	76
22	Case No. (1): Right common femoral non significant stenosis	108
23	Case No. (2): Right popliteal 50-75% stenosis	111
24	Case No. (3): Left popliteal artery >75% stenosis	113
25	Case No. (4): Left common iliac artery occlusion and left common femoral 50-75% stenosis.	115
26	Case No. (5): Short segment occlusion at left mid superficial femoral artery	118
27	Case No. (6): Left common iliac artery embolic occlusion	121