

Institute of Environmental Studies and Research
Ain Shams University



**THE PROTECTION OF HOUSE ENVIRONMENTS FROM
INSECTICIDES POLLUTION THROUGH A DEVELOPED
INTEGRATED PROGRAMME OF
INSECT CONTROL**

THESIS

Submitted to
Institute of Environmental Studies and Research
Ain Shams University, Cairo for the
Ph.D. Degree

By

ABDEL-MONEM MOSTATAF EL-KHASHAB

Ex-Senior Teacher, Agricultural Education
Ministry of Education.

632.7
A. M

Supervised
BY

Prof. Dr. Ahmed Shoukry Abd El-Aziz
Professor of Entomology
Vice President of Suez Canal University

Prof. Dr. Mohamed Abd El-Megeid
Professor of Pesticides
Fac. of Agriculture
Ain Shams University

Prof. Dr. Samira Bekhit
Ex. Director of Medical Insects Researches,
Dokki, Giza

51769



1996

APPROVAL SHEET

Name of Student: ABD EL-MONEM MOSTAFA EL-KHASHAB
Degree: Ph.D. (Environmental Sciences)
Title of Thesis: The Protection of House Environments from Insecticides
Pollution Through A Developed Integrated Programme of
Insect Control.

This thesis for the Ph.D. degree has been approved by:

.....


.....

.....

.. Committee in Charge

Date: / / 1995










APPROVAL SHEET

Name of Student: ABD EL-MONEM MOSTAFA EL-KHASHAB
Degree: Ph.D. (Environmental Sciences)
Title of Thesis: The Protection of House Environments from Insecticides
Pollution Through A Developed Integrated Programme of
Insect Control.

This thesis for the Ph.D. degree has been approved by:


.....


.....


.....

Committee in Charge

Date: 23/ 11 / 1995

the 1990s, the number of people in the UK who are employed in the public sector has increased by 1.5 million, from 2.5 million in 1980 to 4 million in 1995. The public sector has become a major employer in the UK, and its growth has been a major factor in the overall growth of the economy.

The public sector has also become a major provider of social services, and its growth has been a major factor in the overall growth of the economy. The public sector has become a major provider of social services, and its growth has been a major factor in the overall growth of the economy.

The public sector has also become a major provider of social services, and its growth has been a major factor in the overall growth of the economy. The public sector has become a major provider of social services, and its growth has been a major factor in the overall growth of the economy.

The public sector has also become a major provider of social services, and its growth has been a major factor in the overall growth of the economy. The public sector has become a major provider of social services, and its growth has been a major factor in the overall growth of the economy.

The public sector has also become a major provider of social services, and its growth has been a major factor in the overall growth of the economy. The public sector has become a major provider of social services, and its growth has been a major factor in the overall growth of the economy.

The public sector has also become a major provider of social services, and its growth has been a major factor in the overall growth of the economy. The public sector has become a major provider of social services, and its growth has been a major factor in the overall growth of the economy.

The public sector has also become a major provider of social services, and its growth has been a major factor in the overall growth of the economy. The public sector has become a major provider of social services, and its growth has been a major factor in the overall growth of the economy.

The public sector has also become a major provider of social services, and its growth has been a major factor in the overall growth of the economy. The public sector has become a major provider of social services, and its growth has been a major factor in the overall growth of the economy.

The public sector has also become a major provider of social services, and its growth has been a major factor in the overall growth of the economy. The public sector has become a major provider of social services, and its growth has been a major factor in the overall growth of the economy.

ACKNOWLEDGEMENT

The author gratefully acknowledges the valuable and great advice and help of the supervision committee: Dr. A. Shoukry, Professor of Entomology, and Vice President, Suez Canal University and R. Dr. M. Abd El-Megeid, Professor of Pesticides, Faculty of Agriculture, Ain Shams University for their close supervision during all the years of this research work, as well as reading and correcting the manuscript. I also wish to express my deep appreciation to Dr. S. Bekheit, Professor of Medical Entomology, and Ex-Director of Institute of Medical Entomology, Dokki, Giza for her encouragement and provision of facilities for this investigation and to Dr. M.S. El-Zimeity, Professor of Pesticides, Faculty of Agriculture, Ain Shams University, for his help and advice throughout this work.

The author wishes to express his sincere thanks to Dr. Adel Abdel-Mohsen, Centre of Vectors of Diseases, Ain Sham University, for his sincere continuous help that could not be forgotten.

Thanks are also extended to Prof. Dr. Mohamed El-Zayat, Previous Head of Agr. Environmental Department, Institute of Environmental Studies and Researches and to Prof. Abd El-Azeem Hamdy, present vice dean of the Institute for their continuous encouragement, help and supervision.

To the Memory of

Prof. Dr. M.M. Hosny

Late Professor of Entomology and Dean of Environ. Sci. & Research Institute, Ain Shams University, at whose suggestions, this work was undertaken, supervised and whose encouragement and assistance were a constant source of inspiration.

TABLE OF CONTENTS

	Page
<i>INTRODUCTION</i>	1
<i>REVIEW OF LITERATURE</i>	7
<i>MATERIAL AND METHODS</i>	48
<i>RESULTS AND DISCUSSION</i>	111
<i>GENERAL CONCLUSION AND RECOMMENDATION</i>	231
<i>SUMMARY</i>	234
<i>REFERENCES</i>	237
<i>ARABIC SUMMARY.</i>	

Thanks are also extended to Prof. Dr. Abd El-Al Farag, Prof. Dr. Wahid Saleh and Dr. M.B. El-Bishry, Plant Protection Research Institute, Ministry of Agriculture for their sincere advice and generous help.

Sincere thanks for Dr. Hamadah El-Khalafawi, Assistant Director of Aro-Misr Company, Talbia, Giza, for his fundamental and continuous role in this research work.

LIST OF TABLES

Table	Page
(1) Indoor field seasonal activity of household insects in Helwan area in 1987	112
(2) Indoor field 24 daily activities study of household insects in Helwan area in 1988	112
(3) Field studies of the effect of light strength (sun and electric) on household insect activities, in Helwan Hamamat area, on three following days of September, 1988	116
(4) Field study of the effect of sounds (metallic & non metallic) on some household insects in Helwan Hamamat, Cairo in 12, 13/9/1988, from 11 p.m.	116
(5) A field experiment for studying the effectiveness and applicability of household insects mechanical control by modified hand bats, from 27 July up to 11 August 1988 in Helwan Hamamat (all over the 24 daily hours) during activity (in all rooms of the house), Cairo	123
(6) Indoor and outdoor attraction of different household insects to fermented sugar mixture (Helwan, Summer, 1988)	128
(7) Attraction of adult houseflies to different baits (Helwan, Summer, 1988)	128
(8) The effect of colour in attraction of adult house flies, to fermented sugar (Helwan, Summer, 1988) ...	128
(9) Laboratory study for different houseflies attractants efficiency	128
(10) Evaluation of some attractant factors for houseflies (during April)	128
(11) Laboratory study for houseflies attractance behaviour to the same natural attractive food mixture ..	134
(12) The indirect attractant trace effect of the same attractant mixture to both houseflies and big ants ..	134
(13) Laboratory study for evaluation of different concentrations of Barnoof plant powder water emulsions, as attractant and insecticide against mosquitoes ..	135
(14) Laboratory study for evaluation of the sticky attractant concentrated mixture (75 % Barnoof) as an attractant and insecticide against mosquitoes, houseflies, and big ants	137
(15) Evaluation of some natural economic attractive formulated insecticidal mixtures (20 grams) against the 4 common household insects	137
(16) Laboratory comparative study for determination of AC ₅₀ , AC ₉₀ , LC ₅₀ and LC ₉₀ of the attractant sticky formulated different concentration mixtures to some household common insects (and AT ₅₀ , AT ₉₀ , LT ₅₀ and LT ₉₀)	139

LIST OF TABLES : Cont'd.

Table	Page
(17) A laboratory comparative study for determination of AT_{50} , LT_{90} , LT_{50} , LT_{90} of the same attractive sticky concentrated mixture (100 %) to the same common household insect	140
(18) A- A laboratory comparative study for determination of AD_{90} , AD_{50} of the same attractive sticky mixture (50 % conc.) on the same four common household insects after 30 minutes	142
(18) B- The percented number of different insects that have crossed or reached the following distances after 30 minutes (to get AD_{90})	142
(19) Laboratory study for determination of the instant repellence of green mint plant in normal household attractive food against different household insects	144
(20) A & B- Laboratory study for determination of RC_{50} and RC_{90} of dried natural mint and clove plants grinded powders, against four common household insects in normal household attractive food, and in stored wheat grains	144
(21) Laboratory comparative study of the insect repellent (after 5 min.) effect of the different concentrations of some natural oils on biting mosquitoes during Summer 1994	145
(22) Laboratory comparative study of the residual repellent effect of different conc. of some promising natural oils on biting mosquitoes (on water washed parts of skin) during 3 days period during summer 1994	147
(23) Laboratory comparative study of the instant residual repellent effect of different conc. of some promising natural oils on biting mosquitoes (on non-washed skin) during 3 following days of Summer 1994	147
(24) Laboratory comparative study of the repellence of the continuous accumulated deposit of Jasmine scent oil, concentrated treatment (50 % per exposed area, or 20 per million in volume), on different surfaces (or in material) during Summer 1994	149
(25) Laboratory study of determination of instant RC_{90} & RC_{100} of different natural oils (Jasm., clove, citronella and sesame oils) with different very diluted concentration (50, 25, 10 and 5 ppm per volume) against cockroaches and mosquitoes (<i>C. pipiens</i>) ...	149
(26) Laboratory study for determination of RT_{90} of Jasm. oil (5 ppm conc.) against mosq. (<i>C.p.</i>) and cockroaches (<i>F. am.</i>)	151

LIST OF TABLES : Cont'd.

Table	Page
(27) Laboratory study for determination of RD ₅₀ and RD ₉₀ of mint and sesame oils, and their mixtures (5 ppm), (1 % conc.) during 5 minutes duration period against rice weevil, bed bugs and head lice	152
(28) Laboratory study for determination of RD ₅₀ , RD ₉₀ of different scent oils against different household insects (mosquitoes & houseflies)	154
(29) Laboratory comparative study for the repellent residue of Jasm. oil and Rihan oil on different clothes after normal exposure to traditional laundry washing and drying	154
(30) The repellent effect of different natural chemicals and sugar mixtures against houseflies and ants (Helwan, September, 1988)	157
(31) The repellent effect of different natural oils against adult houseflies (May, 1989; Helwan area)	157
(32) Field study of the repellent effect of some sesame scent mixtures against houseflies and ants when added to normal attractive sugar food in Summer, 1989, Helwan area	163
(33) The repellent effect of sesame Jasm. oils mixture (1 : 1) against houseflies and mosquitoes when used as body lotion (Helwan area, Summer 1989)	163
(34) The repellent effect of sesame oil scented seeds residue waste against houseflies and mosquitoes when used as indoor fumigant (Helwan area, Summer 1989)	163
(35) Field outdoor study of the repellent effect of Jasm. sesame oil mixture in different concentrations against houseflies (Helwan area, 1989)	166
(36) The repellent effect and residue of Jasm. oil and its oil mixtures on different surfaces against houseflies	166
(37) A laboratory comparative study for the repellent residue of scent oils and its mixture with sesame (1 : 1), in stored household material against different household insects	169
(38) Field comparative study of the instant repellent effect of Jasm. oil applied from different nozzles, against houseflies during Summer, 1994	170
(39) 7 days field implementation study, for evaluation of diluted Jasm. oil (1 % conc. WHO per area) repellency, against household ants and roaches (different species and locations) in Summer 1994 (Helwan Cairo)	170

LIST OF TABLES : Cont'd.

Table	Page
(40) 3 months field implementation study, for evaluation of Jasm. oil residual repellent effect (conc. 10 %, WHO per area) against household ants and roaches (different species and locations) in Summaer 1994 (Helwan, Cairo)	172
(41) Three months field implementation study for evaluation of instant and residual effect of Jasm. oil (10 % of WHO conc.) against our two household common ants (big carpenter or tree ants <i>Componotus maculatus</i> , and small ants, <i>Monomorpus pharoensis</i>)	173
(42) The repellent effects of different concentrations of Jasminium oil in sugar solution against adult houseflies (Helwan area; May, 1989)	175
(43) A laboratory study for houseflies repellence behaviour in the following daily treatments with Jasm. oil (1 ppm conc.)	175
(44) Laboratory study for the indirect trace repellent effect of our four wide spread scent oils against mosquitoes	175
(45) Field study for indirect trace residual repellent effect of Jasm. scent oil on different parts of human body	179
(46) Field study of the distant repellent effect of Jasm. scent oil, and its mixture (1 : 1) from human treated body (hand) against mosquitoes and houseflies	179
(47) One year continuous, instant and residual auto repellent effect of the scent Jasm. oil, against household insects in the dining room (room no. 2) ..	181
(48) Field study for the continuous repellent direct indoor effect of Jasm. & sesame oil mixture (1 : 1) for 3 following years for household insects repellent eradication	183
(49) Field study for indirect distant repellent effect of Jasm. & sesame oil mixture (1 : 1) in the indoor and outdoor adjacent surrounding, during the same 3 following years	185
(50) Laboratory comparative study for determination of LC ₅₀ , LC ₉₀ of mint and clove natural plants powder to houseflies larvae in traditional Egyptian white cheese	187
(51) Laboratory study of the insecticidal effect of different natural oils against fleas	187
(52) Laboratory study of the insecticidal effect of different natural oils against mosquitoes	187