

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

SOME RECENT APPROACHES TO TRANSDERMAL DRUG DELIVERY SYSTEMS (TDDS) AND THEIR EVALUATION

A Thesis

**Presented to the Dept. of Industrial Pharmacy,
Faculty of Pharmacy, Alexandria University
In the partial fulfillment
of the requirements for the Degree**

**of
Doctor of Philosophy**

In

**Pharmaceutical Science
(Industrial Pharmacy)**

By

Wael Mahmoud Samy Abo El-Fotoh

(2006)

Supervisory Committee

Prof. Dr.
**Adel Mohamed
Motawi**

Professor of Industrial
Pharmacy, Alexandria
University, Alexandria
Egypt

Prof. Dr.
**Mohamed Adel
El-Egaky**

Professor of Industrial
Pharmacy, Alexandria
University, Alexandria
Egypt

Prof. Dr.
**Nazik Abd El-Latif
El-Gindy**

Professor of Industrial
Pharmacy, Alexandria
University, Alexandria
Egypt

Dedicated to

*The memory of my MOTHER to whom I owe everything
in my life.*

With deepest love and gratitude.

ACKNOWLEDGMENT

I would like to express my deepest appreciation to Prof. Dr. **Nazik Abd El-Latif El-Gindy** Professor of Industrial Pharmacy, Faculty of Pharmacy, Alexandria University, for her instructive supervision and constructive suggestions. I would also like to thank her for her patience with me throughout my work

I would like to express a special gratitude for Prof. Dr. **Adel Motawi** Professor of Industrial Pharmacy, Faculty of Pharmacy, Alexandria University, for his instructive supervision and support.

I would like to express my sincere gratitude to Prof. Dr. **Mohamed Adel El-Egaky**, Professor of Industrial Pharmacy, Faculty of Pharmacy, Alexandria University, for his guidance and willing assistance.

I would like to express my thanks for the staff of the Industrial Pharmacy Department, Faculty of Pharmacy, Alexandria University for their kind assistance.

Finally I would like to thank my wife and my family for their support, patience and encouragement.

TABLE OF CONTENT

ACKNOWLEDGEMENT	i
TABLE OF CONTENTS	ii
LIST OF TABLES	viii
LIST OF FIGURES	xi
INTRODUCTION	
1. Skin Histology	1
1.1. The Epidermis	1
1.2. The Dermis	5
1.3. The Hypodermis	5
2. Skin Effect on Transdermal Drug Delivery	5
2.1. Skin Condition	5
2.2. Regional Skin Sites	6
2.3. Skin Enzymes	6
2.4. Skin Circulation	6
2.5. Species Variations	7
3. Other Factors Affecting Transdermal Drug Delivery	7
3.1. Drug-related Factors	7
3.1.1. Partition Coefficient	7
3.1.2. Degree of Ionization	8
3.1.3. Molecular Weight	8
3.1.4. Chemical Structure	9
3.2. Vehicle-related Factors	9
4. Theory of Diffusion Across the Skin	10
5. Enhancement of Transdermal Permeation	11
5.1. Physical Enhancement	11
5.1.1. Sonophoresis	11
5.1.2. Iontophoresis	12
5.1.3. Electroporation	12

5.1.4. Microneedles	16
5.1.5. Other Skin Piercing Methods	16
5.2. Chemical Enhancement	18
5.2.1. The Use of Permeation Enhancers	18
5.2.2. Alteration of the Vehicle	20
5.3. Biological Enhancement	21
5.3.1. Use of Prodrugs	21
5.3.2. Use of Protease Inhibitors	22
6. Types of Transdermal Drug Delivery Systems (TDDS)	22
6.1. Adhesive Dispersion Type TDDS	22
6.2. Matrix Diffusion-controlled TDDS	23
6.3. Membrane Permeation-controlled TDDS	23
6.4. Micro-reservoir Dissolution-controlled TDDS	25
7. Pros and Cons of Using the Transdermal Route	26
<u>PART (I)</u>	
INTRODUCTION	28
EXPERIMENTAL	30
1. Materials	30
2. Equipment	30
3. Method	30
3.1. Preparation of Eudragit Films	30
3.1.1. Plain Films	30
3.1.2. Plasticized Films	30
3.1.3. Plasticized Cross-linked Films	30
3.2. Evaluation of Mechanical Properties of the Films	31
3.2.1. Thickness, Elongation and Tensile Strength	31

3.2.2. Adhesion Evaluation	33
3.2.2.1. Thumb Tack Test	33
3.2.2.2. Peel Adhesion 180° Test	33
3.3. Moisture Effect	33
3.3.1. Water Vapor Transmission of the Films	33
3.3.2. Film Hydration	33
3.4. Estimation of Possible Polymer/Additive Interaction	34
3.4.1. Thermal Analysis of the Films	34
3.4.2. IR Spectroscopy	34
RESULTS AND DISCUSSION	
1. Effect of Plasticizers	35
1.1. Mechanical Properties	35
1.2. Adhesive Properties	43
2. Effect of Cross-linker/Plasticizer Combinations	46
2.1. Mechanical Properties	46
2.1.1. Effect of Cross-linker/DBP Combinations	47
2.1.2. Effect of Cross-linker/DEP Combinations	55
2.1.3. Effect of Cross-linker/triacetin Combinations	62
2.2. Adhesive Properties	69
2.2.1. Thumb Tack Test	69
2.2.2. Peel Adhesion 180° Test	69
3. Moisture Effect	71
3.3.1. Water Vapor Transmission Through Films	71
3.3.2. Moisture Uptake	71
4. Thermal Analysis of the Films	74
4.1. Differential Scanning Calorimetry	74
4.1.1. Effect of Plasticizers	74
4.1.2. Effect of Cross-linkers	83
4.2. IR Spectroscopy	83

<u>PART (II)</u>	
<u>Chapter (I)</u>	
INTRODUCTION	89
EXPERIMENTAL	93
1. Materials	93
2. Equipment	93
3. Method	93
3.1. Method of Assay	93
3.2. Determination of the Equilibrium Time of Testosterone Solubility	94
3.3. Effect of Different Excipients on Testosterone Solubility	94
3.4. Estimation of Testosterone Solubility in the Matrix	94
3.5. Preparation of Film-based Testosterone Patches	95
3.5.1. Adhesive Dispersion Patch Preparation	95
3.5.2. Estimation of Drug Content	95
3.5.3. In-vitro Testosterone Release	95
3.5.4. Ex-vivo Testosterone Release	96
3.5.5. Effect of Drug Loading	96
3.5.6. Effect of Chemical Enhancers	96
3.5.6.1. Effect of Surfactants	96
3.5.6.2. Effect of Secondary Polymers	97
3.5.6.3. Effect of Succinic Acid Cross-linker	97
3.5.6.4. Effect of Terpene Enhancers	97
3.5.7. Effect of Physical Enhancement	97
3.5.7.1. Effect of Sonication	97
3.5.7.2. Effect of Electric Current	97
3.5.8. Effect of Adhesive and Micro-porous Membrane	98
3.6. Preparation of Gel-based TDDS	98
3.6.1. Preparation of the Gel Reservoir	98
3.6.2. Estimation of Drug Content	99

3.6.3. In-vitro Drug Release	99
3.6.4. Ex-vivo Drug Release	99
3.6.5. Effect of Surfactants	99
3.6.6. Effect of Terpene Enhancers	99
3.6.7. Effect of Electric Current	99
RESULTS AND DISCUSSION	
1. Spectrophotometric Assay	100
2. Solubility Studies	100
3. Estimation of Testosterone Solubility in the Matrix	102
4. Drug Content of the Prepared TDDS	102
5. Effect of Drug Loading	102
6. Effect of Permeation Enhancers	105
7. Effect of Secondary Polymers	114
8. Effect of Cross-linker	119
9. Effect of Terpene Enhancers	122
10. Effect of Sonication	125
11. Effect of Electric Current	128
12. Effect of Adhesive and Micro-porous Membrane	131
13. Gel-based TDDS	134
13.1. Effect of Chemical Enhancers	134
13.2. Effect of Terpenes	137
13.3. Effect of Electric Current	141
<u>Chapter (II)</u>	
INTRODUCTION	143
EXPERIMENTAL	144

1. Materials	144
2. Method	144
2.1. Skin Irritation Test	144
2.2. In-vivo Testosterone Release	144
2.2.1. Animal Preparation	145
2.2.2. Patch Application	145
2.2.3. Hormone Assay	145
2.2.4. Statistical Analysis of Data	145
RESULTS AND DISCUSSION	146
1. Skin Irritation	146
2. In-vivo Testosterone Release from the Prepared TDDS	146
2.1. Film-based TDDS	151
2.2. Gel-based TDDS	155
SUMMARY	163
REFERENCES	172

LIST OF TABLES

Table (I): Polymers classification according to their mechanical properties	37
--	-----------

Table (II): Effect of different plasticizers concentrations on the mechanical properties of Eudragit E-100 films	39
---	-----------

Table (III): Ranking of Film Tack According to Thumb Tack Method	44
---	-----------

Table (IV): Effect of DBP plasticizer concentrations on the mechanical properties of Eudragit E-100 films containing succinic or citric acids cross-linkers.....	49
---	-----------

Table (V): Effect of DEP plasticizer concentrations on the mechanical properties of Eudragit E-100 films containing succinic or citric acids cross-linkers.....	58
--	-----------

Table (VI): Effect of triacetin plasticizer concentrations on the mechanical properties of Eudragit E-100 films containing succinic or citric acids cross-linkers.....	67
---	-----------

Table (VII): Effect of plasticizers type and concentration on water permeability of Eudragit E-100 films at 75 % RH.....	72
---	-----------

Table (VIII): Melting enthalpy (ΔH) values for Eudragit E-100 containing different plasticizers.....	83
--	-----------

Table (IX): Effect of different excipients on testosterone solubility at 25°C.....	101
---	------------

Table (X): Testosterone flux, release rate constant and diffusion coefficient from adhesive

dispersion- type TDDS containing 1% w/w Span 85 and different testosterone loads using a synthetic membrane.....106

Table (XI): Effect of different permeation enhancers on the flux, release rate constant, diffusion coefficient and permeability coefficient of testosterone from film type

TDDS using a synthetic membrane.....111

Table (XII): Effect of different permeation enhancers on the flux, release rate constant, diffusion coefficient and permeability coefficient of testosterone from film type

TDDS using synthetic and biological membranes.....113

Table (XIII): Effect of secondary polymer on testosterone flux, release rate constant, diffusion coefficient and permeability coefficient from film type TDDS

containing 1% w/w Span 85 using a biological membrane.....118

Table (XIV): Effect of succinic acid cross-linker concentration on testosterone flux, release

rate constant, diffusion coefficient and permeability coefficient from film type

TDDS using synthetic and biological membranes.....121

Table (XV): Effect of terpene enhancers on the flux, release rate constant, diffusion coefficient and permeability coefficient of testosterone from film type TDDS using a biological membrane.....	126
Table (XVI): Effect of sonication on testosterone release from film type TDDS containing 1% w/w Span 85 at different temperatures.....	129
Table (XVII): Effect of patch type on testosterone flux and release rate constant from film-based TDDS using a biological membranes.....	132
Table (XVIII): Effect of different permeation enhancers on the flux and release rate constant of testosterone from gel-based TDDS using synthetic and biological membranes.....	139
Table (XIX): Effect of terpene enhancers on the flux and release rate constant of testosterone from gel type TDDS using synthetic and biological membranes.....	140
Table (XX): Draize scale for assessment of skin irritation.....	147
Table (XXI): Skin Irritation test for Eudragit E-100 Films in rabbits.....	148
Table (XXII): Skin Irritation test in rats for Eudragit E-100 film type TDDS for 48 hours.....	149

Table (XXIII): Skin Irritation test in humans after exposure to placebo Eudragit E-100 films with Acronal layer for 24 hours.....	150
---	-----

Table (XXIV): Bioavailability parameters of different film and gel- based TDDS of testosterone.....	156
---	-----

LIST OF FIGURES

Figure (1): Diagrammatic representation for the skin structure and processes of percutaneous absorption and transdermal delivery.....	2
Figure (2): Components of the epidermis and dermis of human skin.....	3
Figure (3): Brick and mortar design of the stratum corneum.....	4
Figure (4): Basic principle of sonophoresis.	13
Figure (5): Basic principle of iontophoresis.	15
Figure (6): Microneedles for transdermal delivery.....	17
Figure (7): Microconduit technique for transdermal permeation enhancement.....	19
Figure (8): Diagrammatic representation for the types of patches for TDDS.....	24
Figure (9): The tensile strength tester.....	32
Figure (10): Eudragit E-100 films.....	36
Figure (11): Effect of different concentrations (%w/w) of dibutyl phthalate (DBP) plasticizer on the mechanical properties of Eudragit E-100 films.....	38
Figure (12): Effect of different concentrations (%w/w) of diethyl phthalate (DEP) plasticizer on the mechanical properties of Eudragit E-100 films.....	40
Figure (13): Effect of different concentrations (%w/w) of triacetin plasticizer on the mechanical properties of Eudragit E-100 films.....	41
Figure (14): Effect of different plasticizers on the percentage elongation at break (ϵ_b) of Eudragit E-100 films.....	42
Figure (15): Effect of different plasticizers on Eudragit film tack.....	45