

THE EXPERIMENTAL ANIMAL OF CHOICE IN
CYTOGENETIC TESTING

By



RAMADAN AHMED MOHAMED ALI

Fellowship Holder, University College for Women,
Ain Shams University,



A Thesis Submitted for the Degree of Master of Science,
Presented to the Department of Zoology,

University College for Women,

Ain Shams University,

Cairo, Egypt.

591.0724
R.A

1991

THE EXPERIMENTAL ANIMAL OF CHOICE IN CYTOGENETIC TESTING.

SUPERVISED BY

PROFESSOR, ZAKIA MOHAMMAD RIAD, (Ph. D.)

PROFESSOR OF CYTOGENETICS

ZOOLOGY DEPARTMENT,

UNIVERSITY COLLEGE FOR WOMEN,

AIN SHAMS UNIVERSITY,

CAIRO, EGYPT.



لعمري، من قبل قسم علم الحيوان
سنة ٢٠٠٠



THE PREMASTER STUDIES

- Histology.
- Histopathology.
- Physiology.
- Invertebrates.
- Statistics
- English language.

CONTENTS

	Page
1. ACKNOWLEDGMENT.....	0
2. INTRODUCTION.....	1
3. AIM OF THE PRESENT WORK.....	15
4. MATERIAL AND METHODS.....	16
5. OBSERVATIONS.....	20
5.1 DEVELOPMENT OF MICRONUCLEI AS AN INDICATION OF GENOTOXICITY.....	20
5.1.1 Literature Review.....	20
5.1.2 Present Findings.....	25
5.1.2.1 Hamsters.....	25
5.1.2.2 White Rats.....	29
5.1.2.3 Mice.....	34
5.1.2.4 Guinea pigs.....	38
5.2 CHROMOSOMAL DAMAGE IN RESPONSE TO CYCLO- PHOSPHAMIDE GENOTOXICITY.....	42
5.2.1 Literature Review.....	42
5.2.2 Present Findings.....	46
5.2.2.1 Hamsters.....	46
5.2.2.2 White Rats.....	55
5.2.2.3 Mice.....	62
5.3 THE SPERM MORPHOLOGY TEST.....	67
5.3.1 Literature Review.....	67
5.3.2 Present Findings.....	69
5.3.2.1 White Rats.....	69
5.3.2.2 Mice.....	78

	Page
6. COMPARATIVE SENSITIVITY OF VARIOUS TEST ANIMALS.....	86
7. DISCUSSION.....	97
8. SUMMARY.....	107
9. REFERENCES.....	109
ARABIC SUMMARY.....	

LIST OF FIGURES

	Page
Fig. (1) : A micronucleated R.B.C. in hamster bone marrow....	25
Fig. (2) : Micronucleated R.B.Cs in the bone marrow cells of hamster treated with cyclophosphamide.....	26
Fig. (3) : Micronucleated R.B.Cs in bone marrow of hamster showing more than one micronucleus per corpuscle..	26
Fig. (4) : A normoblast with two micronuclei in hamster bone marrow.....	26
Fig. (5) : Micronucleated leucocytes in hamster bone marrow. Note the diversity in size of the micronuclei.....	28
Fig. (6) : Rat bone marrow R.B.Cs showing small micronuclei.....	31
Fig. (7) : Rat bone marrow R.B.Cs showing large micronuclei. Note that the diameter is more than 1/5 of the involved R.B.C.	31
Fig. (8) : Rat bone marrow R.B.Cs with multiples of micronuclei. Note the size difference.....	31
Fig. (9) : Micronucleated normoblasts. Note the number and the size differences.....	31
Fig. (10): Rat bone marrow leucocytes showing micronuclei....	31
Fig. (11): Mouse bone marrow R.B.Cs showing small micronuclei.....	34
Fig. (12): Mouse bone marrow R.B.Cs showing large micronuclei.....	34
Fig. (13): Mouse bone marrow cells containing multiples of micronuclei.....	34

Fig. (14) : Micronucleated normoblasts. Note that one cell may contain more than one micronucleus.....	34
Fig. (15) : Crescent-shaped micronuclei in mature R.B.Cs in mouse bone marrow.....	35
Fig. (16) : Mouse bone marrow leucocytes with multiples of micronuclei.....	35
Fig. (17) : Bone marrow R.B.Cs of Guinea pig with small- sized micronuclei.....	39
Fig. (18) : Micronucleated bone marrow R.B.Cs of Guinea pig each having more than one micronucleus.....	39
Fig. (19) : Bone marrow normoblasts of Guinea pig with additional micronuclei.....	39
Fig. (20) : Bone marrow leucocytes of Guinea pig showing micronuclei.....	39
Fig. (21) : A mature bone marrow R.B.C. containing one large micronucleus.....	40
Fig. (22) : A metaphase for a male hamster showing 44 chromosomes.....	46
Fig. (23) : Chromosome groups of the metaphase shown in fig. 22.....	47
Fig. (24) : The first group. It includes 10 pairs of subacrocentric chromosomes as obtained from 10 metaphases.....	47
Fig. (25) : The group 6 pairs of metacentric chromosomes from the same 10 metaphases.....	47
Fig. (26) : The group of 5 pairs of acrocentric chromosomes from the same 10 metaphases.....	47
Fig. (27) : The Sex chromosomes XY of the male golden hamster as evident in the 10 analysed metaphases.	47

Fig. (28) : An idiogram of the X containing haploid set.	
Note that the chromosomes are arranged in a descending order of their length.....	47
Fig. (29) : Polyploid metaphases with supernumary of intact chromosomes.....	50
Fig. (30) : Hamster metaphases showing partial pulverization...	50
Fig. (31) : Complete pulverization. Note the fragmentation of the whole chromosomal set.....	50
Fig. (32) : Chromatid gaps due to cyclophosphamide treatment...	52
Fig. (33) : Chromatid breaks in hamster chromosomes.....	52
Fig. (34) : Acentric fragments. Note the lack of centromere...	52
Fig. (35) : Deletion of the distal chromatid part of hamster chromosomes due to cyclophosphamide treatment.....	52
Fig. (36) : Hamster chromosome association. Note the arrangement of the involved chromosomes.....	54
Fig. (37) : A metaphase chromosomal spread from a control male rat.....	55
Fig. (38) : Chromosome karyotype of the metaphase shown in fig. 37.....	55
Fig. (39) : The largest three pairs of rat metaphase chromo- somes. Note the position of the centromere.....	55
Fig. (40) : The second group of metaphase chromosomes from 8 rat metaphases.	55
Fig. (41) : The third group of rat chromosomes as evident in 8 metaphases. Note the satelllites in the smallest pair.....	55
Fig. (42) : Group 4 in 8 rat metaphases.....	55
Fig. (43) : The sex chromosomes from the above 8 metaphases....	56

Fig. (44) : Several metaphases with missing chromosomes.	
A : Metaphases having 41 chromosomes.	
B : Metaphases having 40 chromosomes.	
C : Metaphases having 39 chromosomes.....	58
Fig. (45) : Polyploid metaphases. Note the variation in chromosomal number.....	58
Fig. (46) : Acentric chromosomal fragments.....	61
Fig. (47) : Rat chromosomal breaks.....	61
Fig. (48) : Rat chromosomes showing evident gaps.....	61
Fig. (49) : Rat chromosomes showing deletion of one chromatid....	61
Fig. (50) : Partial pulverization of rat chromosomes in response to cyclophosphamide treatment.....	61
Fig. (51) : A completely pulverized rat metaphase.....	61
Fig. (52) : Rat chromosomal aberrations.	
A : Ring chromosome.	
B : Centric fusion.	
C : Chromosomal association.	
D : Dicentric chromosome.....	61
Fig. (53) : A mouse metaphase. Note that all the chromosomes are acrocentric.....	62
Fig. (54) : The karyotype of the metaphase shown in fig. 53.....	62
Fig. (55) : A proposed idiogram for mouse metaphase chromosomes..	62
Fig. (56) : Acentric chromosomal fragments in mouse metaphases...	64
Fig. (57) : Mouse chromosomal breaks.....	64
Fig. (58) : Mouse chromosomal gaps.....	64
Fig. (59) : Deleted mouse chromosomes showing missing terminal part.....	64

	Page
Fig. (60) : Mouse chromosomes showing partial pulverization. . .	64
Fig. (61) : Completely pulverized mouse chromosomes.	64
Fig. (62) : Mouse chromosomal aberrations.	
A : Ring chromosome	
B : Centric fusion.	64
Fig. (63) : Mouse metaphases showing more than one sign of damage.	64
Fig. (64) : A normal rat sperm cell.	69
Fig. (65) : Acute curvature of the rat sperm head.	74
Fig. (66) : Rat sperm cell showing straight heads.	74
Fig. (67) : A rat sperm with an enlarged head. Compare with the neighbouring regular head size.	74
Fig. (68) : Abnormal head forms of rat sperms.	74
Fig. (69) : A rat sperm showing regional doubling of the tail. .	76
Fig. (70) : Combined head and tail deformities of rat sperms. .	76
Fig. (71) : The regular shape of a mouse sperm cell.	78
Fig. (72) : Abnormal head size in mouse sperm cells compare with the neighbouring control sperm.	
A : Enlarged heads.	
B : Reduced head size.	83
Fig. (73) : Deformities in the anterior sperm tip.	
A : Acute curvature.	
B : Straight head.	
C : Lack of anterior tip.	83
Fig. (74) : Amorphous mouse sperm head forms.	
A : Short thick heads.	
B : Elongated heads.	83

Fig. (75) : Reduction of nuclear material.

A : Vacuolated sperm heads.

B : Severe reduction of the nuclear material..... 83

Fig. (76) : Abnormal forms of the mouse sperm tails.

A : A thickened tail.

B : Filamentous tail.

C : Adherent tail.

D : Tail formed several rounds around the head..... 84

Fig. (77) : Combined head and tail abnormalities in mouse

sperms..... 84

LIST OF TABLES

	Page
Table (I) : The number of micronucleated hamster bone marrow R.B.Cs in response to cyclophosphamide.!	27
Table (II) : The number of micronucleated rat bone marrow R.B.Cs in response to cyclophosphamide.....	30
Table (III) : The number of micronucleated mouse bone marrow R.B.Cs in response to various dose levels of cyclophosphamide.....	36
Table (IV) : The number of micronucleated Guinea pig bone marrow R.B.Cs in response to cyclophosphamide.....	41
Table (V) : Structural chromosomal aberrations in the control group of male hamsters.....	48
Table (VI) : Numerical aberrations of hamster chromosomes treated by cyclophosphamide.....	49
Table (VII) : Percentage of damaged metaphases affected by cyclophosphamide in hamsters.....	51
Table (VIII) : The sum of structural aberrations in hamster metaphases due to cyclophosphamide treatment.....	53
Table (IX) : Structural chromosome aberrations in the control group of rats.....	56
Table (X) : Numerical aberrations of rat chromosomes treated by cyclophosphamide.....	57
Table (XI) : Percentage of damaged metaphases affected by cyclophosphamide in rats.....	59

Table (XII) : The sum of strucural aberrations in rat metaphases due to cyclophosphamide treatment.....	60
Table (XIII) : The sum of structural chromosome aberrations in mice metaphases due to cyclophosphamide treatment.....	63
Table (XIV) : Percentage of damaged metaphases affected by cyclophosphamide in mice.....	65
Table (XV) : Average damage in mouse metaphase after treatment with cyclophosphamide.....	66
Table (XVI) : Deformed rat sperm among control group.....	70
Table (XVII) : Incidence of deformities in rat sperm after cyclophosphamide treatment,(5 mg/kg).....	71
Table (XVIII) : Incidence of deformities in rat sperm after cyclophosphamide treatment,(20 mg/kg).....	72
Table (XIX) : Incidence of deformities in rat sperm after cyclophosphamide treatment,(40 mg/kg).....	73
Table (XX) : Deformed mouse sperms among control group....	78
Table (XXI) : Deformities in mouse sperms treated with 5 mg/kg of cyclophosphamide.....	79
Table (XXII) : Deformities in mouse sperms treated with 20 mg/kg of cyclophosphamide.....	80
Table (XXIII) : Deformities in mouse sperms treated with 40 mg/kg of cyclophosphamide.....	81

LIST OF CURVES

	Page
Curve (1) : Abnormal rat sperms post treatment with cyclophosphamide.....	75
Curve (2) : Sperm tail losses throughout a complete rat spermatogenic cycle in response to cyclophosph- amide treatment.....	77
Curve (3) : Abnormal mouse sperms post treatment with cyclophosphamide.....	82
Curve (4) : Sperm tail losses throughout a complete mouse spermatogenic cycle in response to cyclophosph- amide treatment.....	85