

EFFECT OF HEAT AND THIRST ON WATER METABOLISM IN DESERT ANIMALS

By

IBRAHIM MOHAMED ELBANNA

B. Sc. (Agric.) 1964

M. Sc. (Agric.) 1970

Ein Shams University

٢٠٩



Thesis Submitted in Partial Fulfillment
of The Requirements

7152

For

Doctor of Philosophy

in

Agricultural Sciences

Animal Production

Ein - Shams University

636-08
I.M



1975

APPROVAL SHEET

Title of Thesis:

**Effect of Heat and Thirst on Water
metabolism in Desert Animals.**

By

Ibrahim Mohamed Elbarma

Approved by:

... A. L. Badreldin

Salih. Barnade...

S. Korby.....

Committee in Charge

Date: 27 / 11 / 1975.



ACKNOWLEDGEMENTS

The author is indebted to Prof. Dr. O. Shehata Professor of Animal Nutrition, Ein Shams Univ., for his supervision and interest in this study, and to Dr. E.A. Kotby, Associate Prof. of Animal Physiology, Ein Shams Univ., for his supervision, valuable criticism and constructive comments of the manuscript.

Deepest gratitude and appreciation are due to Prof. Dr. T.H. Kamal, Chairman of Radiobiology Dept. and Head of Tracer Bioclimatology Unit, Atomic Energy Establishment, for suggesting the problem, keen supervision, guidance throughout this investigation, and help in providing the facilities for this work.

Thanks are due to Prof. Dr. MD.A. Maraiy, Chairman of Obstetrics and Gynaecology Dept., Ein Shams Univ., for providing the counting facility.

The writer wishes to acknowledge the laboratory instructions offered by Dr. H.A. El-Asrag of the Nuclear Chemistry Dept., A.E.E., for preparing ^{99m}Tc-HSA. The technical assistance of Mr. A.A. Abdalmoiti, Mr. M.E. Abdalghani from the Tracer Bioclimatology Unit and of Mr. S. Boktor from the Nuclear Chemistry Dept., A.E.E., is greatly appreciated.

Lives of great men all remind us,

We can make our lives sublime;

And, departing, leave behind us,

footprints on the sands of time.

LONGFELLOW

C O N T E N T S

	Page
INTRODUCTION	1
REVIEW OF LITERATURE	3
1. Physiological Mechanism of Thirst	3
2. Water Metabolism Under Heat and Thirst	9
a) Urine excretion	12
b) Sweating and Cutaneous Water Loss	19
c) Respiratory Vaporization	25
d) Fecal Water Loss	29
3. Body Fluid Compartments Under Heat and Thirst .	32
EXPERIMENTAL DESIGN AND STATISTICAL ANALYSIS	35
MATERIALS AND METHODS	37
1. Animals, Feed, Water and Management	37
2. Metabolic Studies	38
3. Methods	42
A. Water Balance	42
B. Radioisotope Cocktail Methodology	44
a) ^{99m} Tc-HSA	44
b) Bromine-82	55
c) Chlorine-36	61
d) Tritiated Water (³ H ₂ O)	63
C. Paper Electrophoresis of Plasma Proteins .	72
RESULTS AND DISCUSSIONS	73
1. Effect of Heat and Thirst on Water Metabolism in the Camel	73
a) The Tritiated Water Turnover Rate as a new Method in Water Balance Studies. (Tracer Water Balance Method)	73

b) Effect of Heat and Thirst on Daily Urine	
Volume	89
c) Fecal Water Output Under Heat and Thirst ..	98
d) Pulmocutaneous Evaporation Under Heat and Thirst	102
2. Live Body Weight, Total Body Water, and Body Solids Changes Under Heat and Thirst	107
3. Water Retention in the Camel	121
4. Thermoregulation and Water Economy in the Camel Under Heat and Thirst	125
5. Body Fluid Regulation in the Camel Under Heat and Thirst	129
a) Plasma and Blood Volume Under Heat and Thirst	129
a:1) Tritiated water diffusion under heat and thirst in camels	139
a:2) Plasma albumin concentration and disappearance rate in camels under heat and thirst	144
b) Effect of Hot Environment and Water Deprivation on Body Fluid Compartments Regulation in Camels	155
b:1) Intracellular fluid (ICF)	156
b:2) Extracellular fluid (ECF)	161
b:3) Intravascular fluid (IVF)	166
b:4) Renal fluid volume (RF)	175
SUMMARY AND CONCLUSIONS	181
REFERENCES	188

LIST OF TABLES

<u>Table</u>		<u>Page</u>
1	AN estimate of binding capacity and stability of ^{99m}Tc -HSA preparation at room temperature (20°C)	51
2	Comparison between the T-1824 and ^{99m}Tc -HSA methods in measuring the plasma volume in camels under controlled environmental conditions	55
3	Effect of glacial acetic acid and ^3H internal standard addition to tritiated plasma samples on the liquid scintillation counting precision ...	70
4	Effect of heat and thirst on water turned over, L per day in camels	74
5	Analysis of variance of total water turnover rate, liter/day, in camels in response to heat and thirst	74
6	Water turnover rate, L/100 Kg.LBW/day in camels maintained under low, higher temperatures and combined heat and thirst condition	75
7	Analysis of variance of water turnover rate per day, percent of LBW in camels as influenced by heat and thirst	75
8	Biological half life ($t_{1/2}$) of tritiated water in camels maintained under lower and higher temperatures and combined heat and thirst condition	77

<u>Table</u>	<u>Page</u>
9 Analysis of variance of biological half life ($T_{1/2}$) in days of tritiated water in camels maintained under different climatic and water deprivation conditions	77
10 Water balance in camels under cool and hot climates, and under 11 days of drinking water deprivation in hot climate	85
11 Daily urinary output (liters) in camels under cool climate, hot climate, and deprivation of drinking water under hot climate	90
12 Analysis of variance of the daily urine volume (liters) in camels under heat and thirst conditions	90
13 Water loss in urine, feces, and total vaporiza- tion as percent of water turnover rate in L/day in camels under cool and hot climates and under deprivation of drinking water in hot climate ..	95
14 Analysis of variance of the urinary excretion as percent of total daily water turnover rate in camels exposed to heat and water deprivation ..	95
15 Analysis of variance of the data showing the effect of heat and thirst on fecal water loss in camels as percent of total daily water turnover rate	96

<u>Table</u>	<u>Page</u>
16 Analysis of variance of total water vaporisation as percent of water turnover rate in camels maintained under cool, hot, and combined hot and drinking water deprivation	96
17 Fecal moisture percent in camels under controlled lower, and higher temperatures, and combined heat and thirst condition	99
18 Analysis of variance of the moisture content of feces in camels subjected to heat and deprived of drinking water	99
19 Live body weight, Kg. in camels maintained under cool climate, hot climate, and deprivation of drinking water in hot climate	108
20 Tritiated water space, L (Total body water, L) in camels maintained under cool climate, hot climate and deprivation of drinking water in hot climate.	108
21 Changes in total body solids, Kg in camels maintained under cool climate, hot climate and deprivation of drinking water in hot climate ...	109
22 Analysis of variance of live body weight of camels as affected by heat and deprivation of drinking water under hot climate	109
23 Analysis of variance of total body water (TBW), absolute values in camels as affected by heat and thirst	110

<u>Table</u>	<u>Page</u>
24 Analysis of variance for body solids of camels under heat and thirst	110
25 Effect of heat and thirst on total body water as percent of live body weight in camels	114
26 Effect of heat and combined heat and thirst on total body water (TBW) as percent of total body solids in camels	114
27 analysis of variance of TBW as percent of LBW in camels subjected to conditions of high environ- mental temperature and deprived completely of drinking water for 11 days under hot conditions .	115
28 Analysis of variance of TBW as percent of total body solids in camels under conditions of heat and thirst	115
29 Effect of heat and thirst on rectal temperature in camels	126
30 Analysis of variance of rectal temperature measurements on camels subjected to heat and thirst	126
31 Effect of heat and thirst on plasma volume, L in camels	132
32 Plasma and blood volumes as liters per 100 Kg/LBW in camels under heat and thirst	133
33 Effect of heat and thirst on Ht % in camels	134

<u>Table</u>	<u>Page</u>
34 analysis of variance of hematocrit in camels maintained under hot condition and when deprived of drinking water in hot climate	135
35 Analysis of variance of plasma volume, L. in camels subjected to heat and thirst	135
36 Analysis of variance of plasma volume as percent of LBW of camels under heat and thirst conditions	136
37 Analysis of variance of blood volumes as liters per 100 Kg LBW of camels maintained under heat and thirst conditions	136
38 Effect of heat and combined heat and thirst on tritiated water disappearance rate constant, $-k \times 10^{-4}$ during the first hour after intravenous injection in camels	140
39 Effect of heat and thirst on plasma albumin fraction as a percent of total plasma proteins in camels	145
40 Analysis of variance for plasma albumin fraction in camels maintained under heat and thirst	145
41 Effect of heat and thirst on ^{99m}Tc labelled albumin exponential decay factor, $(-k \times 10^{-4})$ as an indication to distribution rate of albumin in camels under simulated desert conditions	152
42 Analysis of variance of plasma albumin disappearance rate constant, $(-k \times 10^{-4})$ as measured with ^{99m}Tc -BSA in camels under heat and thirst conditions	153

<u>Table</u>	<u>Page</u>
43 Effect of heat and thirst on T-1824 half life time, hrs in camels	153
44 Effect of heat and thirst on the intracellular fluid, % TBW in camels	157
45 analysis of variance of the intracellular water as a fraction of TBW in camels under heat and thirst	157
46 Effect of heat and thirst on extracellular fluid volume, % TBW (including rumen) in camels	162
47 analysis of variance of extracellular fluid volume, % TBW in camels under heat and thirst .	162
48 Extracellular fluid volume, % TBW (excluding the rumen compartment) of camels under heat and thirst	164
49 Analysis of variance of the extracellular fluid volume, % TBW (excluding rumen) of camels under heat and thirst	164
50 Effect of heat and thirst on intravascular fluid volume, % TBW in camels subjected to heat and thirst	167
51 Analysis of variance of intravascular fluid volume, % TBW of camels maintained under hot climate and when deprived of drinking water under hot climate	167
52 Extravascular fluid volume, % of TBW in camels when subjected to heat and deprived completely of drinking water under hot climate	173

Table

Page

53	Analysis of variance of extravascular fluid, % of TBW in camels under heat and when deprived of drinking water under high environmental temperature	173
54	Effect of thirst under heat on rumen fluid (RF) volume; (liters) in camels	176
55	Analysis of variance of RF volume, liters, in camels subjected to heat and thirst	176
56	Effect of thirst under high environmental temperature on water content of the rumen, % of TBW in camels	177
57	Analysis of variance of the rumen water content, % of TBW in camels when deprived completely of drinking water under high environmental temperature	177

LIST OF FIGURES

<u>Fig.</u>		<u>Page</u>
1	Decay scheme of ^{99m}Tc	45
2	Diagrammatic presentation of liquid extraction of ^{99m}Tc followed by milking out through alumina ion exchange column, and HSA labelling process	45
3	Physical decay ($T_{1/2}$) of ^{99m}Tc	49
4	Time distribution curve of plasma ^{82}Br activity as percent of administered dose	60
5	Water balance in camels under heat and deprivation of drinking water	86
6	Effect of heat and thirst on water loss through urine, feces and vaporization as percent of water turned over daily in camels	97
7	Effect of low and high temperature, and combined heat and thirst on THO diffusion rate from intravenous compartment in camels	142
8	Total body water distribution in body fluid compartments of camels under heat and thirst ...	179