

PETROLOGY OF THE IRON ORE BEARING ROCKS OF
ASWAN, EGYPT, AND THEIR ECONOMIC
EVALUATION

BY

MORAMED KARAM A. H. EL ZAWAHRY
(B. Sc.)

A THESIS SUBMITTED IN PARTIAL FULFILLMENT FOR THE
AWARD OF THE MASTER OF SCIENCE
DEGREE IN GEOLOGY

552
M.K.

Department of Geology
Faculty of Sciences
Ain Shams University
November 1972



C O N T E N T S

| | Page |
|-------------------------------------|------|
| - Acknowledgements | 1 |
| - Introduction | 2 |
| - Method of study | 6 |
| Field Work | 5 |
| Stratification | 8 |
| Internal structures | 9 |
| Laboratory Work | 10 |
| Petrographic study | 10 |
| X - ray study | 14 |
| Quantitative chemical analysis | 16 |
| - General geologic setting | 18 |
| - Lithostratigraphy | 21 |
| Umm Barnil Area | 25 |
| Umm Esh Area | 31 |
| Gebel El-Timsah Area | 36 |
| (1) East Timah section | 36 |
| (2) lit in Gebel El-Timsah | 41 |
| (3) South Timsah station | 45 |
| Wadi Abu Agag Area | 48 |
| (1) North of the South Central Area | 48 |
| (2) West of South Central Area | 53 |
| (3) East of south Central Area | 53 |
| (4) South of South Central Area. | 55 |



| | |
|---|-----|
| Core Samples from UMM Barmil wells | 60 |
| - Petrology of the iron ore bearing rocks | 73 |
| Lower Member | 74 |
| Structures | 76 |
| Rock Types | 79 |
| Conglomerate | 79 |
| Sandstone | 81 |
| Shale and claystone | 92 |
| Environment of Sedimentation | 92 |
| Middle Member | 107 |
| Structures | 109 |
| Rock Types | 122 |
| Sandstones | 123 |
| Siltstones | 150 |
| Shales and claystones | 153 |
| Ironstone and Oolitic iron ore | 155 |
| Environment of sedimentation | 160 |
| Upper Member | 176 |
| Rock Types | 178 |
| Conglomerate | 178 |
| Sandstones | 180 |
| Siltstones and shales | 189 |
| Environment of sedimentation | 190 |
| - Geochemistry of the iron bearing rocks | 196 |
| Sandstones | 197 |
| Siltstones and shales | 199 |
| Ironstones and Oolitic ores | 201 |

- iii -

| | |
|--------------------------|-----|
| - Economic Implications | 215 |
| - Summary and Conclusion | 222 |
| - References Cited | 226 |

E I S T O F F I G U R E S

| <u>Fig NO</u> | <u>Title</u> | <u>Page</u> |
|---------------|---|-------------|
| Fig 1 | Location map | 7 |
| Fig 2 | Correlation chart of the lithostratigraphic sections studied Aswan area Egypt. | 24 |
| Fig 3 | Location map of the lithostratigraphic sections examined, UMM Barmil, Aswan area Egypt. | 27 |
| Fig 4 | Lithostratigraphic log UMM Barmil, Aswan area, Egypt. | 28 |
| Fig 5 | Location map of the lithostratigraphic sections examined, UMM Esh, Aswan area, Egypt | 33 |
| Fig 6 | Lithostratigraphic log, UMM Esh, Aswan area, Egypt . | 33 |
| Fig 7 | Location map of lithostratigraphic sections measured, El Timsah area, Aswan. | 37 |
| Fig 8 | Lithostratigraphic log, East Timsah, (1) Gebel El-Timsah, Aswan area, Egypt. | 38 |
| Fig 9 | Lithostratigraphic log, pit in Gebel El - Timsah, (2) Gebel El-Timsah, Aswan area, Egypt. | 42 |
| Fig 10 | Lithostratigraphic log, south Timsah, - (3) Gebel El-Timsah, Aswan area, Egypt. | 46 |

| | | |
|---------|--|----|
| Fig. 11 | Location map of the lithostratigraphic sections Examined, Wadi Abu Agag, Aswan area ,Egypt | 49 |
| Fig. 12 | Lithostratigraphic log, North of South Central Area, (1) Wadi Abu Agag , Aswan area, Egypt. | 50 |
| Fig. 13 | Lithostratigraphic log, West of south Central Area, (2) Wadi Abu Agag , Aswan area, Egypt. | 51 |
| Fig. 14 | Lithostratigraphic log, East of South Central Area, (3) Wadi Abu Agag , Aswan area, Egypt. | 58 |
| Fig. 15 | Lithostratigraphic log , South of South Central Area, (4) Wadi Abu Agag . Aswan Area, Egypt. | 59 |
| Fig. 16 | Histograms and cumulative curves of sandstones, Lower Member , Nubian Sandstone. Aswan area, Egypt. | 84 |
| Fig. 17 | Binary variation diagrams of roundness, spheri- city , normal and undulose quartz grains, Lower Member, Nubian Sandstone, Aswan area, Egypt. | 85 |
| Fig. 18 | Ternary variation diagrams of main micro cons- tituents, sandstones, Lower Member , Nubain Sandstone , Aswan Egypt. | 86 |
| Fig. 19 | Fine sandstone core no 65 lower Member Umm Barmil well , Aswan area. | 93 |

| | | |
|--------|--|-----|
| Fig 20 | Ferruginous sandstone : Sp NO 94 Unit 2 , Lower Member ,West of South Central Area. | 94 |
| Fig 21 | Kaolinitic sandstone : Sp. NO 95 , unit 2 , Lower Member West of South Central Area. | 94 |
| Fig 22 | Ferruginous calcareous sandstone: Sp. No 35 Unit 1 , Lower Member , Umm Esh area. | 95 |
| Fig 23 | Shale : Sp. No 90 , unit 1 Lower Member , North of South Central Area, | 95 |
| Fig 24 | Histograms of frequency of the main micro- constituents, Umm Barmil , Aswan area Egypt. | 98 |
| Fig 25 | Histograms of frequency of the main micro- constituents, Umm ESh , Aswan , Egypt. | 99 |
| Fig 26 | Histograms of frequency of the main micro- constituents ,East Timsah , (1) Gebel El- Timsah , Aswan Area, Egypt. | 100 |
| Fig 27 | Histograms of frequency of the main micro- constituents , pit in Gebel El-Timsah , (2) Gebel El-Timsah , Aswan Area,Egypt. | 101 |
| Fig 28 | Histograms of Frequency of the main micro- constituents, South Timsah , (3) Gebel El- Timsah , Aswan Area ,Egypt. | 102 |
| Fig 29 | Histograms of frequency of the main micro - constituents, North of South Central Area, (1) Wadi Abu Agag , Aswan Area ,Egypt . | 103 |

ituents , sandstone, Middle Member, Aswan ,
Egypt.

| | | |
|--------|--|-----|
| Fig 38 | Oolitic ore with plant remains | 143 |
| Fig 39 | Argillaceous kaolinitic sandstone: Sp. No 58 , Unit 4 , Middle Member, South of South Central Area. | 144 |
| Fig 40 | Ferruginous sandstone : Sp No 62 , Unit 10 , Middle Member , South of South Central Area. | 144 |
| Fig 41 | Quartzose sandstone : Sp. No 32 , Unit 1 , Middle Member East Gebel El-Timsah . | 145 |
| Fig 42 | Quartzitic sandstone : Core No 5, Umm Barmil Wells. | 145 |
| Fig 43 | Quartzitic sandstone : Core No 66 from Umm Barmil wells. | 146 |
| Fig 44 | Calcareous sandstone : Sp. No 78 , Unit 4 , Middle Member , East of South Central Area. | 146 |
| Fig 45 | Ferruginous argillaceous sandstone : Sp. No 4 Unit 4 , south Gebel El-Timsah area , Middle Member . | 147 |
| Fig 46 | Ferruginous dolomitic sandstone and siltstone: Sp. No 27 , Unit 4 Middle Member , East Gebel El-Timsah . | 147 |
| Fig 47 | Oolitic siltstone : Sp. No 52 , Unit 3 , Middle Member , Umm Barmil area. | 148 |

| | | |
|--------|--|-----|
| Fig 48 | Glauconitic silty sideritic ironstone : Sp. No 59, Unit 5, Middle Member , South of South Central Area . | 148 |
| Fig 49 | Claystone , Sp. No 79 , Unit 5 Middle Member, East of South Central Area. | 149 |
| Fig 50 | Ferruginous silty claystone, Sp. No 66 , Unit 6, Middle Member , Umm Esh area. | 149 |
| Fig 51 | Quartzitic sandstone Sp. No 64 , Unit 25 , Upper Member , South of South Central Area. | 171 |
| Fig 52 | Sandy dolitic ore Sp. No 89 Unit 2 , Middle Member , North of South Central Area. | 171 |
| Fig 53 | Ferruginous dolostone , core 68 of Umm Barmil wells . | 172 |
| Fig 54 | Dolomitic ironstone, core 81 of Umm Barmil Wells. | 172 |
| Fig 55 | Dolitic silty ore ,Sp. No 85 , Unit 5, Middle Member , East of South Central Area . | 173 |
| Fig 56 | Dolitic ore , Sp No 5 , Unit 5, Middle Member, south Gebel El-Timsah. | 173 |
| Fig 57 | Dolitic ore , Sp. No 30 , Unit 1 , Middle Member East Gebel El-Timsah. | 174 |
| Fig 58 | Two dololiths , spiral-shaped , connected together | |

| | | |
|--------|--|-----|
| | sp. No 30 , unit 1 , Middle Member , East Gebel El-Timsah . | 174 |
| Fig 59 | Oolitic dolomitic ironstone core 84 of Umm Barmil wells. | 175 |
| Fig 60 | Sandy oolitic ore , Core 50 of Umm Barmil wells | 175 |
| Fig 61 | Histograms and cumulative curves of sandstones, Upper Member, Nubian Sandstone, Aswan area. Egypt | 184 |
| Fig 62 | Binary diagrams of roundness , sphericity, normal and undulose quartz grains , sandstones, Upper Member, Nubian Sandstone , Aswan area, Egypt. | 185 |
| Fig 63 | Ternary variation diagrams of main microconstituents, sandstones, Upper Member, Aswan area, Egypt . | 186 |
| Fig 64 | Argillaceous sandstone , Sp. No 14 , Unit 10, Upper Member, pit in Gebel El-Timsah. | 192 |
| Fig 65 | Ferruginous sandstone, Sp. No. 84, Unit 6, Upper Member , North of South Central Area. | 192 |
| Fig 66 | Calcareous sandstone , core 2 of Umm Barmil wells . | 193 |
| Fig 67 | Silty sandstone , Sp. No. 21 , Unit 12, Upper Member , East Gebel El-Timsah . | 193 |
| Fig 68 | Spotted sandstone , Core 4 of Umm Bermil Wells. | 194 |

- Fig 69 Ferruginous sandstone, Sp. No 63 Unit 25 , Upper Member , South of South Central Area. 194
- Fig 70 Sandy Oolitic ironstone , Sp. No. 71 Unit 12 , Upper Member , Umm Esh Area. 195
- Fig 71 Different types of chamositic developments in sandy Oolitic ironstone. Sp. No. 71 unit 12, Upper Member , Umm Esh Area. 195
- Fig 72 Frequency of iron and manganese in percent, Umm Barmil ,Aswan Area , Egypt. 203
- Fig 73 Frequency of iron and mangonese in percent, Umm Esh, Aswan Area, Egypt. 204
- Fig 74 Frequency of iron and manganese in percent; East timsah , (1) Gebel El-Timsah , Aswan Area. Egypt. 205
- Fig 75 Frequency of iron and manganese in percent, pit in Gebel El-Timsah , (2) Gebel El-Timsah Aswan Area Egypt. 206
- Fig 76 Frequency of iron and manganese in percent, south Timsah , (3) Gebel El-Timsah , Aswan Area, Egypt 207
- Fig 77 Frequency of iron and manganese in pereent . North of South Central Area, (1) wadi Abu Agag, Aswan Area, Egypt. 208
- Fig 78 Frequency of iron and manganese in percent,

| | | |
|--------|---|-----|
| | West of South Central Area, (2) Wadi Abu Agag, Aswan Area, Egypt. | 209 |
| Fig 79 | Frequency of iron and manganese, in percent East of South Central Area, (3) Wadi Abu Agag Aswan Area, Egypt. | 210 |
| Fig 80 | Frequency of iron and manganese in percent, South of South Central Area (4) Wadi Abu Agag, Aswan Area, Egypt. | 211 |
| Fig 81 | Thickness variation of the " A " and " B " ore ones, East Aswan, Egypt. | 217 |

L I S T O F T A B L E S

| <u>Table No</u> | <u>Title</u> | <u>Page</u> |
|-----------------|---|-------------|
| Table I | Summarized lithostratigraphy of the three Nubian Sandstone Members, Aswan Area, Egypt | 25 |
| Table II | Frequency range and average of main micro-constituents in sandstones , Lower Member. | 87 |
| Table III | Thickness of the three members in the localities studied , Aswan area, Egypt." | 108 |
| Table IV | Maximum and minimum intercepts of ooliths "A" ore zone , Middle Member. | 116 |
| Table V | Maximum and minimum intercepts of ooliths "B" ore zone , Middle Member. | 116 |
| Table VI | Mechanical analysis data of sandstone, Middle Member . | 125 |
| Table VII | Frequency ranges and averages of main micro constituents, sandstones ,Middle Member. | 136 |
| Table VIII | Frequency ranges and averages of main microconstituents, ironstones and oolitic ores, Middle Member . | 157 |
| Table IX | Mechanical analysis data sandstones Upper | |

| | | |
|------------|---|-----|
| | Member . | 181 |
| Table X | Frequency ranges and averages of main microconstituents, sandstones , Upper member. | 183 |
| Table XI | Frequency ranges and averages of iron and manganese in sandstone ,Aswan area Egypt . | 198 |
| Table XII | Frequency ranges and averages of iron and manganese in shales , Aswan area , - Egypt . | 200 |
| Table XIII | Frequency ranges and averages of iron and manganese in ironstone and oolitic iron Ores. | 202 |