



شبكة المعلومات الجامعية

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ





شبكة المعلومات الجامعية



شبكة المعلومات الجامعية

التوثيق الالكتروني والميكرو فيلم

جامعة عين شمس

التوثيق الالكتروني والميكروفيلم



نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأفلام قد اعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيداً عن الغبار

في درجة حرارة من 15 – 20 مئوية ورطوبة نسبية من 20-40 %

To be kept away from dust in dry cool place of
15 – 25c and relative humidity 20-40 %



شبكة المعلومات الجامعية



بعض الوثائق الأصلية تالفة



شبكة المعلومات الجامعية



بالرسالة صفحات

لم ترد بالأصل

B1.944

*FORMULATION and EVALUATION of
some BIOADHESIVE DRUG DELIVERY
SYSTEMS*

THESIS

Presented by

Noha Mohamed Adel Ibrahim Nafee

(B. Pharm. Sci. 1994)

University of Alexandria

**In Partial Fulfillment for the Degree of
Master of Pharmaceutical Sciences
(Pharmaceutics)**

Department of Pharmaceutics

Faculty of Pharmacy

University of Alexandria

2002

ACKNOWLEDGMENTS

First of all, thank you ALLAH for helping me through with this work.

My deepest thanks, sincere gratitude and everlasting appreciation to Professor Dr. Nabila A. Boraie, professor of Pharmaceutics, for her whole hearted guidance, infinite support, patience, and continuous encouragement throughout the progress of the study.

I wish to express my great indebtedness to Professor Dr. Lobna M. Mortada, professor of Pharmaceutics, for her kind advice, wise guidance and valuable supervision.

Particular gratitude to Dr. Fatma A. Ismail, assistant professor of Pharmaceutics, for her valuable suggestions, instructions and supervision.

I am also grateful to the head of the department of pharmaceutics Dr. Nabila Daabis, professor of Pharmaceutics and all staff members for their encouragement and understanding.

Appreciation is expressed for the help received from my dear colleagues for their sincere help and cooperation.

I owe a special dept of gratitude to my parents and my lovely daughter, Ayah whose continual encouragement, patience and cordial assistance were of great value in accomplishing this work.

CONTENTS

List of Figures	iv
List of Tables	xii
Abbreviations	xvi
General Introduction	1
1. The mucus layer	2
2. Mechanism of mucoadhesion	4
3. Theories of bioadhesion	7
4. Mucoadhesive polymers	9
5. Commonly-used mucoadhesive polymers	11
6. Site-specific bioadhesive polymers	21
7. Novel mucoadhesive polymers	24
8. Methods of evaluation of bioadhesion	26
8.1. In-vitro methods	27
8.2. Ex-vivo methods	37
8.3. In-vivo methods	39
9. Factors affecting mucoadhesion	41
9.1. Polymer-related factors	41
9.2. Experimental variables	45
9.3. Physiological factors	48
10. Mucoadhesive drug delivery systems	49
Aim of the thesis	61

PART I:

FORMULATION AND EVALUATION OF MUCOADHESIVE TABLETS FOR SYSTEMIC DRUG DELIVERY

Introduction	62
1. Overview of the oral mucosa	62
2. Buccal routes for drug permeation	64
3. Factors affecting oral transmucosal penetration	66
4. Experimental methodology for buccal permeation studies ...	68
Experimental	73
Results and Discussion.....	86
I) Evaluation of plain mucoadhesive tablets	86
a. Mucoadhesive tablets containing individual polymers.....	86
b. Mucoadhesive tablets containing polymer combination....	96
II) Medicated buccal mucoadhesive tablets	125
a. Tablets containing diltiazem hydrochloride	125
b. Tablets containing metoclopramide hydrochloride.....	144
In-vivo release of metoclopramide hydrochloride	157
Effect of ageing	163
Conclusion	171

PART II:

FORMULATION AND EVALUATION OF MUCOADHESIVE PATCHES FOR LOCAL DRUG DELIVERY

Introduction	172
Experimental	176
Results and Discussion	189
I) Evaluation of plain mucoadhesive patches	189
II) Evaluation of medicated mucoadhesive patches.....	198
a. Mucoadhesive patches containing miconazole nitrate	198
• In-vivo evaluation of selected mucoadhesive patches	

containing miconazole nitrate	246
b. Mucoadhesive patches containing cetylpyridinium chloride ..	262
• Effect of ageing	286
Conclusion	296
Summary	297
References	302
Arabic summary	



LIST OF FIGURES

Figure		Page
1	Schematic representation of the mucus	5
2	Schematic representation of chain adsorption and chain interpenetration during mucoadhesion of a polymer (A) with the glycoprotein structure of mucus (B).	5
3	Schematic representation of (A) tensile; (B) shear; (C) peel detachment force in adhesive bond strength measurements.	28
4	Apparatus for the determination of bioadhesion force based on tensile strength measurement.	29
5	Apparatus for the determination of bioadhesion force based on shear strength measurement.	31
6	Apparatus for the determination of bioadhesion force based on both tensile and shear strength measurements.	34
7	Other in-vitro methods for the determination of bioadhesion force: (A) Flow-channel method; (B) Falling liquid film method.	34
8	In-situ perfusion technique for the measurement of bioadhesion force of intestinal microspheres.	38
9	In-vivo methods for the determination of bioadhesion force.	40
10	Structure of the oral mucosa.	63
11	Chemical structure of (A) Diltiazem hydrochloride, (B) Metoclopramide hydrochloride.	72

12	Schematic representation of the apparatus used for the in-vitro determination of bioadhesion force.	79
13	Schematic representation of the apparatus used or the in-vitro determination of residence time.	81
14	The bioadhesion force of plain mucoadhesive tablets containing individual polymers.	89
15	Swelling profiles of plain mucoadhesive tablets containing individual polymers.	91
16	The bioadhesion force of plain mucoadhesive tablets containing different CP/HPMC mixtures.	100
17	The bioadhesion force of plain mucoadhesive tablets containing different PC/HPMC mixtures.	101
18	The swelling profiles of plain mucoadhesive tablets containing different CP/HPMC mixtures.	103
19	The viscosity of 2% solution of different CP/HPMC combinations in isotonic phosphate buffer pH 6.75 at room temperature.	105
20	The swelling profiles of plain mucoadhesive tablets containing different PC/HPMC mixtures.	107
21	The viscosity of 2% solution of different PC/HPMC combinations in isotonic phosphate buffer pH 6.75 at room temperature.	108
22	The bioadhesion force of different mucoadhesive tablets containing CMC Na/HPMC mixtures.	110
23	The swelling profile of different mucoadhesive tablets containing CMC Na/HPMC mixtures.	112
24	The viscosity of 2% solution of different CMC Na/HPMC combinations in isotonic phosphate buffer pH 6.75 at room temperature.	113

25	The swelling profile of plain mucoadhesive tablets containing mixture CMC Na /HPMC with other polymers.	116
26	The swelling profiles of plain mucoadhesive tablets containing different CMC Na / Gum tragacanth mixtures.	118
27	The effect of various diluents on the bioadhesion force of: a) CP / HPMC mixture, b) PC / HPMC mixture.	121
28	The release profiles of diltiazem hydrochloride from mucoadhesive tablets based on CP ₂ formula.	128
29	The release profiles of diltiazem hydrochloride from mucoadhesive tablets based on PC ₃ formula.	135
30	Comparative bioadhesion of different bioadhesive formulae containing diltiazem hydrochloride.	140
31	The release profiles of diltiazem hydrochloride from mucoadhesive tablets based on CMC Na formula.	141
32	The effect of metoclopramide hydrochloride (30 and 60 mg) on the bioadhesion force of the mucoadhesive tablets.	146
33	The % decrease in bioadhesion force of mucoadhesive tablets containing (a) diltiazem hydrochloride (b) metoclopramide hydrochloride, compared to the corresponding plain tablets.	148
34	The release profiles of metoclopramide hydrochloride from different mucoadhesive tablet formulations.	151
35	The release profiles of DZ and MP (30 and 60 mg) from the mucoadhesive tablets based on CP, PC or CMC Na formulae.	154
36	The in-vivo release of metoclopramide hydrochloride from mucoadhesive tablet formulation [PC _b] .	158

37	The in-vitro and in-vivo release profiles of metoclopramide hydrochloride from mucoadhesive tablet formula [PC _b].	161
38	In-vitro and in-vivo correlation of metoclopramide release from mucoadhesive tablet formulation [PC _b].	162
39	The release profiles of diltiazem hydrochloride from mucoadhesive tablets based on CMC Na [formula C] after storage at 40°C, 75% RH for 6 months.	165
40	The release profiles of metoclopramide hydrochloride from mucoadhesive tablets based on PC/HPMC [formula PC _b] after storage at 40°C and 75% RH for 6 months.	169
41	The release profiles of metoclopramide hydrochloride from mucoadhesive tablets based on PC/HPMC [formula PC _b] after storage at room temperature for 12 months.	170
42	Chemical structure of (A) Miconazole nitrate, (B) Cetylpyridinium chloride.	175
43	The swelling profiles of mucoadhesive patches containing individual polymers a) Weighing method. b) Diameter method.	191
44	The viscosity of mucoadhesive patches formulations in distilled water using LVDV-II Brookfield viscometer attached to a helipath spindle number 4, at 20 rpm, at room temperature.	195
45	The bioadhesion force of mucoadhesive patches containing individual polymers.	196
46	The bioadhesion force of some mucoadhesive polymers in the form of tablet and patch.	199
47	Calibration curve for miconazole nitrate assay by two-phase titration: a) using miconazole as stock solution in methanol, b) using miconazole in powdered form.	200

48	The swelling profiles of CMC Na patches containing miconazole nitrate (weighing method).	205
49	The release profiles of miconazole nitrate from CMC Na patches.	206
50	The swelling profiles of Na alginate patches containing miconazole nitrate (weighing method).	210
51	The release profile of miconazole nitrate from Na alginate patches.	211
52	The swelling profiles of chitosan patches containing miconazole nitrate (weighing method).	214
53	The release profiles of miconazole nitrate from chitosan patches.	216
54	The swelling profiles of PVA patches containing miconazole nitrate (weighing method).	220
55	The release profiles of miconazole nitrate from PVA patches.	221
56	The swelling profiles of HEC patches containing miconazole nitrate (weighing method).	225
57	The release profiles of miconazole nitrate from HEC patches.	227
58	The swelling profiles of HPMC patches containing miconazole nitrate (weighing method).	230
59	The release profiles of miconazole nitrate from HPMC patches.	231
60	The effect of miconazole nitrate, PVP 1 and 5% w/v on the swelling behavior of mucoadhesive polymers.	234
61	The effect of miconazole nitrate and PVP 1 and 5% w/v on the residence time of mucoadhesive patches.	236