

Congenital Renal Anomalies Associated With Neural Tube Defects

Thesis

Submitted in partial fulfillment of the requirement for
Master Degree in Pediatrics

By

Hanan Ahmed Mohamed Helmy

M.B. B.Ch.

Supervisors

Dr.

Farida El-Baz Mohamed

Assist. Professor of Pediatrics

Faculty of Medicine, Ain Shams University

Dr.

Heba Hassan El Sedfy

Lecturer of Pediatrics

Faculty of Medicine, Ain Shams University

Dr.

Hala Mahmoud Abu Senna

Assist. Professor of Radiodiagnosis

Faculty of Medicine, Ain Shams University

**Faculty of Medicine
Ain Shams University**

1996

Farida El Baz Mohamed

Basim Mohamed




52825

618.920043
H-A

Handwritten signatures and initials in the bottom left corner.



بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ



CONTENTS

	<i>Page</i>
INTRODUCTION	1
AIM OF THE WORK	2
REVIEW OF LITERATURE	3
• Congenital Renal Aomalies Associated with:	
Neural tube defects	3
Embryology of neural tube defects.	5
Pathogenesis of neural tube defects.	13
Epidemiology of neural tube defects.	15
Clinical presentation of neural tube defects.	15
Diagnosis of neural tube defects.	19
Course of neural tube defects.	22
Management of neural tube defects.	23
• Congenital renal anomalies	27
Embryology of the urinary system.	27
Function of the foetal kidney.	36
Congeintal anomalies of the urinary tract.	37
Renal agenesis.	45
Horseshoe kidney.	49
Crossed ectopia	54

CONTENTS (CONT.)

	<i>Page</i>
Pelvic kidney.	56
Anomalies of rotation	59
Ureterocoele	60
Duplication of the ureter	61
• Neurogenic bladder	64
SUBJECTS & METHODS	67
R E S U L T S	70
DISCUSSION	101
CONCLUSION	109
RECOMMENDATION	110
SUMMARY	111
REFERENCES	113
ARABIC SUMMARY	

LIST OF TABLES

	<i>Page</i>
Table (1) Mean and standard deviation of age of the patients	76
Table (2) Sex ratio of the patients.	77
Table (3) Percentage of renal anomalies in the patients .	78
Table (4) Number of cases with renal anomalies in different age groups	79
Table (5) Radiographic findings in patients with meningocele	80
Table (6) Radiographic findings in patients with meningocele and hydrocephalus	81
Table (7): Radiographic findings in patients with spina bifida occulta	82
Table (8): Postmortem findings in dead babies	85
Table (9): Congenital anomalies (other than renal anomalies) associated with neural tube defects	86
Table (10) List of anomalies detected only by intravenous pyelography	87

LIST OF FIGURES

	<i>Page</i>
Fig (1): Diagram of transverse section in germ discs, to show the stages of development of the neural tube and neural crest	5
Fig (2): Diagram of longitudinal section in human embryo to show subdivision of the neural tube into brain vesicles and spinal cord	7
Fig (3): Diagram showing exencephaly and anencephaly	9
Fig (4): Diagram showing types of cephalocoele	10
Fig (5): Diagram showing various types of meningocele	12
Fig (6): Diagram showing the development of urinary system	29
Fig (7): Diagram showing the indifferent stages in the development of the urogenital system	31
Fig (8): Diagram showing the development of the urinary system in the two sexes	32
Fig (9): Diagram showing horseshoe kidney and congenital polycystic kidney	51
Fig (10): Diagram showing ascent of the kidney	57

LIST OF FIGURES (CONT.)

	<i>Page</i>
Fig (11): Histogram showing the incidence of renal anomalies in each group	88
Fig (12): Pie chart showing the percentage of neural tube defects	89
Fig (13): Histogram showing number of cases with renal anomalies in different age groups.	90

LIST OF PLATES

	<i>Page</i>
Plate (1): Intravenous pyelography showing malrotation of both kidneys	91
Plate (2): Ascending pyelography showing double urinary bladder, reflux and hydroureters	92
Plate (3): Intravenous pyelography showing bilateral hydronephrosis and hydroureter with urethral stricture (posterior urethral valve)	93
Plate (4): Intravenous pyelography showing filling of the posterior urethra denoting incontinence (appear as voiding cystogram)	94
Plate (5): Intravenous pyelography showing double ureter on the left side with ptosed malrotated right kidney	95
Plate (6): Intravenous pyelography showing aborted duplication of right pelvis	96
Plate (7): An autopsy finding showing hypoplastic left kidney, polycystic right kidney and left abdominal testis	97

LIST OF PLATES (CONT.)

	<i>Page</i>
Plate (8): A female abortus \pm 28 weeks with anencephaly and meningocoele from posterior view	98
Plate (9): A female abortus \pm 28 weeks with anencephaly and meningocoele from lateral view	99
Plate (10): An autopsy finding showing right polycystic kidney.	100

Acknowledgement

I wish to express my sincere gratitude to Professor Farida El Baz Mohamed: Ass. Professor of Pediatrics, Faculty of Medicine, Ain Shams University, for her great care, continuous everlasting encouragement, constructive supervision and advice throughout this work.

I am greatly indebted to Dr. Heba Hassan El Sedfy, Lecturer in Pediatrics, Faculty of Medicine, Ain Shams University, for her support, indispensable guidance, generous help and tedious effort in revising the details of the whole work.

I do feel indebted to Professor Hala Mahmoud Abu Senna, Ass. Professor of Radiodiagnosis, Faculty of Medicine, Ain Shams University, who devoted much of her time to give me great help and endless encouragement.

I am greatly thankful to Professor Salwa Haddad Professor of Pathology, Faculty of Medicine, Ain Shams University, for her great help.

Lastly, I am deeply thankful to every person who helped me while performing this work.

