

Ali Ramzy

**NON-HLA B-CELL ANTIGEN
IN RHEUMATIC
FEVER PATIENTS IN EGYPT**

Magied

THESIS

Submitted in Partial Fulfillment of
M.Sc. Degree in
Cardiology.

BY

AHMED FATHY TAMARA
M.B., B.Ch.

616 127
A F

53787

SUPERVISORS

Prof. Dr. ALI RAMZY ABDEL MAGIED

Professor of Cardiology, Faculty of Medicine,
Ain-Shams University.

Dr. MAIY HAMDY EL-SAYED

Assistant Professor of Cardiology, Faculty of Medicine,
Ain-Shams University.

Dr. HOSAM MOSTAFA FAHMY

Lecturer of Clinical Pathology, Faculty of Medicine
Ain-Shams University.

Faculty of Medicine
Ain-Shams University
1997





ACKNOWLEDGEMENT

First of all thanks to God

I would like to express my deep gratitude to Prof. Dr. **ALI RAMZY ABDEL MAGIED** Professor of Cardiology , Faculty of Medicine, Ain - Shams University for his kind guidance and constant help which made this work possible. It is a great honor to have this work under his supervision.

I am deeply thankful to Prof. Dr. **MAIY HAMDY EL-SAYED** Assistant Professor of Cardiology, Faculty of Medicine, Ain-Shams University for her valuable guidance and suggestions. Her cooperative attitude was of great help to complete the work.

I am greatly indebted to Prof. Dr. **HOSAM MOSTAFA FAHMY**, Lecturer of Clinical Pathology, Faculty of Medicine, Ain-Shams University for his worthy experience and valuable advises throughout the practical part and the rest of this work.

I would like to thank Prof. Dr. **ADEL EL MESSIRI** for permitting us to work at the Medical Research Center, his kindness and gentleness cannot be expressed by words.

Also, I would like to thank all the staff in the Rheumatology Unit and in the Medical Research Center whose noble character and their unlimited help impressed me very much.

CONTENTS

INTRODUCTION AND AIM OF THE WORK	1
REVIEW OF LITERATURE	3
- HLA System	3
- Non HLA Sytstem	18
- Pathology of Rheumatic Fever	21
- Clinical Picture of Rheumatic Fever	28
- Dignosis of Rheumatic Fever	51
- Radiographic & Electrocardiographic Findings	52
- CRP	
SUBJECTS AND METHODS	63
R E S U L T S	69
FIGURES	88
DISCUSSION	198
SUMMARY	111
REFERENCES	115
ARABIC SUMMARY	

LIST OF TABLES

Table (1) History of taking revealed	70
Table (2) General examination revealed	71
Table (3) Descriptive analysis of D8/17 B cell antigen among study groups	75
Table (4) Radiographic and ECG Findings	79
Table (5) Clinical Characteristics of Relatives	80
Table (6) :Detection of D8/17 B cell Antigen in th controls	83
Table (7) Detection of D8/17 B cell Antigen in th relatives	86

LIST OF FIGURES

Figures A, B, C, D, E and F show the B cells under the E/M under the Rhodamine Filter.	90
The positive cells appear apple green in color while the negative cells appear uncolored (Red).	
Fig. (1) Frequency distribution of D8/17.B cell antigen among study patients.	92
Fig. (2) Frequency distribution of D8/17 B cell antigen among controls	93
Fig. (3) Frequency distribution of D8/17 B cell antigen among relatives	94
Fig. (4) Posteroanterior views of acute rheumatic fever with questionable clinical signs of carditis first film (top) suggested mild cardiac enlargement. A marked decrease in heart size was noted in the film taken 8 weeks later (bottom), indicating that dilatation of the heart was unequivocally present initially. (A, B)	95
Fig. (5) Posteroanterior views of a first attack of acute rheumatic fever with myocarditis and mitral regurgitation. The top view was taken at the onset of the attack and shows generalized cardiac enlargement. The bottom view was taken 4 months later. The heart has returned to normal in size, although the murmur regurgitation is still present (A, B)	97
Fig. (6) P.A. view of chest of a boy with ARF, pericardial friction rub, aortic and mitral insufficiency and sickle cell anaemia, it shows water bottle cardiac shadow	99

V

- Fig. (7) Posteroanterior view of a 14 year old girl with rheumatic heart disease and mitral stenosis. There is right ventricular enlargement with upward and outward displacement of the apex and a prominence of the main pulmonary artery. 100
- Fig. (8) Oblique view of a barium swallow of a 14 year old girl with mitral stenosis . The enlargement left atrium has displaced the esophagus posteriorly. 101
- Fig. (9) Posteroanterior view of a 15 year old girl with rheumatic heart disease and mitral stenosis. Heart is not enlarged but the left cardiac border is straightened . 102
- Fig. (10) Determination of the PR index. In this example, the PR interval measures 0.15 second and the heart rate is 93 per minute. The upper limit of normal for this age (8 years) and heart ratio, according to Ashman and Hull's tables, is $0.16 >$ The PR index is, therefore, $0.15/0.16 = 0.94$.(From Mirowski et al.,Pediatrics 33 :334, 1964. 103
- Fig. (11) Electrocardiogram of a 13 years old boy with rheumatic heart disease and aortic insufficiency. Deep S waves in lead V_1 and tall R waves and prominent Q waves in leads V_5 & V_6 denote left ventricular hypertrophy. 104
- Fig. (12) Types of systolic murmurs in children with rheumatic mitral regurgitation (1) plateau, (2) midsystolic accentuation, (3) decrescendo, (4) crescendo, (5) inconstant pansystolic, (6) late systolic . S_1 = first heart sound. S_2 = second heart sound . S_3 = third heart sound. SM = systolic murmur. DM - diastolic murmur. 105

- Fig. (13) Heart block in acute rheumatic fever. A, first degree 106
 AV block with a PR interval of 0.36 second. B,
 Wenckebach phenomenon: slowly progressing PR
 intervals for 0.36 second to 0.44 second followed by
 a dropped beat. After the dropped beat, first and
 second degree heart block appears.
- Fig. (14) EKG tracings from a 10 year old girl with pericarditis. 107
 A, EKG at onset : marked elevation of ST segment in
 leads I, II, V₃, V₄, V₅, and V₆ B, EKG 2 weeks
 after onset : ST segments have returned to the
 iso-electric line, but T waves are inverted in leads I,
 II, and in all precordial leads from V₃ to V₆
 (Courtesy of Dr. Harold H. Bix)



INTRODUCTION
AND
AIM OF THE WORK

