

EFFECT OF CRIPPLING ON THE PRESENTATION OF POST-TRAUMATIC STRESS DISORDER

Thesis

Submitted for Partial Fulfillment
of M.Sc. Degree in Neuropsychiatry

By

Mohamed El-Sayed Abdel Hamid
M.B, B.Ch.

Supervised By

*616.89
M.E.*
Prof.Dr. Adel Sadek


Prof. of Psychiatry
Ain Shams University

60544
Prof.Dr. Mohamed Ghanem

Prof. of Psychiatry
Ain Shams University

Dr. Tarek Asaad

Lecturer of Psychiatry
Ain Shams University


Faculty of Medicine
Ain Shams University

1996



The first part of the paper discusses the importance of understanding the cultural context of the research. It highlights the need for researchers to be sensitive to the values and beliefs of the communities they are studying. This is particularly important in the field of education, where cultural differences can significantly impact learning outcomes. The paper then moves on to discuss the challenges of conducting research in culturally diverse settings. It notes that researchers often face difficulties in establishing rapport with participants and in interpreting their responses. To address these challenges, the paper suggests several strategies, including the use of local informants and the development of culturally appropriate research instruments. The final part of the paper discusses the importance of ethical considerations in cross-cultural research. It emphasizes the need for researchers to obtain informed consent from participants and to ensure that their research does not cause harm or exploitation. The paper concludes by noting that while cross-cultural research presents many challenges, it is also a valuable way to gain a deeper understanding of the world and to promote cultural understanding and respect.



DEDICATION

To My Parent's Soul

To My Faithful Beloved Wife

To My Kids, Karim and Manar

To Those by Whom I have Started my
First Steps to Practice Psychiatry







Major Gen. M.D.: Ayman Abdel Fatah
Salama, Prior Consultant of Psychiatry,
Military Armed Forces (1987-1989)

Major Gen. M.D.: Mohamed Adel Foad,
Prior Consultant of Psychiatry, Military
Armed Forces (1989-1993)





Contents

	<i>Page</i>
 CHAPTER I	
Introduction And Aim of Work.....	1
 CHAPTER II	
Phenomenology And Comorbidity of PTSD	4
 CHAPTER III	
Natural History of The Disorder	9
 CHAPTER IV	
Definition, Reliability and Validity of the PTSD....	16
 CHAPTER V	
Management of PTSD.....	27
 CHAPTER VI	
Social Impact of Stress Disorder	50
 SUBJECT AND METHODS.....	 70
RESULTS.....	83
DISCUSSION	102
CONCLUSION.....	109
SUMMARY	111
REFERENCES.....	113
 ARABIC SUMMARY	

The first part of the paper discusses the importance of understanding the underlying mechanisms of the observed phenomena. This is followed by a detailed analysis of the data, which reveals several key findings. The results indicate that the proposed model is highly effective in capturing the essential features of the system under study. Furthermore, the analysis shows that the system exhibits a high degree of robustness and stability, which is a significant advantage in practical applications. The paper also highlights the limitations of the current study and suggests directions for future research. Overall, the findings provide valuable insights into the complex behavior of the system and have important implications for the field.

Acknowledgement

I would like to express my deepest gratitude to *Professor Dr. Adel Sadek, Professor of Psychiatry, Ain Shams University*, for his supervision throughout the work and for his fatherly attitude to which I am greatly indebted.

I wish also to express my deepest sincerity and thanks to *Professor Dr. Mohamed Ghanem, Professor of Psychiatry, Ain Shams University*, for his support and help without which this work could be very hardly accomplished.

I would like to acknowledge my gratitude to *Dr. Tarek Asaad, Lecturer of Psychiatry, Ain Shams University*, for his valuable notes throughout the work and for his encouragement and help.

I would also to express my thanks to *Major General M.D. Mohamed Abdel Moneim EL-Gabry, Consultant of Psychiatry of Military Armed Forces, Dr. Habib Max Tadros, Head of Department of Psychiatry, Maadi Armed Forces Hospital and to Dr. Waheed Mohamed Ahmed, Specialist of Psychiatry, Maadi Armed Forces Hospital*, for their support and encouragement and their valuable comments throughout the work.

I should also like to express my thanks to *Mr. Mohamed Abdel Khalik Shehata, Head of Clinical Psychology Unit, Maadi Armed Forces Hospital* for his help in applying and checking psychological tests, and to *Mr. Adel Atalla, Diploma of Statistics* for performing statistical analysis.

I should also like to express my thanks to my Colleagues for their help throughout the work.

I cannot forget to express my deepest thanks sincerity and gratitude for the patients who were very co-operative with me and I hope that this work may be of value for them.

List of Abbreviations

PTSD	<i>Post traumatic stress disorder</i>
POW	<i>Prisoner of war</i>
WWII	<i>World war II</i>
PMR	<i>Progressive muscle relaxation</i>
ASQ	<i>Attributional style questionnaire</i>
C.S.R.	<i>Combat stress reaction</i>
I.E.S.	<i>Impact of event scale</i>
APA	<i>American psychiatric association</i>
DSM	<i>Diagnostic and statistical manual</i>

List of Tables

Page

<i>Table (1)</i>	Comparison of Symptoms of Somatization between Group (A) (Non Crippled) and Group (B) (Crippled) using T-Test.	87
<i>Table (2)</i>	Comparison of Symptoms of Anxiety between Group (A) (Non Crippled) and Group (B) (Crippled) using T-Test.	87
<i>Table (3)</i>	Comparison of Depressive Symptoms between Group (A) (Non Crippled) and Group (B) (Crippled) using T-Test.	88
<i>Table (4)</i>	Comparison of Absessive Compulsive Symptoms between Group (A) (Non Crippled) and Group (B) (Crippled) using T-Test.	88
<i>Table (5)</i>	Comparison of Phobic Symptoms between Group (A) (Non Crippled) and Group (B) (Crippled) using T-Test.	89
<i>Table (6)</i>	Comparison of Interpersonal Sensitivity between Group (A) (Non Crippled) and Group (B) (Crippled) usnig T-Test.	89

List of Tables (Cont.)

	<i>Page</i>
<i>Table (7)</i> Comparison of Symptoms of Hostility between Group (A) (Non Crippled) and Group (B) (Crippled) using T-Test.	90
<i>Table (8)</i> Comparison of Paranoid Ideation Symptoms between Group (A) (Non Crippled) and Group (B) (Crippled) using T-Test.	90
<i>Table (9)</i> Comparison of Symptoms of Psychoticism between Group (A) (Non Crippled) and Group (B) (Crippled) using T-Test.	91
<i>Table (10)</i> Summary of the Comparison of the results of the Symptoms Check List between Group (A) (Non Crippled) and Group (B) (Crippled).	92
<i>Table (11)</i> Comparison between Group (A) (Non Crippled) and Group (B) (Crippled) using Percentage of Severity of Depression Scored on Beck Scale.	93
<i>Table (12)</i> Comparison between Group (A) (Non Crippled) and Group (B) (Crippled) using Percentage of Severity of Anxiety Scored on Taylor Anxiety Scale.	94

List of Tables (Cont.)

Page

- | | | |
|-------------------|--|----|
| <i>Table (13)</i> | Comparison between Group (A) (Non Crippled) and Group (B) (Crippled) using Anxiety Symptoms Scored on Taylor Anxiety Scale. | 95 |
| <i>Table (14)</i> | Comparison between Group (A) (Non Crippled) and Group (B) (Crippled) using Depressive Symptoms Scored on Beck Scale. | 95 |
| <i>Table (15)</i> | Comparison between Group (A) (Non Crippled) and Group (B) (Crippled) in the Severity of Anxiety. | 96 |
| <i>Table (16)</i> | Comparison between Group (A) (Non Crippled) and Group (B) (Crippled) in the severity of depression scored on Beck Scale. | 96 |
| <i>Table (17)</i> | Comparison between Group (A) (Non Crippled) and Group (B) (Crippled) as regards symptoms check list (SCL 90), Beck Scale and Taylor Scale. | 97 |

List of Figures

	<i>Page</i>
<i>Figure (1)</i> Number of cases representing different degrees in depressive symptoms in both groups using Beck depression inventory.	98
<i>Figure (2)</i> Number of cases representing different degrees of anxiety symptoms in both groups using Taylor scale	99
<i>Figure (3)</i> Comparison between degree of severity of depressive symptoms in the two groups scored on Beck depression inventory	100
<i>Figure (4)</i> Comparison between degree of severity of anxiety symptoms in the two groups scored on Taylor manifest anxiety scale	101