

Thesis

Submitted for Partial Fulfilment of the Master Degree in Pediatrics

By

Ahmed Bakry Mohamed

12 M.B.,B.CH

Supervised

By

Dr. Mohamed Salah El-Kholy

Professor of Pediatrics, Faculty of Medicine, Ain Shams University

Dr. Maiy Hamdy El-Sayed

Ass. Professor of Cardiology, Faculty of Medicine, Ain Shams University

Dr. Eman A.M. Zaky

Lecturer of Pediatrics,

Faculty of Medicine, Ain Shams University

Faculty of Medicine
Ain Shams University
(1997)





ACKNOWLEDGEMENT

I would like to express my sincere gratitude and much thanks to **Professor Dr.Mohamed Salah El-Kholy**, Professor of Pediatrics, Faculty of Medicine, Ain-Shams University, for his kind supervision, keen guidance, support and encourgement throughout the whole work.

My sincere gratitude to **Dr. Maiy Hamdy El-Said,**Ass. Professor of Cardiolgy, Faculty of Medicine, Ain-Shams
University, for helping me in doing echocardiography work.

My sinecre gratitude to **Dr.Eman A. Zaky**, Lecturer of Pedriatics, Faculty of Medicine, Ain Shams University, for reading, revising and correction every detial in this thesis, throughout the preparation and writing of this work, she gave her comments and advice, with the spirit of real scholar.

Finally,I wish to thank every one for helping me in doing this work.

.

CONTENTS

Subjects	Page
Introduction and Aim of the work	(1)
Review of Literature	(3)
* Clinical Features	(18)
* Mangement of Turner syndrome	(31)
* Cardiovascular abnormalities of Turner syndrome	
Subjects and Methods	(63)
Results	(71)
Discussion	(92)
Summary and conclusion	(98)
Recommendation	(101)
References	(102)
Arabic Summary	



List of Figures

		Page
Fig (1):	Presenting complaints of our studied patients	
	with Turner syndrome.	(75)
Fig (2):	Clinical manifestations recorded in our	
	studied patients with Turner syndrome.	(77)
Fig (3):	Height distribution of our studied patients	
	with Turner syndrome according to the	
	percentiles of Hamill et al., (1979)	(79)
Fig (4):	Echocardiographic abnormalities recorded in	
	our studied patients with Turner syndrome.	(83)
Fig (5):	Karyotype results of our studied patients	
	with Turner syndrome.	(85)
Fig (6):	Doppler study and color flow mapping	
	showing turbulent flow across the coarct	
	segment.	(88)
Fig (7):	Two dimensional echocardiography	
	parasternal and long axis showing concentric	
	hypertrophic left ventricle and dilated left	
	atrium	780)



Fig (8):	Doppler study and color flow mapping	
	showing turbulent flow across the	
	interventricular septum and flow gradient	
	across the septum.	(90)
Fiσ (9) :	Two dimnsional echocardiography showing	

Fig (9): Two dimnsional echocardiography showing powing of the anterior leaflet of the mitral valve towards the cavity of the left atrium during systole. (91)



List of tabels

		Page
Table (1):	Summary of the cytogentic findings in 141	
	patients with Turner syndrome.	(5)
Table (2):	Percentage of frequency of certain	
	physical features in various karyotypes of	
	Turner syndrome .	(23)
Table (3):	Clinical findings commonly described in	
	patients with Turner syndrome.	(24)
Table (4):	Commonly reported roentogenographic	
	changes in patients with Turner syndrome.	(35)
Table (5):	Differential diognosis of Turner syndrome.	(37)
Table (6):	Treatment aspects of Turner syndrome.	(41)
Table (7):	Cardiovascular abnormalities abserved in	
	Turner syndrome : the relationship to	
	karyotype and phenotype .	(54)
Table (8) :	Clinical data of our studied patients with	
	Turner syndrome .	(72)
Table (9) :	Family history and consanguinity in our	
	studied patients with Turner syndrome.	(73)
Table(10):	Presenting complaints of our studied	
	patients with Turner syndrome.	(74)

