11/14/14

Relationship of Pubertal Development to the Nutritional Status of Egyptian Girls

THESIS

SUBMITTED IN THE FULFIL MENT OF (Ph. D.) DEGREE Childhood Studies



BY Amina Hafez Awad

M. B., B. Ch., M. Sc. (PEDIATRICS)

Institute of Post-Graduate
Childhood Studies
AIN SHAMS UNIVERSITY

1987

Prof. Dr. Mehassem Abdel Fattab

Prof. Dr. Mehassem Abdel Fattah (6) Mahaca Ala

Faculty of Medicine, Cairo University

& Former Head of Medical Department.

Institute of Post-Graduate Childhood Studies

Prof. Dr. Sohair Ibrahim Salem

Prof. of Nutritional-Biochemistry

National Research Center.

Prof. Dr. Fawzia Helmy Hussein

Prof. of Anthropology and Human Genetics

National Research Center /



Fo my Parents, Husband and Children

ACKNOWLEDGEMENT

I wish to express my gratitude to all those who sincerely helped me in this work.

I would like to express my deepest thanks and gratitude to Prof. Dr. Mehassen Abdel Fattah, Professor of Public Health and Preventive Medicine, Faculty of Medicine, Cairo University, and Former Head of Medical Department, Institute of Post-Graduate Childhood Studies, who has been quite generous with her knowledge advice and true helping me thoughout the whole work.

To Prof. Dr. Sohair Salem, Professor of Nutritional Biochemistry, Child Health Department, National Research Center, I owe more than can be expressed, for her kind supervision, unlimited effort, valuable suggestions and time she freely gave during the course of this study.

Thanks and gratefulness will not be enough wards to express my great indebtedness to Prof. Dr. Fawzia Helmy Hussein, Professor of Anthropology and Human Genetics, Genetic Department, National Research Center.

I offer my gratitude to Prof. Dr. Osman Galal, Professor of Pediatrics, Head of Child Health Department, National Research Center for his sympathetic and encouraging attitude.

My deep thanks and best wishes to Prof. Dr. Kadry Hefny, Dean of Institute of Post-Graduate Childhood Studies, Ain Shams University and to the Institute staff for their sincere help.

I wish also to thank the Head masters and staff of the primary and preparatory schools of Giza Governorate where this study was made, for the facilities given in providing the sample of the study.

My deep thanks to all the members of Child Health Department, National Research Center for their Co-operation and support and on top of them Prof. Dr. Salwa El Housseiny, one can never forget the great effort offered by her.

My family needs a special and cordial appreciation for offering me all the time and effort needed.

The candidate

```
ERRATA
  P.52
                         line
                                6
                                          minerals
  P.55
P.79
                         line
                                15
                                          calcium
                                ĪŹ
                         line
                                          28.75 % were menstruating
  P.9I
                                11:
                         line
  Comparing our results with the American Standards (NCHS, 1976):
                          Age range
                                                     Percentile
                       7.5 --II.5 years
11.5--14.5 years
14.5--16.5 years
  Initial weight:
                                                  between 50 th -75 th
                                                  between 25 th- 50th
                                                 between 50 th -75 th
 Follow up
                   :
                       7.5-- 8.5
                                    years
                                                 between 75 th -90 th
                       8.5--16.5
                                    years
                                                 between 50 th -75 th
 P.91
                        line 23:
 Initial height:
                       7.5--8.5
                                    years
                                                 between 75 th -90 th
                       8.5--9.5
                                                 between 50th - 75 th
between 25 th -50 th
between 75 th -90 th
                                    years
                       9.5--16.5
7.5--10.5
                                   years
 Follow up
                                   years
                       10.5---11.5 years
                                                 between 50 th -75 th
between 25 th -50 th
                       11.5--16.5 years
 P.92
                         line 16: According to FRISANCHO, (1974)
 Initial mid arm
                        all age groups
 circumference
                                                 between 15 th -50 th
 Follow up
                        10.5--12
                                   years
                                                 between 50 th -85 th
between 15 th -50 th
                        12 --14
                                   years
                        14 -- 15
                                                 between 50 th -85 th
                                   years
P.93
                         line 1
                                        to 1.7 + /-1.1 \text{ mm/year}
P.111
                         line 10
                                        ranged from 22.8+/-6.3
P.142
                         line 2
                                        3.1 years
P.143
                        line 22
                                        9.5 years
P.146
                        line 21
                                        from
P.147
                        line 13
                                        from
P.148
                        line
                               8
                                        the
P.149
                                        of low socio-economic
                        line
                              -6
P.153
                        line 16
                                        during
P.18I
                        line
                               9
                                        inter-relationship
P.184
                        line
                               6
                                       course
P.193
                        line 11
                                       receiving
```

Index

	page
* Introduction	1
* Review of literature	3
- Puberty.	3
. Introduction.	
• Onset of puberty	3
. Sequence of pubertal changes	4
. Growth and development at adolescence	7
. The adolescent growth spurt	11
. Relation of growth spurt to menarche.	11
Factors affecting puberty.	12
 Factors affecting age of menarche. 	15
- Nutritional status and growth during	17
puberty.	
. Introduction.	26
. Nutritional needs for growth	26
 Nutritional requirements for adolescents 	27
	31
 Dietary allowances recommended for adolescents. 	
	34
. Signs of nutritional disorders.	36
. Relation between some trace elements	
and growth during puberty	40
iron	40
zinc -	45
copper	50
 Food habits of adolescents 	53

	page
× Aim of the study	57
* Material and Methods	58
* Results	75
* Discussion	136
* Recommendations	155
* Summary and Conclusion	158
* Abbreviations	163
* References	164
* Appendix	195
* Arabic summary	

List of Tables

	page
1- Recommended dietary allowances of	
nutrients for adolescent males and	
females, 1980	35
2- Distribution of the girls from the	
different schools by age	59
3- Normal ranges of hematological and	
biochemical items studied	71
4- Number of girls studied in each age	
group	77
5- Distribution of girls according to	
their socio-economic levels	77
6- Mean age for each stage of breast	
development of the girls	81
7- Mean age for each stage of pubic hair	
growth of the girls	83
8- Number and percent of menstruating girls	00
in each age group	85
9- Mean age of menarche in the present	67
study and in other studies conducted in	
Egypt and other countries	04
10- Mean age of onset for each stage of	86
pubertal development according to	
modified Tanner's classification	07
11- Age of pubertal signs under different	87
socio-economic levels	00

12- Age of pubertal signs under different
socio-economic levels in the present
study compared to other studies 90
13- Mean of different anthropometric
measurements of the girls in each
age group 94
14- Standard weight and height in different
age groups according to 50th percentile
WHO, (1983) 96
15- Triceps skinfold thickness and mid arm
circumference according to Tanner and
Whitehouse Standards, (1962) 97
16- Mean of annual increments of different
anthropometric measurments of the girls
in each age group
17- Annual increments in weight and height
of normal girls compared to girls
delayed in pubertal development 108
18- Daily caloric intake of the girls
and the RDA (1980) in the different
age groups 113
19- Daily protein intake of the girls and
the RDA (1980) in the different age
groups 115
20- Daily iron intake of the girls and the
RDA (1980) in the different age groups

21- Dietary intake of calories, protein and	
iron for examined girls in the different	
stages of puberty	119
22- Dietary intake of calories, protein and	- • ,
iron for the girls under different	
socio-economic levels	120
23- Mean packed cell volume and mean	120
hemoglobin concentration of the girls	
in each age group	124
24- Prevalence of anemia among the girls	164
in each age group	127
25- Distribution of anemic girls according	
to different hemoglobin levels	128
26- Mean packed cell volume and mean	
hemoglobin concentration in different	
stages of pubertal development	128
27- Mean serum iron, zinc and copper	
concentrations in the different age	
groups of the examined girls	129
28- Prevelance of deficiency of serum iron	10,
and serum zinc concentrations among	
the girls	133
29- Mean serum iron, zinc and copper	
concentrations in each stage of puberty	134
30- Mean value of hematological and	,
biochemical findings under different	
socio-economic levels	4.05

Tables of appendix

1-a	Distribution of girls according to	
	educational level of parents	196
2-a	Distribution of girls according to	
	occupational level of parents	198
3-a	Number of children in the family	500
	Birth order of the girl in the family	500
5-a	Number of rooms / house	505
6-a	Number of persons/ house	505
7-a	, and source of light	
	in different divisions	204
8-a	- in the house according	
	to socio-economic level	208
9-a	Number of rooms in the house according	
	to socio-economic level	504

List of Figures

	Page ~-~-
1- Diagram of sequence events at adolescend	î.e
in girls	
2- Approximate distribution of iron in the	
body	41
3- Histogram showing distribution of girls	
according to their socio-economic levels	78
4- Mean age for each stage of breast	
development of the girls	82
5- Mean age for each stage of pubic hair	
growth of the girls	84
6- Mean age for each stage of pubertal	
development of the girls	88
7- Mean weight of girls at each age period	
in comparison to that of the NCHS (1976)	98
8- Mean height of girls at each age period	
in comparison to that of the NCHS (1976)	99
9- Mean triceps skinfold thickness at each	
age perod in comparison to that of	
FRISANCHO, (1974)	100
10- Mean mid arm circumference at each age	
period in comparison to that of	
FRISANCHO, (1974)	101
11- Annual weight increments in different	
age groups	103

12- Annual height	t increments in different	
age groups		104
13- Annual increm	ments in triceps skinfold	
thickness in	different age groups	105
14- Annual increm	ments in biceps skinfold	
thickness in	different age groups	106
15- Annual increm	ments in mid upper arm	
circumference	in different age groups	107
16- Histogram sho	wing annual increments	
in weight for	normal girls compared to	
girls delayed	in pubertal development	109
17- Histogram sho	wing annual increments in	
height for no	rmal girls compared to	
girls delayed	in pubertal development	110
18- Histogram sho	wing daily caloric intake	
in different	age groups in compariosn	
to RDA (1980)		114
19- Histogram show	wing daily protein intake	
in different	age groups in comparison	
to RDA (1980)		116
20- Histogram sho	wing daily iron intake	
in different a	age groups in comparison	
to RDA (1980)		118
21- Histogram show	ving mean packed cell	
volume of the	girls at each age group	125
22- Histogram show	ving mean hemoglobin	
concentration	of the girls at sack	